

PI

KANSAS PI

IND

WELL COMPLETION REPORT AND DRILLER'S LOG State Geological Survey


API No. 15 - 051 - 22,472 WICHITA BRANCH County Number

S. 32 T. 12 R. 20 W

Loc. N/2 SE SW

County Ellis

640 Acres N



Elev.: Gr. 2179'

DF 2181' KB 2184'

Operator John B. Collins

Address 1007 Cody Suite A, Hays, Kansas 67601

Well No. #3 Lease Name Huber

Footage Location 990 feet from (M) (S) line 1650 feet from (E) (W) line

Principal Contractor Dreiling Oil, Inc. Geologist Lawrence F. Gray

Spud Date 7-13-81 Date Completed 7-19-81 Total Depth 4090' P.B.T.D.

Directional Deviation Oil and/or Gas Purchaser

CASING RECORD

Report of all strings set - surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Production	7 7/8"	5 1/2"		3954'	common	250	8% salt 2% gel
Surface Pipe	12 1/4"	8 5/8"		166'	common	135	4% gilsonite 7 units
							Quickset

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
TUBING RECORD					
Size	Setting depth	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production Producing method (flowing, pumping, gas lift, etc.)

RATE OF PRODUCTION PER 24 HOURS	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio CFPB

Disposition of gas (vented, used on lease or sold) Producing interval(s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator John B. Collins  
 DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:  
 oil

Well No. #3 Lease Name Huber

S 32 T 12 R 20 W

**WELL LOG**

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Top Soil- Post rock	0'	70'		
Shale	70'	171'		
Shale	171'	246'		
Shale & sand	246'	1321'		
Shale & Red Bed	1321'	1523'		
Anhy.	1523'	1573'		
Shale	1573'	1776'		
Shale & Lime	1776'	2143'		
Lime & Shale	2143'	2368'		
Shale & Lime	2368'	2580'		
Lime & Shale	2580'	2855'		
Shale & Lime	2855'	3058'		
Shale & Lime	3058'	3269'		
Lime	3269'	3444'		
Lime	3444'	3547'		
Lime	3547'	3625'		
Lime	3625'	3725'		
Lime	3725'	3814'		
Lime	3814'	3866'		
Arb.	3866'	3892'		
Arb.	3892'	4018'		
Lime	4018'	4090'		
	4090'	T. D.		

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	Signature
	Title
	Date

121

# DREILING OIL, INC.

WICHITA BRANCH  
Wichita, Kansas 67671

## WELL LOG

Company	J. B. Collins 1007 Cody Ave. Suite A Hays, KS 67601	Sec. 32	Twp. 12	Rng. 20w
Farm	Huber No. 3	Location	N/2 SE SW	
Total Depth	4090'	County	Ellis	
Comm.	7-13-81 Comp. 7-19-81	Elevation:	2184'	K. B.
Contractor	Dreiling Oil, Inc. Rt. #1 Victoria, KS 67671		2181'	D. F.
			2179'	G. B.

<b>Casing Record</b>	<b>Cement Record</b>	<b>Production:</b>
167' - 8 5/8"	135 sacks cement	
3953' - 5 1/2"	250 sacks cement	

### Figures Indicate Bottom of Formations

0'	70'	Top Soil - Post Rock
70'	171'	Shale
171'	246'	Shale
246'	1321'	Shale & Sand
1321'	1523'	Shale & Red Bed
1523'	1573'	Anhy.
1573'	1776'	Shale
1776'	2143'	Shale & Lime
2143'	2368'	Lime & Shale
2368'	2580'	Shale & Lime
2580'	2855'	Lime & Shale
2855'	3058'	Shale & Lime
3058'	3269'	Shale & Lime
3269'	3444'	Lime
3444'	3537'	Lime
3537'	3625'	Lime
3625'	3725'	Lime
3725'	3814'	Lime
3814'	3866'	Lime
3866'	3892'	Arb.
3892'	4018'	Arb.
4018'	4090'	Lime
4090'	T.D.	

RECEIVED  
STATE CORPORATION COMMISSION

JUN 23 1981

CONSERVATION DIVISION  
Wichita, Kansas

STATE OF KANSAS)  
)ss  
COUNTY OF ELLIS)

I, Patty Dreiling, of Dreiling Oil, Inc., upon oath states that the above and foregoing is a true and correct copy from the Daily Drilling Report from the Huber #3.

Patty Dreiling  
Patty Dreiling