

Casing perms. _____ Bottom choke _____ Surf. temp _____ °F Ticket No. 074601
Gas gravity _____ Oil gravity _____ GOR _____
Spec. gravity _____ Chlorides _____ ppm Res. _____ @ _____ °F

INDICATE TYPE AND SIZE OF GAS MEASURING DEVICE USED _____

INDICATE TYPE AND SIZE OF GAS MEASURING DEVICE USED.

[illegible]


	O. D.	I. D.	LENGTH	DEPTH
Drill Pipe or Tubing	5.75"	2.75"	12"	
Reversing Sub				
Water Cushion Valve				
Drill Pipe WEIGHT PIPE	4.50"	2.764"	1267'	
Drill Collars DRILL PIPE	4 1/2"	3.826"	1164'	
Handling Sub & Choke Assembly				
Dual CIP Valve	5.00"	.87"	65.0"	2438'
Dual CIP Sampler				
Hydro-Spring Tester	5.0"	.75"	60"	2443'
Multiple CIP Sampler				
Extension Joint				
AP Running Case				
Hydraulic Jar	5"	1.75"	60"	
VR Safety Joint	5.0"	1.0"	33+ "	
Pressure Equalizing Crossover				
Packer Assembly	6.75"	1.53"	54.0"	2454'
Distributor				
Packer Assembly	6.75"	1.53"	54.0"	2459'
Flush Joint Anchor				
Pressure Equalizing Tube				
Blanked-Off B.T. Running Case	5.0"	3.06"	48+ "	2461'
Drill Collars				
Anchor Pipe Safety Joint				
Packer Assembly				
Distributor				
Packer Assembly				
Anchor Pipe Safety Joint				
Side Wall Anchor				
Drill Collars Weight Pipe	4.50"	2.764"	31.84'	
Flush Joint Anchor	5.0"	3.84"	6.16'	
Blanked-Off B.T. Running Case	5.0"	2.44"	48.06"	2501'
Total Depth				2505'

TEMPERATURE

RECORDER

CHART

#074601



10° EACH CIRCLE


500#

1000#

1500#

074601-6765

6711



074601-6764

674601

[illegible]

Casing perms. _____ Bottom choke _____ Surf. temp _____ °F Ticket No. 074602
Gas gravity _____ Oil gravity _____ GOR _____
Spec. gravity _____ Chlorides _____ ppm Res. _____ @ _____ °F

INDICATE TYPE AND SIZE OF GAS MEASURING DEVICE USED.

[illegible]

Gauge No. 6765		Depth 2458'		Clock No. 3577		12 hour		Ticket No. 074602	
First Flow Period		First Closed In Pressure		Second Flow Period		Second Closed In Pressure		Third Flow Period	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	$\log \frac{t+\theta}{\theta}$	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	$\log \frac{t+\theta}{\theta}$	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	25	.0000		.0000	73	.0000			94
1 .0338	30	.0346*		.0614	75	.0548			109
2 .0677	36	.0761		.1229	79	.1096			123
3 .1015	43	.1176		.1843	82	.1645			136
4 .1353	49	.1591		.2457	85	.2193			147
5 .1692	53	.2005		.3072	89	.2741			154
6 .2030	58	.2420		.3686	91	.3289			159
7		.2835		.4300	94	.3837			164
8		.3250				.4386			168
9		.3665				.4934			169
10		.4080				.5482			171
11						.6030			172
12									
13									
14									
15									

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000				.5409	192
11						.5950	194
12							
13							
14							
15							

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000				.5409	192
11						.5950	194
12							
13							
14							
15							

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000				.5409	192
11						.5950	194
12							
13							
14							
15							

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000				.5409	192
11						.5950	194
12							
13							
14							
15							

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000				.5409	192
11						.5950	194
12							
13							
14							
15							

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000				.5409	192
11						.5950	194
12							
13							
14							
15							

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000				.5409	192
11						.5950	194
12							
13							
14							
15							

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000				.5409	192
11						.5950	194
12							
13							
14							
15							

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000				.5409	192
11						.5950	194
12							
13							
14							
15							

Gauge No. 6764		Depth 2502'		Clock No. 2820		12 hour	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	52	.0000		.0000	109	.0000	113
1 .0340	55	.0339*		.0604	96	.0541	130
2 .0680	62	.0746		.1209	100	.1082	144
3 .1020	67	.1153		.1813	104	.1623	158
4 .1360	72	.1559		.2417	106	.2164	168
5 .1700	76	.1966		.3022	109	.2705	177
6 .2040	81	.2373		.3626	111	.3245	182
7		.2780		.4230	113	.3786	185
8		.3187				.4327	189
9		.3593				.4868	191
10		.4000					

	O. D.	I. D.	LENGTH	DEPTH
Drill Pipe or Tubing				
Reversing Sub	5.75"	2.75"	12"	2331'
Water Cushion Valve				
Drill Pipe	4.50"	3.826"	1160'	
Drill Collars Weight Pipe	4.50"	2.764"	1267'	
Handling Sub & Choke Assembly				
Dual CIP Valve	5"	.87"	65"	2435'
Dual CIP Sampler				
Hydro-Spring Tester	5"	.75"	60"	2440'
Multiple CIP Sampler				
Extension Joint				
AP Running Case				
Hydraulic Jar	5"	1.75"	60"	
VR Safety Joint	5"	1"	33+ "	
Pressure Equalizing Crossover				
Packer Assembly	6.75"	1.53"	54"	2451'
Distributor				
Packer Assembly	6.75"	1.53"	54"	2456'
Flush Joint Anchor				
Pressure Equalizing Tube				
Blanked-Off B.T. Running Case	5"	3.06"	48+ "	2458'
Drill Collars				
Anchor Pipe Safety Joint				
Packer Assembly				
Distributor				
Packer Assembly				
Anchor Pipe Safety Joint				
Side Wall Anchor				
Drill Collars				
Flush Joint Anchor	5"	3.84"	41.94'	
Blanked-Off B.T. Running Case	5"	2.44"	48.06"	2502'
Total Depth				2506'

TEMPERATURE


RECORDER

CHART

#074602


←85

10⁰ EACH CIRCLE



074602-6765

074602



074602-6764


074602

TEMPERATURE

RECORDER

CHART


#074603



10⁰ EACH CIRCLE

074603-6765

074603
1915 2



074603-6764

074603
6764-3