

Alan Vonfeldt Oil
Boxberger 'A' 9

15-167-23204

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

ORIGINAL

Date 10-4-01 Location 33-13^S-14^W Elevation 1867 KB County Russell

Company ALAN VONFELDT OIL Number of Copies 5

Charts Mailed to 128 Eves Drive Russell Kansas 67665

Drilling Contractor Vonfeldt Oil Rig # 1

Length Drill Pipe 3272 I.D. Drill Pipe 3.80 Tool Joint Size 4 1/2" X.H

Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE

Length Drill Collars NONE I.D. Drill Collars NONE Tool Joint Size NONE

Top Packer Depth 3286 Bottom Packer Depth 3291 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3291 TO 3323 ANCHOR LENGTH 32 TOTAL DEPTH 3323 Hole Size 7 7/8

LEASE & WELL NO. Boxberger 'A' #9 FORMATION TESTED Aebucke TEST NO. 1

Mud Weight 9.5 Viscosity 48 Water Loss 88 Chlorides - Pits 4000 D.S.T. 36000

Maximum Temp. 102 °F Initial Hydrostatic Pressure (A) 1677 P.S.I. Final Hydrostatic Pressure (H) 1635 P.S.I.

Tool Open I.F.P. from 12:30 p.m. to 1:00 p.m. 30 min

Tool Closed I.C.I.P. from 1:00 p.m. to 1:30 p.m. 30 min

Tool Open F.F.P. from 1:30 p.m. to 2:00 p.m. 30 min

Tool Closed F.C.I.P. from 2:00 p.m. to 2:30 p.m. 30 min

Initial Blow Fair blow built to the Bottom of a 5 Gallon Bucket in 8 minutes

Final Blow Fair blow built to the Bottom of a 5 Gallon Bucket in 12 minutes

Total Feet Recovered 630 Gravity of Oil 28 Corrected

210 Feet of CLEAN OIL % Gas % Oil % Mud % Water

90 Feet of Oil cut mud % Gas % Oil % Mud % Water

210 Feet of Muddy Oil % Gas % Oil % Mud % Water

180 Feet of Oil cut water % Gas 50 % Oil % Mud 50 % Water

60 Feet of Oil cut water % Gas 55 % Oil % Mud 45 % Water

 Feet of % Gas % Oil % Mud % Water

 Feet of % Gas % Oil % Mud % Water

 Feet of % Gas % Oil % Mud % Water

 Feet of % Gas % Oil % Mud % Water

 Feet of % Gas % Oil % Mud % Water

Remarks

RECEIVED

FEB 20 2002

KCC WICHITA

Extra Equipment - Jars NONE Safety Joint NONE Extra Packer NONE Straddle NONE Hook Wall NONE

Top Recorder No. 5463 Clock No. 47441 Depth 3317 Cir. Sub NONE Sampler NONE

Bottom Recorder No. 17149 Clock No. 47442 Depth 3320 Insurance NONE

Price of Job

Tool Operator Alan Budig

Approved By

No. 14011

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES INC.


CHART DATA

(316) 792-6902

Great Bend, Kansas

State KANSAS
County RUSSELL
Field

Test Date October 4, 2001
Sec Town Range 33-13S-14W
Report Number 14011



Field Reading

(A)	Initial Hydrostatic Pressure	1677
(B)	Initial Flow Pressure	54
(C)	Final Initial Flow Pressure	174
(D)	Initial Shut-In Pressure	INVALID
(E)	Initial Final Flow Pressure	274
(F)	Final Flow Pressure	329
(G)	Final Shut-In Pressure	INVALID
(H)	Final Hydrostatic Pressure	1635

ELECTRONIC RECORDER DEPTH 3317 FT, RECORDER NUMBER 5463

Company: ALAN VONFELDT OIL Lease & Well No. BOXBERGER "A" #9 Test # 1 Date: 10-04-2001 SEC. 33 TWP.
13S RGE. 14W

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (316)792-6902

GENERAL INFORMATION

COMPANY NAME	ALAN VONFELDT OIL	LEASE AND WELL NUMBER	BOXBERGER "A" #9
TEST DATE	10/04/2001	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	33-13S-14W	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	14011
COUNTY	RUSSELL	ELEVATION KELLY BUSHINGS	1867
ELEVATION GROUND LEVEL	1862	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	DAVE SHUMAKER		

TOOL SETTING INFORMATION

TEST INTERVAL (From)	3291	TOP PACKER DEPTH	3286
TEST INTERVAL (to)	3323	BOTTOM PACKER DEPTH	3291
ANCHOR LENGTH	32	NUMBER OF PACKERS	2
TOTAL DEPTH (ft)	3323	PACKER SIZE	6 3/4
		HOLE SIZE	7 7/8

FLOW TIMES

INITIAL OPEN
TOOL OPEN (from) 12:30
TOOL OPEN (to) 1:00
DURATION (min.) 30
INITIAL SHUT-IN
TOOL CLOSED (from) 1:00
TOOL CLOSED (to) 1:30
DURATION (min.) 30
FINAL OPEN
TOOL OPEN (from) 1:30
TOOL OPEN (to) 2:00
DURATION (min.) 30
FINAL SHUT-IN
TOOL CLOSED (from) 2:00
TOOL CLOSED (to) 2:30
DURATION (min.) 30

PRESSURE READINGS

INITIAL HYDROSTATIC 1677
INITIAL FLOW 54
FINAL INITIAL FLOW 174
INITIAL SHUT-IN INVALID
INITIAL FINAL FLOW 274
FINAL FLOW 329
FINAL SHUT-IN INVALID
FINAL HYDROSTATIC 1635
MAXIMUM TEMPERATURE 102
TOP RECORDER DEPTH 3317
RECORDER NUMBER 5463
BOTTOM RECORDER DEPTH 3320
RECORDER NUMBER 3875

RECEIVED
FEB 20 2002
KCC WICHITA

INITIAL BLOW FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 8 MINUTES

FINAL BLOW FAIR BLOW BIULT TO THE BOTTOM OF A 5 GALLON BUCKET IN 12 MINUTES

EXTRA EQUIPMENT

JARS	NO	ELECTRONIC RECORDER	NO
SAFETY JOINT	NO	STRADDLE	NO
EXTRA PACKER (3RD)	NO	HOOK WALL	NO
EXTRA PACKER (4TH)	NO	SAMPLER	NO
		CIRCULATING SUB	NO

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (316)792-6902

RECEIVED
FEB 20 2002
KCC WICHITA

WELL INFORMATION

DRILLING CONTRACTOR VONFELDT DRILLING RIG #1

DRILL PIPE LENGTH 3272

DRILL PIPE I.D. 3.8

TOOL JOINT SIZE 4 1/2 X.H.

DRILL COLLAR LENGTH

DRILL COLLAR I.D. 2.25

TOOL JOINT SIZE 4 1/2 X.H.

WEIGHT PIPE LENGTH

WEIGHT PIPE I.D. 2.25

TOOL JOINT SIZE 4 1/2 X.H.

MUD WEIGHT #/GAL 9.5

VISCOSITY 48

WATER LOSS 8.8

CHLORIDES-PITS 4600

CHLORIDES-DST 36000

FEET OF RECOVERY		RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1)	210	CLEAN OIL				
2)	90	OIL CUT MUD				
3)	210	MUDDY OIL				
4)	60	OIL CUT WATER		50		50
5)	60	OIL CUT WATER		55		45
6)						
7)						
8)						
9)						
10)						
11)						
12)						
13)						
14)						
15)						
		TOTAL RECOVERY				

COMMENTS