

WELL NAME: Boxberger A-8
COMPANY: Alan Vonfeldt Oil
LOCATION: 33-13S-14W
Russell County, Kansas
DATE: 1/23/98

TRILOBITE TESTING L.L.C.

OPERATOR : Alan Vonfeldt Oil

DATE 1-20-98

WELL NAME: Boxberger A-8

KB 1846.00 ft

TICKET NO: 10866

DST #1

LOCATION : 33-13S-14W CO Russell KS

GR 1841.00 ft

FORMATION: Topeka

INTERVAL : 2723.00 To 2746.00 ft

TD 2746.00 ft

TEST TYPE: CONV

RECORDER DATA

Mins	Field	1	2	3	4	TIME DATA-----
PF 30 Rec.	13547	13547	11018			PF Fr. 0240 to 0310 hr
SI 30 Range(Psi)	4200.0	4200.0	4425.0	0.0	0.0	IS Fr. 0310 to 0340 hr
SF 5 Clock(hrs)	12 HR	12 HR	12 HR			SF Fr. 0340 to 0345 hr
FS 0 Depth(ft)	2729.0	2729.0	2743.0	0.0	0.0	FS Fr. to hr

	Field	1	2	3	4	
A. Init Hydro	1240.0	1274.0	0.0	0.0	0.0	T STARTED 0130 hr
B. First Flow	52.0	97.0	0.0	0.0	0.0	T ON BOTM 0235 hr
B1. Final Flow	70.0	80.0	0.0	0.0	0.0	T OPEN 0240 hr
C. In Shut-in	904.0	912.0	0.0	0.0	0.0	T PULLED 0345 hr
D. Init Flow	76.0	79.0	0.0	0.0	0.0	T OUT 0600 hr
E. Final Flow	76.0	75.0	0.0	0.0	0.0	
F. Fl Shut-in	0.0	0.0	0.0	0.0	0.0	TOOL DATA-----
G. Final Hydro	1210.0	1254.0	0.0	0.0	0.0	Tool Wt. 2000.00 lbs
Inside/Outside	I	I	O			Wt Set On Packer 20000.00 lbs
						Wt Pulled Loose 60000.00 lbs
						Initial Str Wt 30000.00 lbs
						Unseated Str Wt 30000.00 lbs
						Bot Choke 0.75 in
						Hole Size 7.88 in
						D Col. ID 2.50 in
						D. Pipe ID 3.80 in
						D.C. Length 0.00 ft
						D.P. Length 2708.00 ft

RECOVERY

Tot Fluid 15.00 ft of 0.00 ft in DC and 15.00 ft in DP
 15.00 ft of Heavy drilling mud
 0.00 ft of
 0.00 ft of
 0.00 ft of
 0.00 ft of
 0.00 ft of
 0.00 ft of
 0.00 ft of

SALINITY 0.00 P.P.M. A.P.I. Gravity 0.00

BLOW DESCRIPTION

Initial Flow:
 Weak blow dead in 20 min.
 Final Flow:
 No blow-flushed tool

SAMPLES:

SENT TO:

MUD DATA-----


Mud Type	Chemical
Weight	9.00 lb/c
Vis.	35.00 S/L
W.L.	12.00 in3
F.C.	0.00 in
Mud Drop	

Amt. of fill	0.00 ft
Btm. H. Temp.	97.00 F
Hole Condition	
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00

Cushion Type	
Reversed Out	
Tool Chased	
Tester	John Riedl
Co. Rep.	Dave Shumakor
Contr.	Vonfeldt
Rig #	
Unit #	
Pump T.	

Test Successful: Y

CHART PAGE



This is a photocopy of the actual AK-1 recorder chart

TRILOBITE TESTING L.L.C.

OPERATOR : Alan Vonfeldt Oil
WELL NAME: Boxberger A-8
LOCATION : 33-13S-14W CO Russell KS
INTERVAL : 3277.00 To 3312.00 ft

DATE 1-21-98
KB 1846.00 ft TICKET NO: 10867 DST #2
GR 1841.00 ft FORMATION: Arbuckle
TD 3312.00 ft TEST TYPE: CONV

RECORDER DATA

Mins	Field	1	2	3	4	TIME DATA-----
PF 30 Rec.	13547	13547	11018			PF Fr. 2100 to 2130 hr
SI 30 Range(Psi)	4200.0	4200.0	4425.0	0.0	0.0	IS Fr. 2130 to 2200 hr
SF 30 Clock(hrs)	12 HR	12 HR	12 HR			SF Fr. 2200 to 2230 hr
FS 30 Depth(ft)	3279.0	3279.0	3309.0	0.0	0.0	FS Fr. 2230 to 2300 hr

	Field	1	2	3	4	
A. Init Hydro	1594.0	1647.0	0.0	0.0	0.0	T STARTED 1930 hr
B. First Flow	138.0	156.0	0.0	0.0	0.0	T ON BOTM 2055 hr
B1. Final Flow	490.0	481.0	0.0	0.0	0.0	T OPEN 2100 hr
C. In Shut-in	1056.0	1064.0	0.0	0.0	0.0	T PULLED 2300 hr
D. Init Flow	560.0	568.0	0.0	0.0	0.0	T OUT 2430 hr
E. Final Flow	758.0	762.0	0.0	0.0	0.0	
F. Fl Shut-in	1056.0	1067.0	0.0	0.0	0.0	TOOL DATA-----
G. Final Hydro	1570.0	1612.0	0.0	0.0	0.0	Tool Wt. 2000.00 lbs
Inside/Outside	I	I	O			Wt Set On Packer 20000.00 lbs
						Wt Pulled Loose 0.00 lbs
						Initial Str Wt 32000.00 lbs
						Unseated Str Wt 0.00 lbs
						Bot Choke 0.75 in
						Hole Size 7.88 in
						D Col. ID 2.50 in
						D. Pipe ID 3.80 in
						D.C. Length 0.00 ft
						D.P. Length 3270.00 ft

RECOVERY

Tot Fluid 1800.00 ft of 0.00 ft in DC and 1800.00 ft in DP
1800.00 ft of Muddy sulfur water 90% water 10% mud
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of

SALINITY 20000.00 P.P.M. A.P.I. Gravity 0.00

BLOW DESCRIPTION

Initial Flow:
Strong blow bottom of bucket in 3 min. no blow back
Final Flow:
Strong blow bottom of bucket in 4 min no blow back

SAMPLES:

SENT TO:

MUD DATA-----

Mud Type	Chemical
Weight	9.00 lb/cf
Vis.	40.00 S/L
W.L.	10.00 in3
F.C.	0.00 in
Mud Drop	

Amt. of fill	0.00 ft
Btm. H. Temp.	115.00 F
Hole Condition	
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00
Cushion Type	
Reversed Out	
Tool Chased	
Tester	John Riedl
Co. Rep.	Dave Shumakor
Contr.	Vonfeldt
Rig #	
Unit #	
Pump T.	

Test Successful: Y

OST #2
RCC #13547
Q128106

OST #2
RCC #13547
Q128106

