


15-167-23534

5-13s-1Sw

IND



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **John O. Farmer**

PO Box 352
Russell, KS 67665

ATTN: Randy Kilian

5 13 15 Russell KS

Dumler Unit #1

Start Date: 2008.08.31 @ 14:36:42

End Date: 2008.08.31 @ 20:41:12

Job Ticket #: 32503 DST #: 1

KCC
OCT 07 2008
CONFIDENTIAL

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

John O. Farmer


Dumler Unit #1

5 13 15 Russell KS

DST # 1

LKC-"C"

2008.08.31



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

John O. Farmer

PO Box 352
Russell, KS 67665

ATTN: Randy Kilian

Dumler Unit #1

5 13 15 Russell KS

Job Ticket: 32503

DST#: 1

Test Start: 2008.08.31 @ 14:36:42

GENERAL INFORMATION:

Formation: **LKC-"C"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 16:15:42

Time Test Ended: 20:41:12

Test Type: Conventional Bottom Hole

Tester: Jason McLemore

Unit No: 32

Interval: 2859.00 ft (KB) To 2988.00 ft (KB) (TVD)

Total Depth: 2988.00 ft (KB) (TVD)

Hole Diameter: 7.80 inches Hole Condition: Good

Reference Elevations: 1791.00 ft (KB)

1786.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 6755

Inside

Press@RunDepth: 146.78 psig @ 2862.00 ft (KB)

Start Date: 2008.08.31

End Date:

2008.08.31

Start Time: 14:36:44

End Time:

20:41:12

Capacity: 7000.00 psig

Last Calib.: 2008.08.31

Time On Btm: 2008.08.31 @ 16:15:12


Time Off Btm: 2008.08.31 @ 19:15:12

TEST COMMENT: IFP Fair Blow, Built to 10"

ISI Dead

FFP Fair Blow, BOB in 46 Min.

FSI Dead



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1452.34	98.68	Initial Hydro-static
1	35.46	98.18	Open To Flow (1)
32	94.85	103.35	Shut-In(1)
61	694.44	102.56	End Shut-In(1)
61	97.63	102.17	Open To Flow (2)
121	146.78	104.52	Shut-In(2)
179	673.22	104.47	End Shut-In(2)
180	1409.97	104.12	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
270.00	Muddy Water-90%W-10%M	2.65

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

John O. Farmer

Dumler Unit #1

PO Box 352
Russell, KS 67665

5 13 15 Russell KS

Job Ticket: 32503

DST#: 1

ATTN: Randy Kilian

Test Start: 2008.08.31 @ 14:36:42


Tool Information

Drill Pipe:	Length: 2732.00 ft	Diameter: 3.80 inches	Volume: 38.32 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer:	20000.00 lb
Drill Collar:	Length: 125.00 ft	Diameter: 2.25 inches	Volume: 0.61 bbl	Weight to Pull Loose:	55000.00 lb
		Total Volume:	38.93 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	19.00 ft			String Weight: Initial	38000.00 lb
Depth to Top Packer:	2859.00 ft			Final	40000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	29.00 ft				
Tool Length:	50.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			2839.00	
Shut In Tool	5.00			2844.00	
Hydraulic tool	5.00			2849.00	
Packer	5.00			2854.00	21.00 Bottom Of Top Packer
Packer	5.00			2859.00	
Stubb	1.00			2860.00	
Perforations	2.00			2862.00	
Recorder	0.00	8360	Inside	2862.00	
Recorder	0.00	6755	Inside	2862.00	
Perforations	23.00			2885.00	
Bullnose	3.00			2888.00	29.00 Bottom Packers & Anchor

Total Tool Length: 50.00



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

John O. Farmer

Dumler Unit #1

PO Box 352
Russell, KS 67665

5 13 15 Russell KS

Job Ticket: 32503

DST#: 1

ATTN: Randy Kilian

Test Start: 2008.08.31 @ 14:36:42

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

9500 ppm

Viscosity: 59.00 sec/qt

Cushion Volume:

bbl

Water Loss: 10.77 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 8000.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
270.00	Muddy Water-90%W-10%M	2.649

Total Length: 270.00 ft

Total Volume: 2.649 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments: RW .548 @84F

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **John O. Farmer**

PO Box 352
Russell, KS 67665

ATTN: Randy Kilian

5 13 15 Russell KS

Dumler Unit #1

Start Date: 2008.09.01 @ 01:42:50


End Date: 2008.09.01 @ 07:00:50

Job Ticket #: 32504 DST #: 2

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

John O. Farmer

PO Box 352
Russell, KS 67665

ATTN: Randy Kilian

Dumler Unit #1

5 13 15 Russell KS

Job Ticket: 32504

DST#: 2

Test Start: 2008.09.01 @ 01:42:50

GENERAL INFORMATION:

Formation: **LKC-"D"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 03:14:20

Time Test Ended: 07:00:50

Test Type: Conventional Bottom Hole

Tester: Jason McLemore

Unit No: 32

Interval: **2984.00 ft (KB) To 3010.00 ft (KB) (TVD)**

Total Depth: 3010.00 ft (KB) (TVD)

Hole Diameter: 7.80 inches Hole Condition: Good

Reference Elevations: 1791.00 ft (KB)

1786.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 6755 Inside

Press@RunDepth: 14.47 psig @ 2987.00 ft (KB)

Start Date: 2008.09.01

End Date: 2008.09.01

Start Time: 01:42:52

End Time: 07:00:50

Capacity: 7000.00 psig

Last Calib.: 2008.09.01

Time On Btm: 2008.09.01 @ 03:13:50


Time Off Btm: 2008.09.01 @ 05:15:20

TEST COMMENT: IFP Weak Surface Blow, Dead After 5 Min.

ISI Dead

FFP Dead

FSI Dead



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1468.15	96.51	Initial Hydro-static
1	15.07	95.96	Open To Flow (1)
33	14.60	96.59	Shut-In (1)
63	24.82	97.21	End Shut-In (1)
64	14.71	97.21	Open To Flow (2)
97	14.47	97.86	Shut-In (2)
121	18.57	98.31	End Shut-In (2)
122	1411.81	98.99	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
2.00	Drilling Mud	0.01

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

John O. Farmer

Dumler Unit #1

PO Box 352
Russell, KS 67665

5 13 15 Russell KS

Job Ticket: 32504

DST#: 2

ATTN: Randy Kilian

Test Start: 2008.09.01 @ 01:42:50

Tool Information

Drill Pipe:	Length: 2862.00 ft	Diameter: 3.80 inches	Volume: 40.15 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer:	20000.00 lb
Drill Collar:	Length: 125.00 ft	Diameter: 2.25 inches	Volume: 0.61 bbl	Weight to Pull Loose:	44000.00 lb
		Total Volume:	40.76 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	24.00 ft			String Weight: Initial	38000.00 lb
Depth to Top Packer:	2984.00 ft			Final	38000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	26.00 ft				
Tool Length:	47.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			2964.00	
Shut In Tool	5.00			2969.00	
Hydraulic tool	5.00			2974.00	
Packer	5.00			2979.00	21.00 Bottom Of Top Packer
Packer	5.00			2984.00	
Stubb	1.00			2985.00	
Perforations	2.00			2987.00	
Recorder	0.00	8360	Inside	2987.00	
Recorder	0.00	6755	Inside	2987.00	
Perforations	20.00			3007.00	
Bullnose	3.00			3010.00	26.00 Bottom Packers & Anchor
Total Tool Length:		47.00			



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

John O. Farmer

Dumler Unit #1

PO Box 352
Russell, KS 67665

5 13 15 Russell KS

Job Ticket: 32504

DST#: 2

ATTN: Randy Kilian

Test Start: 2008.09.01 @ 01:42:50

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 59.00 sec/qt

Cushion Volume:

bbl

Water Loss: 10.77 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 8000.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
2.00	Drilling Mud	0.010

Total Length:

2.00 ft

Total Volume:

0.010 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





DRILL STEM TEST REPORT

Prepared For: **John O. Farmer**

PO Box 352
Russell, KS 67665

ATTN: Randy Kilian

5 13 15 Russell KS

Dumler Unit #1

Start Date: 2008.09.01 @ 12:19:47


End Date: 2008.09.01 @ 18:28:17

Job Ticket #: 32505 DST #: 3

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

John O. Farmer

PO Box 352
Russell, KS 67665

ATTN: Randy Kilian

Dumler Unit #1

5 13 15 Russell KS

Job Ticket: 32505

DST#: 3

Test Start: 2008.09.01 @ 12:19:47

GENERAL INFORMATION:

Formation: **LKC-"F-G"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 13:48:47

Time Test Ended: 18:28:17

Test Type: Conventional Bottom Hole

Tester: Jason McLemore

Unit No: 32

Interval: **3007.00 ft (KB) To 3050.00 ft (KB) (TVD)**

Total Depth: 3050.00 ft (KB) (TVD)

Hole Diameter: 7.80 inches Hole Condition: Good

Reference Elevations: 1791.00 ft (KB)

1786.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 6755 Inside

Press@RunDepth: 93.15 psig @ 3011.00 ft (KB)

Start Date: 2008.09.01 End Date: 2008.09.01

Start Time: 12:19:49 End Time: 18:28:17


Capacity: 7000.00 psig

Last Calib.: 2008.09.01

Time On Btm: 2008.09.01 @ 13:47:47

Time Off Btm: 2008.09.01 @ 16:53:47

TEST COMMENT: IFP Fair Blow ,Built to 10"
ISI Dead
FFP Fair Blow ,BOB in 36 Min.
FSI Dead



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1486.23	95.41	Initial Hydro-static
1	24.00	94.93	Open To Flow (1)
30	70.48	96.72	Shut-In (1)
60	503.86	98.59	End Shut-In (1)
61	75.98	98.47	Open To Flow (2)
122	93.15	100.52	Shut-In (2)
186	544.42	101.30	End Shut-In (2)
186	1404.01	101.87	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
160.00	VSOCMV-2%O-68%W-30%M	1.11
5.00	Free Oil	0.07
0.00	135' Gas In Pipe	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

John O. Farmer

Dumler Unit #1

PO Box 352
Russell, KS 67665

5 13 15 Russell KS

ATTN: Randy Kilian

Job Ticket: 32505

DST#: 3


Test Start: 2008.09.01 @ 12:19:47

Tool Information

Drill Pipe:	Length: 2894.00 ft	Diameter: 3.80 inches	Volume: 40.60 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer:	20000.00 lb
Drill Collar:	Length: 125.00 ft	Diameter: 2.25 inches	Volume: 0.61 bbl	Weight to Pull Loose:	60000.00 lb
		Total Volume:	41.21 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	33.00 ft			String Weight: Initial	37000.00 lb
Depth to Top Packer:	3007.00 ft			Final	38000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	43.00 ft				
Tool Length:	64.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			2987.00	
Shut In Tool	5.00			2992.00	
Hydraulic tool	5.00			2997.00	
Packer	5.00			3002.00	21.00 Bottom Of Top Packer
Packer	5.00			3007.00	
Stubb	1.00			3008.00	
Perforations	2.00			3010.00	
Recorder	0.00	8360	Inside	3010.00	
Change Over Sub	1.00			3011.00	
Recorder	0.00	6755	Inside	3011.00	
Blank Spacing	31.00			3042.00	
Change Over Sub	1.00			3043.00	
Perforations	4.00			3047.00	
Bullnose	3.00			3050.00	43.00 Bottom Packers & Anchor
Total Tool Length:		64.00			



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

John O. Farmer

Dumler Unit #1

PO Box 352
Russell, KS 67665

5 13 15 Russell KS

Job Ticket: 32505

DST#: 3

ATTN: Randy Kilian

Test Start: 2008.09.01 @ 12:19:47

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 48.00 sec/qt

Water Loss: 10.37 in³

Resistivity: ohm.m

Salinity: 8000.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

37 deg API

Water Salinity:

34000 ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
160.00	VSOCMMW-2%O-68%W-30%M	1.106
5.00	Free Oil	0.070
0.00	135' Gas In Pipe	0.000

Total Length: 165.00 ft

Total Volume: 1.176 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW.166 @89F

DST Test Number: 3


5 13 15 Russell KS


John O. Farmer

Inside

Serial #: 6755

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **John O. Farmer**

PO Box 352
Russell, KS 67665

ATTN: Randy Kilian

5 13 15 Russell KS

Dumler Unit #1

Start Date: 2008.09.02 @ 18:00:52


End Date: 2008.09.02 @ 23:27:22

Job Ticket #: 32506 DST #: 4

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

John O. Farmer

PO Box 352
Russell, KS 67665

ATTN: Randy Kilian

Dumler Unit #1

5 13 15 Russell KS

Job Ticket: 32506

DST#: 4

Test Start: 2008.09.02 @ 18:00:52

GENERAL INFORMATION:

Formation: "I-J"

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 19:35:52

Time Test Ended: 23:27:22

Test Type: Conventional Straddle

Tester: Jason McLemore

Unit No: 32

Interval: 3090.00 ft (KB) To 3136.00 ft (KB) (TVD)

Total Depth: 3285.00 ft (KB) (TVD)

Hole Diameter: 7.80 inches Hole Condition: Good

Reference Elevations: 1791.00 ft (KB)

1786.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8360

Inside

Press@RunDepth: 79.29 psig @ 3091.00 ft (KB)

Start Date: 2008.09.02 End Date: 2008.09.02

Start Time: 18:00:54 End Time: 23:27:22

Capacity: 7000.00 psig

Last Calib.: 2008.09.02

Time On Btm: 2008.09.02 @ 19:35:22

Time Off Btm: 2008.09.02 @ 21:48:52


TEST COMMENT: IFP Weak Blow, Built to 3-1/2"

ISI Dead

FFP Dead

FSI Dead

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1565.03	101.91	Initial Hydro-static
1	31.75	101.45	Open To Flow (1)
32	57.85	102.85	Shut-In (1)
70	833.55	103.63	End Shut-In (1)
71	63.14	103.37	Open To Flow (2)
100	79.29	103.84	Shut-In (2)
133	796.82	104.35	End Shut-In (2)
134	1470.68	104.46	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
65.00	Drilling Mud	0.32

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

John O. Farmer

Dumler Unit #1

PO Box 352
Russell, KS 67665

5 13 15 Russell KS

Job Ticket: 32506

DST#: 4

ATTN: Randy Kilian


Test Start: 2008.09.02 @ 18:00:52

Tool Information

Drill Pipe:	Length: 2957.00 ft	Diameter: 3.80 inches	Volume: 41.48 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer:	20000.00 lb
Drill Collar:	Length: 125.00 ft	Diameter: 2.25 inches	Volume: 0.61 bbl	Weight to Pull Loose:	48000.00 lb
		Total Volume:	42.09 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	13.00 ft			String Weight: Initial	40000.00 lb
Depth to Top Packer:	3090.00 ft			Final	40000.00 lb
Depth to Bottom Packer:	3136.00 ft				
Interval between Packers:	46.00 ft				
Tool Length:	216.00 ft				
Number of Packers:	3	Diameter:	6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3070.00	
Shut In Tool	5.00			3075.00	
Hydraulic tool	5.00			3080.00	
Packer	5.00			3085.00	21.00 Bottom Of Top Packer
Packer	5.00			3090.00	
Stubb	1.00			3091.00	
Recorder	0.00	8360	Inside	3091.00	
Perforations	3.00			3094.00	
Change Over Sub	1.00			3095.00	
Blank Spacing	31.00			3126.00	
Change Over Sub	1.00			3127.00	
Perforations	5.00			3132.00	
Blank Off Sub	1.00			3133.00	
Blank Spacing	3.00			3136.00	46.00 Tool Interval
Packer	1.00			3137.00	
Stubb	1.00			3138.00	
Perforations	17.00			3155.00	
Recorder	0.00	6755	Below	3155.00	
Change Over Sub	1.00			3156.00	
Blank Spacing	125.00			3281.00	
Change Over Sub	1.00			3282.00	
Recorder	0.00	13225	Below	3282.00	
Bullnose	3.00			3285.00	149.00 Bottom Packers & Anchor
Total Tool Length:	216.00				



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

John O. Farmer

Dumler Unit #1

PO Box 352
Russell, KS 67665

5 13 15 Russell KS

Job Ticket: 32506

DST#: 4

ATTN: Randy Kilian

Test Start: 2008.09.02 @ 18:00:52

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 51.00 sec/qt

Water Loss: 10.38 in³

Resistivity: ohm.m

Salinity: 6000.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
65.00	Drilling Mud	0.320

Total Length:

65.00 ft

Total Volume:

0.320 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time

