

Operator Name V. FRANCIS WEIGEL Lease Name WEIGEL E Well 1

Sec. 12 Twp. 13 Rge. 16 East West County ELLIS

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No

Formation Description
 Log Sample

Name	Top	Bottom
Anhydrite	994	1033
Topeka	2833	
feebner	3051	
Toronto	3074	
Lansing	3106	
Base of K.C.		3345
conglomerate	3365	
Arbuckle	3374	
T.D.	3410	

METHOD OF COMPLETION

Open Hole Perforation
 Other (Specify) NON-COMMERCIAL
 Dually Completed Commingled

Production Interval

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs/Ft.	Setting Depth	Type of Cement	#Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24#	210	Quickset	155	NA
Production	7 7/8"	5 1/2"	14#	3404	Common	130	10% Salt

PERFORATION RECORD

Shots Per Foot	Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	3090-93 3080-84	Acid 500 gals 15%	
2	3262-26 3240-44 31231-28	1000 gals 15%	
2	3130-34	Acid 500 gals 15%	
2	3108-14	" 500 gals 15%	
	3130-34 S. 3108-14	Acid 3000 gals 15%	

TUBING RECORD

N/A

Size Set At Packer at

Liner Run Yes No

PI

12-13-16W 2nd

BIG THREE DRILLING INC.

BOX 811
Russell, Kansas 67665
913-483-5644

State Geological Survey
WICHITA BRANCH

Company	V Francis Weigel
Farm	Weigel E #1
Location	NW SE SE 12-13-16W
County	Ellis
Contractor	Big Three Drilling Inc.
Comm	June 8, 1981
Compl	June 13, 1981
Total Depth	3410' R.T.D.
Casing	5 1/2"
Production	Set Pipe

Figures Indicate Bottom of Formation

Top Soil Post rock	215'
Shale	855'
Anhy	994' to 1033'
Shale & Lime	3080'
Lime	3165'
Scale	3250'
Shale & Lime	3330'
Lime	3410'

I certify the above to be a true and correct copy of the drillers log to the best of my knowledge and belief.

Big Three Drilling Inc.

Timothy F. Scheck

Timothy F. Scheck

RECEIVED
STATE CORPORATION COMMISSION

JUN 20 1981

CONSERVATION DIVISION
Wichita, Kansas