


25-13s-17w



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp**

1600 Stout Street
#1500
Denver CO 80202

ATTN: Jim Weber

25-13s-17w Ellis

Albin #1

Start Date: 2005.10.27 @ 17:33:51

End Date: 2005.10.28 @ 01:39:20

Job Ticket #: 23284

DST #: 1

API 15-051-25466-00-00

RECEIVED

JAN 12 2006

KCC WICHITA

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Coral Production Corp


Albin #1

25-13s-17w Ellis

DST # 1

LKC

2005.10.27



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Coral Production Corp

1600 Stout Street
#1500
Denver CO 80202
ATTN: Jim Weber

Albin #1

25-13s-17w Ellis

Job Ticket: 23284

DST#: 1

Test Start: 2005.10.27 @ 17:33:51

GENERAL INFORMATION:

Formation: LKC

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 19:53:50

Time Test Ended: 01:39:20

Test Type: Conventional Bottom Hole

Tester: Ray Schwager

Unit No: 28

Interval: 3245.00 ft (KB) To 3350.00 ft (KB) (TVD)

Total Depth: 3350.00 ft (KB) (TVD)

Hole Diameter: 7.85 inches Hole Condition: Fair

Reference Elevations: 1991.00 ft (KB)

1986.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8167

Inside

Press@RunDepth: 167.29 psig @ 3253.01 ft (KB)

Start Date: 2005.10.27

End Date: 2005.10.28

Start Time: 17:33:51

End Time: 01:39:20

Capacity: 7000.00 psig


Last Calib.: 2005.10.28

Time On Btm: 2005.10.27 @ 19:49:20

Time Off Btm: 2005.10.27 @ 23:47:50

TEST COMMENT: IFP-wk to a fr bl 1/2" to 4" bl
FFP-wk bl thru-out 1/4" to 2" bl
Times 30-45-60-90

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1534.58	87.85	Initial Hydro-static
5	33.23	87.84	Open To Flow (1)
34	119.86	89.70	Shut-In(1)
79	575.77	90.60	End Shut-In(1)
80	128.07	90.51	Open To Flow (2)
139	167.29	92.65	Shut-In(2)
231	575.24	93.10	End Shut-In(2)
239	1485.48	92.88	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
240.00	SOCMW 1%O 10%M 89%W	1.73
75.00	O&GCM 5%G 7%O 4%W 84%M	1.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp

Albin #1

1600 Stout Street

25-13s-17w Ellis

#1500

Job Ticket: 23284

DST#: 1

Denver CO 80202

Test Start: 2005.10.27 @ 17:33:51

ATTN: Jim Weber

Tool Information

Drill Pipe:	Length: 3052.00 ft	Diameter: 3.80 inches	Volume: 42.81 bbl	Tool Weight:	2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 180.00 ft	Diameter: 2.25 inches	Volume: 0.89 bbl	Weight to Pull Loose:	45000.00 lb
		Total Volume:	43.70 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	15.00 ft			String Weight: Initial	38000.00 lb
Depth to Top Packer:	3245.00 ft			Final	38000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	105.02 ft				
Tool Length:	133.02 ft				
Number of Packers:	2	Diameter:	6.75 inches		


Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3218.00	
Shut In Tool	5.00			3223.00	
Hydraulic tool	5.00			3228.00	
Jars	5.00			3233.00	
Safety Joint	2.00			3235.00	
Packer	5.00			3240.00	28.00 Bottom Of Top Packer
Packer	5.00			3245.00	
Stubb	1.00			3246.00	
Perforations	7.00			3253.00	
Recorder	0.01	8167	Inside	3253.01	
Blank Spacing	64.00			3317.01	
Perforations	30.00			3347.01	
Recorder	0.01	13534	Outside	3347.02	
Bullnose	3.00			3350.02	105.02 Bottom Packers & Anchor

Total Tool Length: 133.02

RECEIVED
JAN 12 2006
KCC WICHITA



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp

Albin #1

1600 Stout Street
#1500
Denver CO 80202
ATTN: Jim Weber

25-13s-17w Ellis

Job Ticket: 23284

DST#: 1

Test Start: 2005.10.27 @ 17:33:51

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 52.00 sec/qt

Water Loss: 9.50 in³

Resistivity: ohm.m

Salinity: 8000.00 ppm

Filter Cake: 1.00 inches

Cushion Type:

Cushion Length: ft

Cushion Volume: bbl

Gas Cushion Type:

Gas Cushion Pressure: psig

Oil API: deg API

Water Salinity: 39000 ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
240.00	SOCMW 1%O 10%M 89%W	1.727
75.00	O&GCM 5%G 7%O 4%W 84%M	1.052

Total Length: 315.00 ft Total Volume: 2.779 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW31@41F


Pressure vs. Time



KCCWICHITA

JAN 12 2005

RECEIVED



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp**

1600 Stout Street
#1500
Denver CO 80202

ATTN: Jim Weber

25-13s-17w Ellis

Albin #1

Start Date: 2005.10.28 @ 12:35:10

End Date: 2005.10.28 @ 18:21:39

Job Ticket #: 23285

DST #: 2

RECEIVED

JAN 12 2006

KCC WICHITA

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Coral Production Corp


Albin #1

25-13s-17w Ellis

DST # 2

ARB

2005.10.28



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp

1600 Stout Street
#1500
Denver CO 80202
ATTN: Jim Weber

Albin #1

25-13s-17w Ellis

Job Ticket: 23285

DST#: 2

Test Start: 2005.10.28 @ 12:35:10

GENERAL INFORMATION:

Formation: **ARB**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 14:29:09

Time Test Ended: 18:21:39

Test Type: Conventional Bottom Hole

Tester: Ray Schwager

Unit No: 28

Interval: **3474.00 ft (KB) To 3530.00 ft (KB) (TVD)**

Total Depth: 3530.00 ft (KB) (TVD)

Hole Diameter: 7.85 inches Hole Condition: Fair

Reference Elevations: 1991.00 ft (KB)

1986.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8167

Inside

Press@RunDepth: 23.18 psig @ 3476.01 ft (KB)

Start Date: 2005.10.28

End Date:

2005.10.28

Start Time: 12:35:10

End Time:

18:21:39

Capacity: 7000.00 psig

Last Calib.: 2005.10.28


Time On Btm: 2005.10.28 @ 14:26:39

Time Off Btm: 2005.10.28 @ 16:36:09

TEST COMMENT: IFP-surface bl died in 10 min

FFP-no bl

Times 30-30-30-30



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1687.97	89.22	Initial Hydro-static
3	23.59	88.94	Open To Flow (1)
33	23.52	89.32	Shut-In(1)
64	68.12	90.43	End Shut-In(1)
64	24.24	90.43	Open To Flow (2)
95	23.18	91.56	Shut-In(2)
125	44.85	92.32	End Shut-In(2)
130	1704.39	93.25	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud w/show of oil	0.02

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp

Albin #1

1600 Stout Street
#1500

25-13s-17w Ellis

Denver CO 80202

Job Ticket: 23285

DST#: 2

ATTN: Jim Weber

Test Start: 2005.10.28 @ 12:35:10

Tool Information

Drill Pipe:	Length: 3296.00 ft	Diameter: 3.80 inches	Volume: 46.23 bbl	Tool Weight:	2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 180.00 ft	Diameter: 2.25 inches	Volume: 0.89 bbl	Weight to Pull Loose:	50000.00 lb
			Total Volume: 47.12 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	30.00 ft			String Weight: Initial	38000.00 lb
Depth to Top Packer:	3474.00 ft			Final	38000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	56.02 ft				
Tool Length:	84.02 ft				
Number of Packers:	2	Diameter: 6.75 inches			


Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3447.00	
Shut In Tool	5.00			3452.00	
Hydraulic tool	5.00			3457.00	
Jars	5.00			3462.00	
Safety Joint	2.00			3464.00	
Packer	5.00			3469.00	28.00 Bottom Of Top Packer
Packer	5.00			3474.00	
Stubb	1.00			3475.00	
Perforations	1.00			3476.00	
Recorder	0.01	8167	Inside	3476.01	
Blank Spacing	32.00			3508.01	
Perforations	19.00			3527.01	
Recorder	0.01	13534	Outside	3527.02	
Bullnose	3.00			3530.02	56.02 Bottom Packers & Anchor

Total Tool Length: 84.02

RECEIVED
JAN 12 2006
KCC WICHITA



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp

Albin #1

1600 Stout Street
#1500
Denver CO 80202
ATTN: Jim Weber

25-13s-17w Ellis

Job Ticket: 23285

DST#: 2

Test Start: 2005.10.28 @ 12:35:10

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 78.00 sec/qt

Cushion Volume:

bbl

Water Loss: 11.11 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud w/show of oil	0.025

Total Length:

5.00 ft

Total Volume:

0.025 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 8167


Inside

Coral Production Corp

25-13s-17w Ellis

DST Test Number: 2

Pressure vs. Time



Trilobite Testing, Inc


Ref. No: 23285

KCCWICHTA

JAN 12 2006

RECEIVED

Printed: 2005.11.03 @ 14:09:34 Page 5



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp**

1600 Stout Street
#1500
Denver CO 80202

ATTN: Jim Weber

25-13s-17w Ellis

Albin #1


Start Date: 2005.10.29 @ 01:12:17

End Date: 2005.10.29 @ 09:41:16

Job Ticket #: 23286 DST #: 3

RECEIVED
JAN 12 2006
KCC WICHITA

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp

1600 Stout Street
#1500
Denver CO 80202
ATTN: Jim Weber

Albin #1

25-13s-17w Ellis

Job Ticket: 23286

DST#: 3

Test Start: 2005.10.29 @ 01:12:17

GENERAL INFORMATION:

Formation: **LKC H-Base & Arb**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 03:14:16

Time Test Ended: 09:41:16

Test Type: Conventional Bottom Hole

Tester: Ray Schwager

Unit No: 28

Interval: **3386.00 ft (KB) To 3550.00 ft (KB) (TVD)**

Total Depth: 3550.00 ft (KB) (TVD)

Hole Diameter: 7.85 inches Hole Condition: Fair

Reference Elevations: 1991.00 ft (KB)

1986.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8167 Inside

Press@RunDepth: 583.63 psig @ 3396.01 ft (KB)

Start Date: 2005.10.29

End Date: 2005.10.29

Capacity: 7000.00 psig

Last Calib.: 2005.10.29

Start Time: 01:12:17


End Time: 09:41:16

Time On Btm: 2005.10.29 @ 03:10:46

Time Off Btm: 2005.10.29 @ 07:05:46

TEST COMMENT: IFP-w k to strg in 4 min
FFP-w k to strg in 8 min
Times 30-45-60-90
surface bl bk on shut-in

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1631.57	86.98	Initial Hydro-static
4	67.03	86.74	Open To Flow (1)
34	333.38	95.39	Shut-In(1)
78	1052.64	94.62	End Shut-In(1)
79	338.82	94.20	Open To Flow (2)
138	583.63	98.55	Shut-In(2)
231	1041.94	97.07	End Shut-In(2)
235	1615.58	97.04	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
180.00	OCMMV 6%O 84%W 10%M	0.89
480.00	HO&GCMV 15G 30O 40W 15M	6.73
240.00	HO&GCMV 15G 25%O 30W 30M	3.37
240.00	HO&GCMV 32G 25%O 13W 30M	3.37
70.00	HO&GCM 10G 30%O 60M	0.98

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp

Albin #1

1600 Stout Street

25-13s-17w Ellis

#1500

Job Ticket: 23286

DST#: 3

Denver CO 80202

ATTN: Jim Weber

Test Start: 2005.10.29 @ 01:12:17

Tool Information

Drill Pipe:	Length: 3200.00 ft	Diameter: 3.80 inches	Volume: 44.89 bbl	Tool Weight:	2500.00 lb	
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb	
Drill Collar:	Length: 180.00 ft	Diameter: 2.25 inches	Volume: 0.89 bbl	Weight to Pull Loose:	50000.00 lb	
			Total Volume:	45.78 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	22.00 ft			String Weight: Initial	38000.00 lb	
Depth to Top Packer:	3386.00 ft			Final	44000.00 lb	
Depth to Bottom Packer:	ft					
Interval between Packers:	164.02 ft					
Tool Length:	192.02 ft					
Number of Packers:	2	Diameter:	6.75 inches			


Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3359.00	
Shut In Tool	5.00			3364.00	
Hydraulic tool	5.00			3369.00	
Jars	5.00			3374.00	
Safety Joint	2.00			3376.00	
Packer	5.00			3381.00	28.00 Bottom Of Top Packer
Packer	5.00			3386.00	
Stubb	1.00			3387.00	
Perforations	9.00			3396.00	
Recorder	0.01	8167	Inside	3396.01	
Blank Spacing	124.00			3520.01	
Perforations	27.00			3547.01	
Recorder	0.01	13534	Outside	3547.02	
Bullnose	3.00			3550.02	164.02 Bottom Packers & Anchor

Total Tool Length: 192.02

RECEIVED
JAN 12 2006
KCC WICHITA



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp

Albin #1

1600 Stout Street

25-13s-17w Ellis

#1500

Job Ticket: 23286

DST#: 3

Denver CO 80202

Test Start: 2005.10.29 @ 01:12:17

ATTN: Jim Weber

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

28000 ppm

Viscosity: 56.00 sec/qt

Cushion Volume:

bbl

Water Loss: 11.12 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
180.00	OCMMV 6%O 84%W 10%M	0.885
480.00	HO&GCMMV 15G 30O 40W 15M	6.733
240.00	HO&GCMM 15G 25%O 30W 30M	3.367
240.00	HO&GCMM 32G 25%O 13W 30M	3.367
70.00	HO&GCM 10G 30%O 60M	0.982

Total Length: 1210.00 ft

Total Volume: 15.334 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW.31@53F





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp**

1600 Stout Street
#1500
Denver CO 80202

ATTN: Jim Weber

25-13s-17w Ellis

Albin #1

Start Date: 2005.10.29 @ 21:36:01

End Date: 2005.10.30 @ 05:57:30

Job Ticket #: 23287

DST #: 4

RECEIVED
JAN 12 2006
KCC WICHITA

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Coral Production Corp


Albin #1

25-13s-17w Ellis

DST # 4

LKC H-K

2005.10.29



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Coral Production Corp

Albin #1

1600 Stout Street
#1500
Denver CO 80202
ATTN: Jim Weber

25-13s-17w Ellis

Job Ticket: 23287

DST#: 4

Test Start: 2005.10.29 @ 21:36:01

GENERAL INFORMATION:

Formation: **LKC H-K**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 23:29:00

Time Test Ended: 05:57:30

Test Type: Conventional Straddle

Tester: Ray Schwager

Unit No: 28

Interval: **3380.00 ft (KB) To 3470.00 ft (KB) (TVD)**

Total Depth: 3590.00 ft (KB) (TVD)

Hole Diameter: 7.85 inches Hole Condition: Fair

Reference Elevations: 1991.00 ft (KB)

1986.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8167

Inside

Press@RunDepth: 215.94 psig @ 3392.01 ft (KB)

Start Date: 2005.10.29

End Date:

2005.10.30

Start Time: 21:36:01

End Time:

05:57:30

Capacity: 7000.00 psig


Last Calib.: 2005.10.30

Time On Btm: 2005.10.29 @ 23:26:00

Time Off Btm: 2005.10.30 @ 03:29:30

TEST COMMENT: IFP-w k to strg in 11 min
FFP-w k to strg in 13 min
Times 30-45-60-90
ISIP-w k bl bk 1 1/4"bl, FSIP-w k bl bk 1"bl

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1626.69	92.01	Initial Hydro-static
3	31.98	91.67	Open To Flow (1)
33	140.58	94.25	Shut-In(1)
79	987.64	95.09	End Shut-In(1)
80	146.23	94.89	Open To Flow (2)
140	215.94	96.45	Shut-In(2)
239	954.60	96.95	End Shut-In(2)
244	1598.84	97.46	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
75.00	MGO 30%G 45%O 26%M	0.37
180.00	MGO 30%G 50%O 20%M	1.57
240.00	MGO 30%G 55%O 15%M	3.37
0.00	1005'GIP	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp

Albin #1

1600 Stout Street

25-13s-17w Ellis

#1500

Job Ticket: 23287

DST#: 4

Denver CO 80202

ATTN: Jim Weber

Test Start: 2005.10.29 @ 21:36:01

Tool Information

Drill Pipe:	Length: 3200.00 ft	Diameter: 3.80 inches	Volume: 44.89 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 180.00 ft	Diameter: 2.25 inches	Volume: 0.89 bbl	Weight to Pull Loose: 50000.00 lb
		Total Volume: 45.78 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	28.00 ft			String Weight: Initial 38000.00 lb
Depth to Top Packer:	3380.00 ft			Final 40000.00 lb
Depth to Bottom Packer:	3470.02 ft			
Interval between Packers:	90.02 ft			
Tool Length:	241.03 ft			
Number of Packers:	3	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
-------------	------------	----------	------------	----------------


Change Over Sub	1.00		3353.00	
Shut In Tool	5.00		3358.00	
Hydraulic tool	5.00		3363.00	
Jars	5.00		3368.00	
Safety Joint	2.00		3370.00	
Packer	5.00		3375.00	28.00 Bottom Of Top Packer
Packer	5.00		3380.00	
Stubb	1.00		3381.00	
Perforations	11.00		3392.00	
Recorder	0.01	8167 Inside	3392.01	
Blank Spacing	64.00		3456.01	
Recorder	0.01	13534 Outside	3456.02	
Perforations	10.00		3466.02	
Blank Off Sub	1.00		3467.02	
Blank Spacing	3.00		3470.02	90.02 Tool Interval
Packer	5.00		3475.02	
Stubb	1.00		3476.02	
Perforations	19.00		3495.02	
Recorder	0.01	13547 Below	3495.03	
Blank Spacing	95.00		3590.03	
Bullnose	3.00		3593.03	123.01 Bottom Packers & Anchor

Total Tool Length: 241.03

RECEIVED

JAN 12 2006

KCC WICHITA



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp

Albin #1

1600 Stout Street

25-13s-17w Ellis

#1500

Job Ticket: 23287

DST#: 4

Denver CO 80202

Test Start: 2005.10.29 @ 21:36:01

ATTN: Jim Weber

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 57.00 sec/qt

Cushion Volume:

bbl

Water Loss: 11.16 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 10000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
75.00	MGO 30%G 45%O 26%M	0.369
180.00	MGO 30%G 50%O 20%M	1.568
240.00	MGO 30%G 55%O 15%M	3.367
0.00	1005'GIP	0.000

Total Length: 495.00 ft

Total Volume: 5.304 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time




CHART PAGE
 This is a photocopy of the actual AK-1 recorder chart.





CHART PAGE
This is a photocopy of the actual AK-1 recorder chart.



Total 250
 Sub Total 1074
 Net by Ltr 52
 Gross 21724
 Total 21724

CHART PAGE

This is a photocopy of the actual AK-1 recorder chart.




CHART PAGE

This is a photocopy of the actual AK-1 recorder chart.

