

KANSAS *PK*

IN
State Geological Survey

**WELL COMPLETION REPORT AND
DRILLER'S LOG**


WICHITA BRANCH

S. 34 T. 13 R. 20 *X*
W

Loc. SW NE NE

County Ellis

640 Acres
N



Locate well correctly
Elev.: Gr. 2236'

DF 2238' KB 2241'

API No. 15 — 051 — 22,460
County Number

Operator
John B. Collins

Address
1007 Cody - Suite A, Hays, Kansas 67601

Well No. #6 Lease Name Storm

Footage Location
990 feet from (N) (S) *X* line 990 feet from (E) (W) line

Principal Contractor Dreiling Oil, Inc. Geologist Lawrence F. Gray

Spud Date 6-14-81 Date Completed 6-18-81 Total Depth 3847' P.B.T.D.

Directional Deviation Oil and/or Gas Purchaser

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface Pipe	12 1/4"	8 5/8"		164	common	135	6 Units Quickset
Production	7 7/8"	5 1/2"		3839'	common	150	3% salt 2% gel 4% Gilsontite

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Pecker set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production Producing method (flowing, pumping, gas lift, etc.)

RATE OF PRODUCTION PER 24 HOURS	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio CFPB

Disposition of gas (vented, used on lease or sold) Producing interval (s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator John B. Collins DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: oil

Well No. #6 Lease Name Storm

S 34 T 13 R 20 EX W

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Top Soil- Post Rock	0'	80'		
Shale	80'	169'		
Shale	169'	890'		
Shale & Sand	890'	1538'		
Anhy.	1538'	1574'		
Anhy.	1574'	1582'		
Shale	1582'	2110'		
Shale & Lime	2110'	2192'		
Shale & Lime	2192'	2437'		
Shale & Lime	2437'	2688'		
Shale & Lime	2688'	3040'		
Shale & Lime	3040'	3320'		
Lime	3320'	3490'		
Lime	3490'	3664'		
Lime	3664'	3792'		
Lime	3792'	3847'		
	3847'	T. D.		

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	Signature
	Title
	Date

PI

DREILING OIL, INC.

Victoria, Kansas 67671

State Geological Survey

WICHITA BRANCH

WELL LOG

Company J. B. Collins
1007 Cody Ave. Suite A
Hays, KS 67601

Sec. 34 **Twp.** 13 **Rng.** 20 *W*

Farm Storm **No.** 6

Location SW NE NE

Total Depth 3847'

County Ellis

Comm. 6-14-81 **Comp.** 6-18-81

Elevation: 2241' **K. B.**

Contractor Dreiling Oil, Inc.
Rt. #1
Victoria, KS 67671

2238' **D. F.**

2236' **G. R.**

Casing Record

Cement Record

Production:

164' - 8 5/8"
3839' - 5 1/2"

135 sacks cement
150 sacks cement

Figures Indicate Bottom of Formations

0'	80'	Top Soil - Post Rock
80'	169'	Shale
169'	890'	Shale
890'	1538'	Shale & Sand
1538'	1574'	Anhy.
1574'	1582'	Anhy.
1582'	2110'	Shale
2110'	2192'	Shale & Lime
2192'	2437'	Shale & Lime
2437'	2688'	Shale & Lime
2688'	3040'	Shale & Lime
3040'	3320'	Shale & Lime
3320'	3490'	Lime
3490'	3664'	Lime
3664'	3792'	Lime
3792'	3847'	Lime
3847'	T.D.	