

KANSAS

State Geological Survey
WICHITA, BRANCH

WELL COMPLETION REPORT AND
DRILLER'S LOG


~~CONFIDENTIAL~~

S. 35 T. 13 R. 20 W

Loc. C NW NW

County Ellis

640 Acres
N



Elev.: Gr. 2201

DF 2203 KB 2206

API No. 15 — 051 — 22,216
County Number

Operator John B. Collins

Address 1007 Cody - Suite A, Hays, Kansas 67601

Well No. #1 Lease Name Storm-A

Footage Location 660 feet from (N) XX line 660 feet from (W) line

Principal Contractor Dreiling Oil, Inc. Geologist Lawrence F. Gray

Spud Date 12-18-80 Date Completed 12-31-80 Total Depth 3866' P.B.T.D.

Directional Deviation Oil and/or Gas Purchaser

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Socks	Type and percent additives
Surface	12 1/4"	8 5/8"		168'	common	135	6 Units Quickset

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Socks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Pecker set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio	CFPB
	bbis.	MCF	bbis.		
Disposition of gas (vented, used on lease or sold)			Producing interval(s)		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be trans-
mitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation
Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note
Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator John B. Collins DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: D & A

Well No. #1 Lease Name Storm-A

S 35 T 13 R 20^{EX} W

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Top Soil & Post Rock	0'	35'		
Post Rock	35'	70'		
Shale	70'	173'		
Sand & Shale	173'	1221'		
Shale	1221'	1518'		
Anhy.	1518'	1550'		
Anhy.	1550'	1557'		
Shale & Lime Streaks	1557'	2160'		
Shale & Lime	2160'	2370'		
Shale & Lime	2370'	2568'		
Shale & Lime	2568'	2850'		
Shale & Lime	2850'	3010'		
Shale & Lime	3010'	3062'		
Shale & Lime Streaks	3062'	3217'		
Lime	3217'	3345'		
Lime	3345'	3450'		
Lime	3450'	3540'		
Lime	3540'	3608'		
Lime	3608'	3690'		
Lime	3690'	3725'		
Lime	3725'	3795'		
Lime	3795'	3866'		
	3866'	T.D.		

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received _____

Signature John B. Collins

Title Operator

Date 6-4-81

DREILING OIL, INC.

Victoria, Kansas 67671

WELL LOG

Company J. B. Collins
1007 Cody Ave. Suite A
Hays, KS 67601

Farm Storm ~~B~~ A No. 1

Total Depth 3866'

Comm. 12-18-80 Comp. 12-31-80

Contractor Dreiling Oil, Inc.
Rt. #1
Victoria, KS 67671

Sec. 35 Twp. 13 Rng. 20
Location C E/2 W/2 NW
County Ellis
Elevation: ~~2207~~' ~~2206~~ K. B.
~~2204~~' ~~2223~~ D. F.
~~2202~~' ~~2201~~ G. R.

Casing Record

168' - 8 5/8"

Cement Record

135 sacks cement

Production:

D & A

Figures Indicate Bottom of Formations

0'	35'	Top Soil & Post Rock
35'	70'	Post Rock
70'	173'	Shale
173'	1221'	Sand & Shale
122'	1518'	Shale
1518'	1550'	Anhy.
1550'	1557'	Anhy.
1557'	2160'	Shale & Lime Streaks
2160'	2370'	Shale & Lime
2370'	2568'	Shale & Lime
2568'	2850'	Shale & Lime
2850'	3010'	Shale & Lime
3010'	3062'	Shale & Lime
3062'	3217'	Shale & Lime Streaks
3217'	3345'	Lime
3345'	3450'	Lime
3450'	3540'	Lime
3540'	3608'	Lime
3608'	3690'	Lime
3690'	3725'	Lime
3725'	3795'	Lime
3795'	3866'	Lime
3866'	T.D.	

STATE OF KANSAS)

)
COUNTY OF ELLIS)

I, Joseph A. Hess, Secretary Treasurer of Dreiling Oil, Inc., upon oath states that the above and foregoing is a true and correct copy from the Daily Drilling Report from the Storm B #1.