

DRILL STEM TEST REPORT

Prepared For: **Ritchie Exploration Incorporated**

8100 East 22ND Street North
700
Wichita, Kansas 67278+3188

ATTN: Max Lovely

Wray 18A #1

18/13S/31W/Gove


Start Date: 2013.01.16 @ 22:22:00

End Date: 2013.01.17 @ 05:24:30

Job Ticket #: 16943 DST #: 1

Superior Testers Enterprises LLC
PO Box 138 Great Bend KS 67530
1-800-792-6902

Printed: 2013.01.17 @ 05:52:03



DRILL STEM TEST REPORT

Ritchie Exploration Incorporated

18/13S/31W/Gove

8100 East 22ND Street North
700
Wichita, Kansas 67278+3188
ATTN: Max Lovely

Wray 18A #1

Job Ticket: 16943

DST#: 1

Test Start: 2013.01.16 @ 22:22:00

GENERAL INFORMATION:

Formation: **Moncie/Lansing H & I**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 00:12:30

Time Test Ended: 05:24:30

Test Type: Conventional Bottom Hole (Initial)

Tester: Ken Swinney

Unit No: 3325 Scott City/68

Interval: 4120.00 ft (KB) To 4186.00 ft (KB) (TVD)

Reference Elevations: 2935.00 ft (KB)

Total Depth: 4186.00 ft (KB) (TVD)

2930.00 ft (CF)

Hole Diameter: 7.80 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: 6999 Outside

Press @ RunDepth: 1250.09 psia @ 4183.15 ft (KB)

Capacity: 5000.00 psia

Start Date: 2013.01.16

End Date: 2013.01.17

Last Calib.: 2013.01.17


Start Time: 22:22:00

End Time: 05:24:30

Time On Btm: 2013.01.17 @ 00:10:30

Time Off Btm: 2013.01.17 @ 03:16:00

TEST COMMENT: 1ST Open 30 Minutes/Good blow /Blow built to bottom of bucket in 14 minutes
1ST Shut In 45 Minutes/Blow back built to 4 inches
2ND Open 45 Minutes/Good blow /Blow built to bottom of bucket in 14 minutes
2ND Shut In 60 Minutes/Blow back built to 2 inches



PRESSURE SUMMARY


Time (Min.)	Pressure (psia)	Temp (deg F)	Annotation
0	2078.21	107.54	Initial Hydro-static
2	258.32	109.20	Open To Flow (1)
32	177.06	110.32	Shut-In(1)
77	1282.54	111.99	End Shut-In(1)
78	186.29	111.80	Open To Flow (2)
123	283.95	113.11	Shut-In(2)
183	1250.09	115.19	End Shut-In(2)
186	2064.85	115.94	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
0.00	480 feet of gas in pipe 100%	0.00
60.00	Gas cut oily mud	0.30
0.00	Gas 15% Oil 25% Mud 60%	0.00
180.00	Gas cut muddy emulsified oil	1.98
0.00	Gas 15% Oil 40% Mud 45%	0.00
330.00	Clean gassy Oil	4.63

Gas Rates

	Choke (inches)	Pressure (psia)	Gas Rate (Mcf/d)



DRILL STEM TEST REPORT

TOOL DIAGRAM

Ritchie Exploration Incorporated
 8100 East 22ND Street North
 # 700
 Wichita, Kansas 67278+3188
 ATTN: Max Lovely

18/13S/31W/Gove
Wray 18A #1
 Job Ticket: 16943 **DST#: 1**
 Test Start: 2013.01.16 @ 22:22:00


Tool Information

Drill Pipe:	Length: 3988.00 ft	Diameter: 3.80 inches	Volume: 55.94 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 120.00 ft	Diameter: 2.25 inches	Volume: 0.59 bbl	Weight to Pull Loose: 48000.00 lb
			<u>Total Volume: 56.53 bbl</u>	Tool Chased 1.00 ft
Drill Pipe Above KB:	15.00 ft			String Weight: Initial 38000.00 lb
Depth to Top Packer:	4120.00 ft			Final 40000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	66.15 ft			
Tool Length:	93.15 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4098.00	
Hydraulic Tool	5.00			4103.00	
Jars	5.00			4108.00	
Safety Joint	2.00			4110.00	
Packer	5.00			4115.00	27.00 Bottom Of Top Packer
Packer	5.00			4120.00	
Perforations	5.00			4125.00	
Drill Pipe	31.15			4156.15	
Anchor	25.00			4181.15	
Recorder	1.00	6749	Inside	4182.15	
Recorder	1.00	6999	Outside	4183.15	
Bullnose	3.00			4186.15	66.15 Bottom Packers & Anchor

Total Tool Length: 93.15



DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Incorporated
 8100 East 22ND Street North
 # 700
 Wichita, Kansas 67278+3188
 ATTN: Max Lovely

18/13S/31W/Gove
Wray 18A #1
 Job Ticket: 16943 **DST#: 1**
 Test Start: 2013.01.16 @ 22:22:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 57.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.20 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psia		
Salinity: 2000.00 ppm			
Filter Cake: 1.00 inches			


Recovery Information

Recovery Table


Length ft	Description	Volume bbl
0.00	480 feet of gas in pipe 100%	0.000
60.00	Gas cut oily mud	0.295
0.00	Gas 15% Oil 25% Mud 60%	0.000
180.00	Gas cut muddy emulsified oil	1.978
0.00	Gas 15% Oil 40% Mud 45%	0.000
330.00	Clean gassy Oil	4.629
0.00	Gas 15% Oil 85%	0.000
0.00	Corrected Spec. Grav. Oil 38	0.000


Total Length: 570.00 ft Total Volume: 6.902 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:

Pressure vs. Time



Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Ritchie Exploration Incorporated**

8100 East 22ND Street North
700
Wichita, Kansas 67278+3188

ATTN: Max Lovely

Wray 18A #1

18/13S/31W/Gove


Start Date: 2013.01.17 @ 14:43:00

End Date: 2013.01.17 @ 21:06:30

Job Ticket #: 16944 DST #: 2

Superior Testers Enterprises LLC
PO Box 138 Great Bend KS 67530
1-800-792-6902

Printed: 2013.01.17 @ 21:23:38



DRILL STEM TEST REPORT

TOOL DIAGRAM

Ritchie Exploration Incorporated
 8100 East 22ND Street North
 # 700
 Wichita, Kansas 67278+3188
 ATTN: Max Lovely


18/13S/31W/Gove
Wray 18A #1
 Job Ticket: 16944 **DST#: 2**
 Test Start: 2013.01.17 @ 14:43:00

Tool Information

Drill Pipe:	Length: 4080.00 ft	Diameter: 3.80 inches	Volume: 57.23 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 120.00 ft	Diameter: 2.25 inches	Volume: 0.59 bbl	Weight to Pull Loose: 44000.00 lb
			<u>Total Volume: 57.82 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	16.00 ft			String Weight: Initial 39000.00 lb
Depth to Top Packer:	4211.00 ft			Final 40000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	22.00 ft			
Tool Length:	49.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4189.00	
Hydraulic Tool	5.00			4194.00	
Jars	5.00			4199.00	
Safety Joint	2.00			4201.00	
Packer	5.00			4206.00	27.00 Bottom Of Top Packer
Packer	5.00			4211.00	
Anchor	17.00			4228.00	
Recorder	1.00	6749	Inside	4229.00	
Recorder	1.00	6999	Outside	4230.00	
Bullnose	3.00			4233.00	22.00 Bottom Packers & Anchor
Total Tool Length:	49.00				



DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Incorporated
 8100 East 22ND Street North
 # 700
 Wichita, Kansas 67278+3188
 ATTN: Max Lovely

18/13S/31W/Gove
Wray 18A #1
 Job Ticket: 16944 **DST#: 2**
 Test Start: 2013.01.17 @ 14:43:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 51.00 sec/qt	Cushion Volume: bbl		
Water Loss: 6.40 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psia		
Salinity: 6000.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
210.00	Muddy water with show of oil	1.853
0.00	Mud 10% Water 90%	0.000
0.00	Recov. Chlorides 54000 ppm	0.000
0.00	Recov. Resis..13 ohms @ 55 deg	0.000

Total Length: 210.00 ft Total Volume: 1.853 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:


Serial #: 6749

Inside


Ritchie Exploration Incorporated


Wray 18A #1

DST Test Number: 2



Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Ritchie Exploration Incorporated**

8100 East 22ND Street North
700
Wichita, Kansas 67278+3188

ATTN: Max Lovely

Wray 18A #1

18/13S/31W/Gove

Start Date: 2013.01.19 @ 02:41:00


End Date: 2013.01.19 @ 09:52:00

Job Ticket #: 16945 DST #: 3

Superior Testers Enterprises LLC
PO Box 138 Great Bend KS 67530
1-800-792-6902

Printed: 2013.01.19 @ 10:41:31

Ritchie Exploration Incorporated
18/13S/31W/Gove
Wray 18A #1
DST # 3
Johnson
2013.01.19



DRILL STEM TEST REPORT

Ritchie Exploration Incorporated

18/13S/31W/Gove

8100 East 22ND Street North
700
Wichita, Kansas 67278+3188
ATTN: Max Lovely

Wray 18A #1

Job Ticket: 16945

DST#: 3

Test Start: 2013.01.19 @ 02:41:00

GENERAL INFORMATION:

Formation: **Johnson**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 04:50:30

Time Test Ended: 09:52:00

Test Type: Conventional Bottom Hole (Initial)

Tester: Ken Swinney

Unit No: 3325 Scott City/68

Interval: 4518.00 ft (KB) To 4564.00 ft (KB) (TVD)

Reference Elevations: 2935.00 ft (KB)

Total Depth: 4564.00 ft (KB) (TVD)

2930.00 ft (CF)

Hole Diameter: 7.80 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: 6749 Inside

Press @ Run Depth: 181.22 psia @ 4560.00 ft (KB)

Capacity: 5000.00 psia

Start Date: 2013.01.19

End Date: 2013.01.19

Last Calib.: 2013.01.19


Start Time: 02:41:00

End Time: 09:52:00

Time On Btm: 2013.01.19 @ 04:47:30

Time Off Btm: 2013.01.19 @ 07:55:30

TEST COMMENT: 1ST Open 30 Minutes/Good blow/Blow built to bottom of bucket in 19 1/2 minutes
1ST Shut In 45 Minutes/Blow back built to 1 1/2 inches
2ND Open 45 Minutes/Good blow/Blow built to bottom of bucket in 17 minutes
2ND Shut In 60 Minutes/Blow back built to 3 inches



PRESSURE SUMMARY


Time (Min.)	Pressure (psia)	Temp (deg F)	Annotation
0	2279.83	111.07	Initial Hydro-static
3	60.00	111.60	Open To Flow (1)
33	128.90	111.49	Shut-In(1)
78	1125.97	114.41	End Shut-In(1)
79	135.20	114.21	Open To Flow (2)
123	181.22	116.40	Shut-In(2)
184	1025.42	118.94	End Shut-In(2)
188	2258.37	120.26	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
0.00	90 feet of gas in pipe	0.00
330.00	Gassy Muddy Oil	2.95
0.00	Gas 20% Mud 25% Oil 55%	0.00
0.00		0.00

Gas Rates

	Choke (inches)	Pressure (psia)	Gas Rate (Mcf/d)



DRILL STEM TEST REPORT

Ritchie Exploration Incorporated

18/13S/31W/Gove

8100 East 22ND Street North
700
Wichita, Kansas 67278+3188
ATTN: Max Lovely

Wray 18A #1

Job Ticket: 16945

DST#: 3

Test Start: 2013.01.19 @ 02:41:00

GENERAL INFORMATION:

Formation: **Johnson**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 04:50:30

Time Test Ended: 09:52:00

Test Type: Conventional Bottom Hole (Initial)

Tester: Ken Swinney

Unit No: 3325 Scott City/68

Interval: 4518.00 ft (KB) To 4564.00 ft (KB) (TVD)

Reference Elevations: 2935.00 ft (KB)

Total Depth: 4564.00 ft (KB) (TVD)

2930.00 ft (CF)

Hole Diameter: 7.80 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: 6999 Outside

Press @ Run Depth: 1025.03 psia @ 4561.00 ft (KB)

Capacity: 5000.00 psia

Start Date: 2013.01.19

End Date: 2013.01.19

Last Calib.: 2013.01.19


Start Time: 02:41:00

End Time: 09:51:30

Time On Btm: 2013.01.19 @ 04:47:30

Time Off Btm: 2013.01.19 @ 07:52:30

TEST COMMENT: 1ST Open 30 Minutes/Good blow/Blow built to bottom of bucket in 19 1/2 minutes
1ST Shut In 45 Minutes/Blow back built to 1 1/2 inches
2ND Open 45 Minutes/Good blow/Blow built to bottom of bucket in 17 minutes
2ND Shut In 60 Minutes/Blow back built to 3 inches



PRESSURE SUMMARY


Time (Min.)	Pressure (psia)	Temp (deg F)	Annotation
0	2280.04	111.29	Initial Hydro-static
3	60.30	110.66	Open To Flow (1)
33	130.16	111.21	Shut-In(1)
78	1125.21	113.00	End Shut-In(1)
79	135.41	112.81	Open To Flow (2)
124	182.27	114.13	Shut-In(2)
184	1025.03	116.37	End Shut-In(2)
185	2255.95	116.78	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
0.00	90 feet of gas in pipe	0.00
330.00	Gassy Muddy Oil	2.95
0.00	Gas 20% Mud 25% Oil 55%	0.00
0.00		0.00

Gas Rates

	Choke (inches)	Pressure (psia)	Gas Rate (Mcf/d)



DRILL STEM TEST REPORT

TOOL DIAGRAM

Ritchie Exploration Incorporated
 8100 East 22ND Street North
 # 700
 Wichita, Kansas 67278+3188
 ATTN: Max Lovely


18/13S/31W/Gove
Wray 18A #1
 Job Ticket: 16945 **DST#: 3**
 Test Start: 2013.01.19 @ 02:41:00

Tool Information

Drill Pipe:	Length: 4391.00 ft	Diameter: 3.80 inches	Volume: 61.59 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 120.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 70000.00 lb
		Total Volume: 61.59 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 40000.00 lb
Depth to Top Packer:	4518.00 ft			Final 42000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	46.00 ft			
Tool Length:	73.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4496.00	
Hydraulic Tool	5.00			4501.00	
Jars	5.00			4506.00	
Safety Joint	2.00			4508.00	
Packer	5.00			4513.00	27.00 Bottom Of Top Packer
Packer	5.00			4518.00	
Anchor	41.00			4559.00	
Recorder	1.00	6749	Inside	4560.00	
Recorder	1.00	6999	Outside	4561.00	
Bullnose	3.00			4564.00	46.00 Bottom Packers & Anchor
Total Tool Length:	73.00				



DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Incorporated
 8100 East 22ND Street North
 # 700
 Wichita, Kansas 67278+3188
 ATTN: Max Lovely

18/13S/31W/Gove
Wray 18A #1
 Job Ticket: 16945 **DST#: 3**
 Test Start: 2013.01.19 @ 02:41:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 62.00 sec/qt	Cushion Volume: bbl		
Water Loss: 6.40 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psia		
Salinity: 6500.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
0.00	90 feet of gas in pipe	0.000
330.00	Gassy Muddy Oil	2.946
0.00	Gas 20% Mud 25% Oil 55%	0.000
0.00		0.000


Total Length: 330.00 ft Total Volume: 2.946 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:


Laboratory Name: Laboratory Location:


Recovery Comments: Oil to thick for specific gravity check

Pressure vs. Time



Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Ritchie Exploration Incorporated**

8100 East 22ND Street North
700
Wichita, Kansas 67278+3188

ATTN: Max Lovely

Wray 18A #1

18/13S/31W/Gove


Start Date: 2013.01.19 @ 18:51:00

End Date: 2013.01.20 @ 02:01:00

Job Ticket #: 16946 DST #: 4

Superior Testers Enterprises LLC
PO Box 138 Great Bend KS 67530
1-800-792-6902

Printed: 2013.01.20 @ 02:21:26



DRILL STEM TEST REPORT

TOOL DIAGRAM

Ritchie Exploration Incorporated

18/13S/31W/Gove

8100 East 22ND Street North
 # 700
 Wichita, Kansas 67278+3188
 ATTN: Max Lovely

Wray 18A #1

Job Ticket: 16946

DST#: 4

Test Start: 2013.01.19 @ 18:51:00


Tool Information

Drill Pipe:	Length: 4419.00 ft	Diameter: 3.80 inches	Volume: 61.99 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 120.00 ft	Diameter: 2.25 inches	Volume: 0.59 bbl	Weight to Pull Loose: 65000.00 lb
			<u>Total Volume: 62.58 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	12.00 ft			String Weight: Initial 40000.00 lb
Depth to Top Packer:	4554.00 ft			Final 41000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	45.00 ft			
Tool Length:	72.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Shut In Tool	5.00			4532.00	
Hydraulic Tool	5.00			4537.00	
Jars	5.00			4542.00	
Safety Joint	2.00			4544.00	
Packer	5.00			4549.00	27.00 Bottom Of Top Packer
Packer	5.00			4554.00	
Anchor	40.00			4594.00	
Recorder	1.00	6749	Inside	4595.00	
Recorder	1.00	6999	Outside	4596.00	
Bullnose	3.00			4599.00	45.00 Bottom Packers & Anchor
Total Tool Length:	72.00				



DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Incorporated

18/13S/31W/Gove

8100 East 22ND Street North
700
Wichita, Kansas 67278+3188
ATTN: Max Lovely

Wray 18A #1

Job Ticket: 16946

DST#: 4

Test Start: 2013.01.19 @ 18:51:00

Mud and Cushion Information

Mud Type: Gel Chem
Mud Weight: 9.00 lb/gal
Viscosity: 46.00 sec/qt
Water Loss: 6.40 in³
Resistivity: ohm.m
Salinity: 5000.00 ppm
Filter Cake: 1.00 inches

Cushion Type:
Cushion Length: ft
Cushion Volume: bbl
Gas Cushion Type:
Gas Cushion Pressure: psia

Oil API: deg API
Water Salinity: ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
90.00	Mud 100%	0.443
120.00	Muddy Water	1.410
0.00	Mud 30% Water 70%	0.000
0.00	Recov. Chlorides 22,000 ppm	0.000
0.00	Recov. Resist. .23 @ 63 deg	0.000

Total Length: 210.00 ft Total Volume: 1.853 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 6749


Inside

Ritchie Exploration Incorporated

Wray 18A #1

DST Test Number: 4

Pressure vs. Time



Pressure vs. Time

