

## KANSAS DRILLERS LOG

State Geological Survey  
WICHITA, BRANCHAPI No. 15 — 167 — 20,630  
County Number

Operator

L. G. Stephenson &amp; Co.

Address 340 Farm Credit Bank Building  
Wichita, Kansas 67202

Well No.

#6

Lease Name

J. Kratky

Footage Location

feet from (N) (S) line

feet from (E) (W) line

Principal Contractor

Geologist

Spud Date

Total Depth

P.B.T.D.


Date Completed

Oil Purchaser

S. 24 T. 14 R. 11 W

Loc. SE SE SE

County Russell

640 Acres  
N

Locate well correctly

Elev.: Gr.

DF KB

## CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

| Purpose of string | Size hole drilled | Size casing set<br>(in O.D.) | Weight lbs/ft. | Setting depth | Type cement | Sacks | Type and percent<br>additives |
|-------------------|-------------------|------------------------------|----------------|---------------|-------------|-------|-------------------------------|
|                   |                   |                              |                |               |             |       |                               |
|                   |                   |                              |                |               |             |       |                               |
|                   |                   |                              |                |               |             |       |                               |
|                   |                   |                              |                |               |             |       |                               |

## LINER RECORD

## PERFORATION RECORD

| Top, ft. | Bottom, ft. | Sacks cement | Shots per ft. | Size & type | Depth interval |
|----------|-------------|--------------|---------------|-------------|----------------|
|          |             |              |               |             |                |
|          |             |              |               |             |                |
|          |             |              |               |             |                |
|          |             |              |               |             |                |

| Size | Setting depth | Packer set at |  |  |  |
|------|---------------|---------------|--|--|--|
|      |               |               |  |  |  |
|      |               |               |  |  |  |
|      |               |               |  |  |  |
|      |               |               |  |  |  |

## ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

| Amount and kind of material used | Depth interval treated |
|----------------------------------|------------------------|
|                                  |                        |
|                                  |                        |
|                                  |                        |
|                                  |                        |

## INITIAL PRODUCTION

|  |       |   |                        |               |  |
|--|-------|---|------------------------|---------------|--|
| Date of first production                           |       | Producing method (flowing, pumping, gas lift, etc.) |                        |               |  |
| RATE OF PRODUCTION<br>PER 24 HOURS                 | Oil   | Gas   | Water                  | Gas-oil ratio |  |
|  | bbls. | MCF   | bbls.                  | CFPB          |  |
| Disposition of gas (vented, used on lease or sold) |       |   | Producing interval (s) |               |  |

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.



24-14-11W

DRILLERS' WELL LOG

DATE COMMENCED: October 25, 1973  
 DATE COMPLETED: November 4, 1973

L. G. Stephenson  
 J. KRAIKY #6  
 560' FEL & 75' FSL  
 Section 24-T14-R11W  
 Russell County, Kansas

0 - 25' Clay  
 25 - 135' Sand & Clay  
 135 - 190' Red Bed  
 190 - 258' Blue Shale & Red Bed  
 258 - 340' Shale  
 340 - 370' Sand  
 370 - 865' Sand & Shale  
 865 - 1175' Shale  
 1175 - 1640' Shale & lime streaks  
 1640 - 1840' Lime & Shale  
 1840 - 2445' Shale & Lime  
 2445 - 2731' Lime  
 2731 - 2736' Shale  
 2736 - 2764' Lime & Shale  
 2764 - 2836' Shale  
 2836 - 2844' Lime  
 2844' RTD

ELEVATION: 1673 K.B.

| FORMATION  |       |
|------------|-------|
| GRANDHAVEN | 2115' |
| BURLINGAME | 2336  |
| HOWARD     | 2406  |
| TOPEKA     | 2445  |
| RTD        | 2844  |

SURFACE PIPE: Set used 8-5/8"  
 28# at 258' with 165 sacks  
 2% Gel & 3% cc.

PRODUCTION STRING: Set used 5 1/2"  
 casing, 14#, at 2843' with 75  
 sacks common cement.

RECEIVED  
 STATE CORPORATION COMMISSION  
 NOV 18 1974  
 CONSERVATION DIVISION  
 Wichita, Kansas

AFFIDAVIT

STATE OF KANSAS  
 COUNTY OF BARTON ) ss.



Larry Curtis of lawful age does swear and state that the facts and  
 statements herein contained are true and correct to the best of his knowledge.

Larry Curtis

Subscribed and sworn to before me this 10 day of November 1973.

My Comm. Expires:  
April 11, 1974

Anthony M. Hague  
 Notary Public