

2/16 - T.D. 2685 - UR, 8
 4/25 - Drlg 3000
 3/2 - top sand 3035
 Drlg 3110 - with no show
 3/9 - Drlg 3220 - dry hole
 3/16 - T.D. 3300 UR, 6"
 3/23 _____
 1/30 - I.D. 3400 in granite
 S. & A.

Map No. KANSAS Sec. 6 Twp. 14 R. 12 W

Well No. 1 Hustle
Hittle & Shuman, Inc. Company
 _____ Contractor

SECTION PLAT

300 Ft. from N. Line
 _____ Ft. from S. Line
 _____ Ft. from E. Line
700 Ft. from W. Line

0			

FIRST REPORTS

Location _____
 Rig up _____
 Drilling and Remarks:
Cellar

RECORD
 Cased _____ in., _____ ft.
 Sand _____
 Gas _____
 Oil _____
 Total Depth _____

PRODUCTION
 1st 24 hrs. Nat. _____
 1st 24 hrs. after shot. _____
 Gas _____ Cu. Ft.
 Dry Hole _____
 Abandoned _____

Date
SEP 22 1926
S. J. LEWIS Scout

Map **KANSAS** Sec. 6 Twp. 14 R. 12N

Well No. 1 Kettle

Kettle & Shumaker Company

Contractor

SECTION PLAT

350 Ft. from N. Line

..... Ft. from S. Line

..... Ft. from E. Line

700 Ft. from W. Line

0			

ABANDONED

Location

Rig up

Drilling and Remarks:

TI 3400 in granite

J & A.

RECORD

Cased.....in., ft.

Sand

Gas

Oil.....

Total Depth.....

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot.....

Gas.....Cu. Ft.

Dry Hole.....

Abandoned.....

Date

MAR 30 1927

S. J. LEWIS

Scout