


CORALENA OIL CO.  
 Graham No. 2.

SEC. 21 T.14 R.13W  
 CSL SE SE

Total Depth, 2968' P.B. 2858'  
 Comm. 5-11-40 Comp. 5-31-40  
 Shot or Treated.  
 Contractor.  
 Issued. 6-29-40

County. Russell



CASING:  
 10<sup>3</sup>/<sub>4</sub>" 200'  
 5<sup>1</sup>/<sub>2</sub>" 2912'

Rotary O-2913  
 Cable 2913-68

Elevation.

Production. Dry

Figures Indicate Bottom of Formations.

sand	40	lime	2745
shale & shells	130	shale & lime	2785
sand, shale, shells	256	lime	2790
shale & shells	310	red rock	2793
sand	322	lime, oil stain	2805
shale & shells	505	lime	2809
red rock	525	lime, good sh oil	2815
shale & shells	697	lime	2860
anhydrite	740	red rock & sticky shale	2872
shale	760	lime	2877
shale & shells	1115	shale	2883
salt	1315	SLM @ 2878 O.K.	
shale	1386	lime	2895
shale & shells	1450	lime & red rock	2911
shale & lime	1595	lime	2927
lime	1625	shale green & red	2930
red rock & shale	1635	lime & shale green	
lime	1645	& red	2934
shale & lime	1690	lime	2965
shale & shells	1735	lime, wtr	2968
lime	1752	Total Depth,	
shale & lime	1780		
lime	1835		
lime hrd	1860	Plugged back 2858	
lime sdy	1890		
lime, red rock, shale	1910	Perforated pipe in Topeka	
shale & shells	1915	& Tarkio Lime w/no results	
shale & lime	2015	Perforated 2809-15 w/11	
shale & shells	2050	shots (Topeka)	
lime	2060	Perforated 2790-2800 w/6	
shale	2065	shots (Topeka)	
lime	2075	Perforated 2305-14 w/6	
shale & shells	2100	shots (Tarkio)	
lime	2110		
lime, red rock, shale	2160	Plugged & Abnd 6-4-40	
shale & shells	2250		
shale, cored	2259		
shale & shells	2295		
shale	2303		
shale sdy	2314		
cored 2305-14			
oil stains 2303-08 & 2309-10			
shale	2333		
cored 2327-33, no rec.			
shale & shells	2405		
shale	2415		
shale & lime	2455		
lime	2460		
red rock & shale	2510		
shale & shells	2545		
lime	2555		
red rock	2560		
lime	2575		
red rock & shale	2625		
shale & lime	2640		
lime	2646		
red rock	2650		
shale & lime	2695		
lime	2720		
shale	2727		