

KANSAS GEOLOGICAL SOCIETY
 KANSAS WELL LOG BUREAU - KANSAS WELL SAMPLE BUREAU
 KANSAS GEOLOGICAL SOCIETY BUILDING
 508 EAST MURDOCK - WICHITA, KANSAS


COMPANY **CARL BOXBERGER**

SEC. 21 T. 14 R. 13W
 LOC. E/2 W/2 NE

FARM **Graham** NO. 10

TOTAL DEPTH **3268**
 COMM. **8-12-66** COMP. **8-19-66**
 SHOT OR TREATED
 CONTRACTOR **Duke Drlg.**
 ISSUED **10-8-66**

COUNTY **Russell**
 KANSAS



CASING

20	10		
15	8	5/8"	@ 245' w/175 SX.
12	6		
13	5 1/2"		@ 3266 1/2' w/100 SX.
		DV Tool	@ 2497' w/100 SX.

ELEVATION **1833' KB**

PRODUCTION **PMP 25 BO & 25 BWPD (Arb 3267-68)**

Russell Co., Kansas

- 0 - 60' Clay & Post Rock
- 60 - 480' Shale Sand Shells
- 480 - 765' Red Bed
- 765 - 805' ANHYDRITE
- 805 - 1435' Shale & Shells
- 1435 - 1955' Lime & Shale
- 1955 - 2405' Shale
- 2405 - 2615' Shale Sand Lime
- 2615 - 2913' Lime
- 2913 - 2917' Shale
- 2917 - 2938' Lime Shale
- 2938 - 2958' Lime
- 2958 - 2991' Shale
- 2991 - 3265' Lime
- 3265 - 3268' Dolomite

ELEVATION: 1833 K.B.

FORMATION DATA

ANHYDRITE	765
HEEBNER	2913
LANSING	2982
ARBUCKLE	3267
R.T.D.	3268

TOPS: SAMPLE

Anhydrite	805
Toronto	2932
Douglas	2945
Lansing	2980
Arbuckle	3266

SURFACE PIPE: Set 8-5/8" casing, 28#, at 245' with 175 sacks HA-5 cement.

PRODUCTION CASING: Set 5 1/2" casing, 14# at 3266 1/2' with 100 sacks cement; DV Tool set at 2497' with 100 sacks cement.

A F F I D A V I T

STATE OF KANSAS
 COUNTY OF BARTON) ss.

L. O. Chubb, of lawful age, does swear that the facts and statements herein contained are true and correct to the best of his knowledge.


 L. O. Chubb