

**WELL NAME:** Poleyn "B" #1  
**COMPANY:** Larson Operating Company  
**LOCATION:** 11-14S-15W  
Russell County Kansas  
**DATE:** 06/16/97

TRILOBITE TESTING L.L.C.

OPERATOR : Larson Operating Company  
 WELL NAME: Poley "B" #1  
 LOCATION : 11-14S-15W  
 INTERVAL : 3217.00 To 3242.00 ft

DATE 6/13/97  
 KB 1837.00 ft TICKET NO: 10165 DST #1  
 GR 1832.00 ft FORMATION: Sand  
 TD 3242.00 ft TEST TYPE: CONV

RECORDER DATA

Mins	Field	1	2	3	4	TIME DATA-----
PF 15 Rec.	13754	13754	13249			PF Fr. 1415 to 1430 hr
SI 30 Range(Psi )	4000.0	4000.0	4500.0	0.0	0.0	IS Fr. 1430 to 1500 hr
SF 30 Clock(hrs)	12 HR	12 HR	12 HR			SF Fr. 1500 to 1530 hr
FS 60 Depth(ft )	3222.0	3222.0	3239.0	0.0	0.0	FS Fr. 1530 to 1630 hr

	Field	1	2	3	4	
A. Init Hydro	1716.0	1753.0	0.0	0.0	0.0	T STARTED 1300 hr
B. First Flow	49.0	32.0	0.0	0.0	0.0	T ON BOTM 1410 hr
B1. Final Flow	98.0	74.0	0.0	0.0	0.0	T OPEN 1415 hr
C. In Shut-in	1076.0	1063.0	0.0	0.0	0.0	T PULLED 1630 hr
D. Init Flow	127.0	113.0	0.0	0.0	0.0	T OUT 1820 hr
E. Final Flow	167.0	165.0	0.0	0.0	0.0	
F. Fl Shut-in	1086.0	1070.0	0.0	0.0	0.0	TOOL DATA-----
G. Final Hydro	1616.0	1639.0	0.0	0.0	0.0	Tool Wt. 900.00 lbs
Inside/Outside	I	I	O			Wt Set On Packer 20000.00 lbs
						Wt Pulled Loose 60000.00 lbs
						Initial Str Wt 58000.00 lbs
						Unseated Str Wt 58000.00 lbs
						Bot Choke 0.75 in
						Hole Size 7.88 in
						D Col. ID 2.25 in
						D. Pipe ID 3.80 in
						D.C. Length 361.00 ft
						D.P. Length 2841.00 ft

RECOVERY

Tot Fluid 392.00 ft of 621.00 ft in DC and 20.00 ft in DP  
 10.00 ft of Clean Gassy Oil  
 0.00 ft of 20%gas 80%oil  
 10.00 ft of Mud Cut Gassy Oil  
 0.00 ft of 10%mud 20%gas 70%oil  
 186.00 ft of Gassy Oil Cut Mud  
 0.00 ft of 10%gas 20%oil 70%mud  
 186.00 ft of Slight Oily Gassy Mud Cut Water  
 0.00 ft of 5%oil 10%gas 20%mud 65%water  
 SALINITY 18000.00 P.P.M. A.P.I. Gravity 34.00

MUD DATA-----

Mud Type	Chemical
Weight	9.40 lb/cf
Vis.	45.00 S/L
W.L.	8.90 in3
F.C.	0.00 in
Mud Drop	

BLOW DESCRIPTION

Initial Flow:  
 Strong blow, bottom of bucket in 11min

Initial Shut In:  
 Bled off blow, blow returned to weak surface blow

Final Flow:  
 Strong blow, bottom of bucket in 15min


Final Shut In:  
 Bled off blow, returned and built to 3"

SAMPLES:  
 SENT TO:

Amt. of fill	0.00 ft
Btm. H. Temp.	100.00 F
Hole Condition	
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00
Cushion Type	
Reversed Out	
Tool Chased	
Tester	Dan Bangle
Co. Rep.	Bob Stolzle
Contr.	Vonveldt
Rig #	1
Unit #	
Pump T.	

Test Successful: Y

CHART PAGE



1375441X

This is a photocopy of the actual AK-1 recorder chart