

CHENEY TESTING COMPANY

P. O. BOX 3 HILL CITY, KANSAS 67642


DRILL-STEM TEST DATA

Company	Kansas Oil Corp.	Test No.	2
Well Name & Number	#1 Honas	Zone Tested	Marmaton
Company Address	Wichita, Ks.	Date	11-12-78
Comp. Rep.	Bob Douglas	Tester	Orman Bell
Contractor	Big Springs Drlg. Inc.	Elevation	2233 K.B.
Location: Sec. 1 Twp. 14 Rge 20 Co. Ellis State Ks.		Est. Feet of Pay	

Recorder No. 2836 Type AK-1 Range 3500 PSI
 Recorder Depth 3842
 (A) Initial Hydrostatic Mud 2139 PSI
 (B) First Initial Flow Pressure _____ PSI
 (C) First Final Flow Pressure _____ PSI
 (D) Initial Closed-in Pressure 1059 PSI
 (E) Second Initial Flow Pressure 105 PSI
 (F) Second Final Flow Pressure 180 PSI
 (G) Final Closed-in Pressure 752 PSI
 (H) Final Hydrostatic Mud 2129 PSI
 Temperature 108
 Mud Weight 10.0 Viscosity 46
 Fluid Loss 12
 Interval Tested 3816-3845
 Anchor Length 29
 Top Packer Depth 3811
 Bottom Packer Depth 3816
 Total Depth 3845
 Drill Pipe Size 4 1/2 F.H.
 Wt. Pipe I. D. 2.7 Ft. Run 345
 Recovery—Total Feet 450
 Recovered 60 Feet Of heavy oil cut mud.
 Recovered 120 Feet Of frothy oil.
 Recovered 240 Feet Of gassy oil.
 Recovered 30 Feet Of thin mud
 Extra Equipment none.


Recorder No. 10216 Type AK-1 Range 4200 PSI
 Recorder Depth 3839
 Tool Open Before I. S. I. 30 Mins.
 Initial Shut-in 30 Mins.
 Flow Period 90 Mins.
 Final Shut-in 60 Mins.
 Surface Choke Size 1"
 Bottom Choke Size 3/4"
 Main Hole Size 7 7/8"
 Rubber Size 6 3/4"
 Tool Open @ 6:00 P.M.
 Blow Strong blow after flush.
 Remarks Tool plug on 1st opening.
Flush tool on 2nd opening.
Recovered good blow.
 Drill Collar I. D. _____ Ft. Run _____

Price of Job \$400.00




AZTECH
HERTEL #1

REPEAT SECTION




2254
2217
37



This is an actual photograph of recorder chart.

POINT	PRESSURE	
	Field Reading	Office Reading
(A) Initial Hydrostatic Mud	2139	PSI
(B) First Initial Flow Pressure	--	PSI
(C) First Final Flow Pressure	--	PSI
(D) Initial Closed-in Pressure	1059	PSI
(E) Second Initial Flow Pressure	105	PSI
(F) Second Final Flow Pressure	180	PSI
(G) Final Closed-in Pressure	752	PSI
(H) Final Hydrostatic Mud	2129	PSI



Kansas Oil
 #1 Honor

NWSE NW Sec 1-14-20
 Ellis County, KS