


15-195-22400



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Pintail Petro LTD**

225 N Market Ste 300
Wichita KS 67202

ATTN: Flip Phillips

25 14S 22W Trego KS

Bisagno NR #1-25

Start Date: 2006.10.26 @ 23:39:26

End Date: 2006.10.27 @ 07:29:50

Job Ticket #: 25903 DST #: 1

KCC
DEC 04 2006
CONFIDENTIAL

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Pintail Petro LTD
225 N Market Ste 300
Wichita KS 67202
ATTN: Flip Phillips

Bisagno NR #1-25
25 14S 22W Trego KS
Job Ticket: 25903 **DST#: 1**
Test Start: 2006.10.26 @ 23:39:26

Tool Information

Drill Pipe:	Length: 3947.00 ft	Diameter: 4.21 inches	Volume: 67.96 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 70000.00 lb
		Total Volume: 67.96 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	25.00 ft			String Weight: Initial 62000.00 lb
Depth to Top Packer:	3950.00 ft			Final 66000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	61.02 ft			
Tool Length:	89.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3923.00	
Shut In Tool	5.00			3928.00	
Hydraulic tool	5.00			3933.00	
Jars	5.00			3938.00	
Safety Joint	2.00			3940.00	
Packer	5.00			3945.00	28.00 Bottom Of Top Packer
Packer	5.00			3950.00	
Stubb	1.00			3951.00	
Perforations	2.00			3953.00	
Blank Spacing	33.00			3986.00	
Recorder	0.01	6753	Inside	3986.01	
Perforations	22.00			4008.01	
Recorder	0.01	13534	Outside	4008.02	
Bullnose	3.00			4011.02	61.02 Bottom Packers & Anchor

Total Tool Length: 89.02



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Pintail Petro LTD
225 N Market Ste 300
Wichita KS 67202
ATTN: Flip Phillips

Bisagno NR #1-25
25 14S 22W Trego KS
Job Ticket: 25903 **DST#: 1**
Test Start: 2006.10.26 @ 23:39:26

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API: 39 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: 42000 ppm
Viscosity: 50.00 sec/qt	Cushion Volume: bbl	
Water Loss: 7.97 in ³	Gas Cushion Type:	
Resistivity: ohm.m	Gas Cushion Pressure: psig	
Salinity: 5200.00 ppm		
Filter Cake: 1.00 inches		

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
196.00	CO	3.375
620.00	GMO 20%G 5%M 75%O	10.675
124.00	GMO 20%G 15%M 65%O	2.135
62.00	GM&WCO 20%G 22%M 25%W 33%O	1.067
62.00	O&GCMW 10%G 34%M 6%O 50%W	1.067
0.00	360' GP	0.000

Total Length: 1064.00 ft Total Volume: 18.319 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments: RW .29 @ 41F

Serial #: 6753

Inside

Final Petro LTD

25 14S 22W Trego KS

DST Test Number: 1

Pressure vs. Time

