

Sec. 26 Twp. 14 R. 16 WWell No. # 1 Heyl FarmSun Oil CompanyAnschutz Drlg. Contractor


Ft. from N. Line

330 Ft. from S. Line

Ft. from E. Line

330 Ft. from W. Line

SW SW SW



1953 Elev. 1829' REPORT

3/18 Location

3/26 Drlg. 500'

4/2 8" @ 678

Drlg. 2970'

4/9 Heeb 3018, Lans 3064,
 @ 3069-3105 36' L & shale
 DST 3067-3105 3/4 Hr. 380' o&gcm
 10' SW 725#
 RTD 3105
 5" @ 3105

4/16 CO 3085, /3065-80, FU 65' wtr + SSO
 2000A
 S/154 BO 7 hrs.,
 S/65 BO 2 1/2 hrs., POP

4/23 NR

4/29 "pud 3-23-53

Oil Well

TD 3105

8" @ 678

Heeb 3018, Lans 3064,

DST 3067-3105, opn 3/4 hrs., rec. 380'
 g & ocm, 10' sw, 725#

TD 3105,

5" @ 3105

CO to 3085, perf/3065-80, FU 65' wtr
 & SSO, 2000A, S/154 bo 7 hrs.

OVER

#1 Heyl
(Information Brought Forward)

1953

4/29 P/65 bo 2½ hrs.
Comp. 256 bopd

COMPLETED

County Ellis State Kansas

Sec. 26 (Blk. Twp.) 14 (Sur. Rge.) 16W Map No.

Operator Sun Oil

Well No. 1 Farm Heyl

Elev. _____ Location SW SW SW

FIRST REPORT

330 Ft. From S Line SW

330 Ft. From W Line Quarter

1st. Report MAR 1 8 1953

Completion _____

Remarks _____

Anschutz Drlg. - Contr.

Spudding Date _____

Drlg. Data _____

Location

Scout Cards	<i>mm</i>
Land Small Map	
Land Wall Map	<i>BP</i>
Tracings	
France Map	
Pierce Map	
Misc:	

MAR 20 1953

County Ellis State Kansas

Sec. 26 (Blk.) 14 (Sur.) 16W Map No. (Twp.) (Rge.)

Operator Sun Oil

Well No. 1 Farm Heyl

Elev. 1829 Location SW SW SW

COMPLETE

330 Ft. From S Line SW

330 Ft. From W Line Quarter

1st. Report

Completion APR 29 1953

Remarks

Anschutz Drlg. - Contr.

Spudding Date 3-23-53

Drlg. Data Oil well TD 3105

8" @ 678 Heeb. 3018 Lans. 3064

DST 3067-3105 open 3/4 hr. Rec. 380'

g & ocm 10' sw 725# TD 3105

5" @ 3105 CO to 3085 Perf/ 3065-80

FU 65' wtr. & SSO 2000 A S/ 154 bo 7 hr.

P/ 65 bo 2 1/2 hr. Comp. 256 bopd

MAY 6 1958

Scout Cards	<i>as</i>
Land Small Map	
Land Wall Map	<i>6</i>
Tracings	
France Map	
Pierce Map	
Misc.	