


*Released
 3/27/81*

S. 12 T. 14 R. 29W E W
 Loc. NE NE SW
 County Gove



Locate well correctly
 Elev.: Gr. 2649
 DF 2651 KB 2654

API No. 15 — 063 — 20,449
 County Number

Operator DONALD C. SLAWSON

Address 200 Douglas Building Wichita, Kansas 67202

Well No. 1 Lease Name Beesley 'U'

Footage Location
2340 feet from XX (S) line 2470 feet from XX (W) line

Principal Contractor SLAWSON DRILLING CO., INC. Geologist George Mueller

Spud Date January 12, 1980 Total Depth 4480' P.B.T.D. N/A

Date Completed January 25, 1980 Oil Purchaser N/A

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
SURFACE	12 1/4"	8 5/8"	28#	428'	60/40 poz	300 sx	2% gel, 3% cc

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production _____ Producing method (flowing, pumping, gas lift, etc.) _____

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio

Disposition of gas (vented, used on lease or sold) _____ Producing interval (s) _____

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator DONALD C. SLAWSON DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:

Well No. 1 Lease Name Beesley 'U' Dry Hole

S 12 T 14 R 29W E W


WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
			<u>LOG TOPS</u>	
0 - 1500 Shale and sand			ANHY 2104 (+550)	
1500 - 2039 Shale and shells			B/ANHY 2138 (+516)	
2039 - 2106 Shale			HEEB 3748 (-1094)	
2106 - 2139 Anhydrite			TORO 3768 (-114)	
2139 - 2711 Shale and shells			LANS 3788 (-134)	
2711 - 2914 Shale			MUN CRK 3957 (-1283)	
2914 - 3763 Lime and shale			STK 4029 (-1375)	
3763 - 3839 Lime			B/KC 4097 (-1443)	
3839 - 3882 Lime and shale			MARM 4124 (-1470)	
3882 - 4176 Lime			PAW 4201 (-1547)	
4176 - 4193 Lime and shale			MYR STA 4259 (-1605)	
4193 - 4480 Lime			FT SC 4288 (-1634)	
4480 RTD			L/CHER 4313 (-1659)	
			MISS 4390 (-1736)	
			LTD 4481 (-1827)	
DST #1 3854-3882 (70' Zn) 30-60-45-75, StrgB, Rec. 62' GIP, 40' Oil, 878' SW, IFP 26-233#, ISIP 1197#, FFP 242-432#, FSIP 1197#				
DST #2 3934-3970 (140' Zn) 30-60-45-75, StrgB, Rec. 5' OCMW, 496' SW. IFP 35-156#, ISIP 1137#, FFP 156-242#, FSIP 1120#.				
DST #3 3977-4000 (160' Zn) 30-30-30-30, WkB/25", Rec. 5' Mud, IFP 18-18#, ISIP 53#, FFP 18-18#, FSIP 35#.				
DST #4 3994-4055 (180' & 200' Zn) 30-60-45-75, StrgB, Rec. 796' SW, IFP 53-193#, ISIP 1212#, FFP 211-369#, FSIP 1194#.				
DST #5 4132-4185 (ALTA 'B' Zn) 30-60-45-75, Fr Bl, Rec. 124' GIP, 124' SOCM, IFP 35-69#, ISIP 888#, FFP 69-86#, FSIP 870#.				
CFS @ 4215'				
			DST #6 4197-4280 (PAW & MYR STA) 30-60-45-75, Strg Blow decr to Fr Blow, Rec. 372' GIP, 10' CGO 41°, 62' Foamy Oily Mud, 186' SW. IFP 69-104#, ISIP 1154#, FFP 121-156#, FFP 121-156#, FSIP 1120#.	
			DST #7 4287-4315 (FT SC) 30-60-45-75, Fr decr to Wk Blow, Rec. 2' Oil, 67' SOCM, 62' Mud, IFP 17-43#, ISIP 1094#, FFP 52-78#, FSIP 1042#.	
			DST #8 4369-4410 (MISS) 30-60-30-60, WkB/30", Rec. 2' Oil, 57' Mud, IFP 18-26#, ISIP 1133#, FFP 26-26#, FSIP 896#.	

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	 JAMES C. REMSBERG, Engineer Signature
	Title March 31, 1980 Date

