


**WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY**  
 508 East Murdock, Wichita, Kansas

Company- FLYNN OIL COMPANY & F.W.WYANT & ASSOCIATES SEC. 4 T. 14 R. 38W  
 Farm- C. F. Pearce No. 1 NW NW SW

Total Depth. 5063  
 Comm. 12-23-51 Comp. 2-1-52  
 Shot or Treated.  
 Contractor. Midwestern Drillers  
 Issued. 3-1-52

County Wallace  
 KANSAS



CASING:  
 10 3/4" 192' cem w/125 sx

Elevation. 3353 KB

Production. dry

Figures Indicate Bottom of Formations.

clay blue, shale	197	cemented, no porosity, no saturation, no odor.
shale, shells	555	4692-4713
shale, lime	1480	Sandstone white to green, fine grained, well rounded,
shale, iron pyrite	1710	limey, poorly cemented, poor porosity, no saturation.
shale, lime	1850	no odor. 4775-84
iron pyrite	1875	
lime, shale	2000	
shale, shells	2290	
shale	2375	
shale, anhydrite	2525	
iron, shale	2545	
lime, shale, anhydrite	2710	
lime, shale	2865	
lime, shale, iron	2975	
iron, shale lime, salt	3085	
iron, lime, shale	3175	
lime	3235	
lime, shale	3295	
lime, chert	3305	
lime	3375	
lime, shale (twisted off)	3463	
shale, shells	3510	
shale	3575	
lime, shale	3730	
lime	3775	
lime, shale	3860	
lime	3905	
lime, shale	4005	
lime	4040	
shale, lime	4095	
lime, chert	4120	
lime, shale	4150	
lime	4235	
lime, shale	4615	
lime	4645	
lime, shale	4685	
lime	4700	
lime, shale	4890	
chert, lime	4900	
lime, shale	5063	RTD
Total Depth		

Tops:

Anhydrite	2470 est.
Topeka	3921
Lansing	4350
Shaley Conglomerate	4784
Mississippi	4963

Tops: Halliburton Electric log.

Topeka	3913
Lansing	4340
Shaley Congl.	4783
Mississippi	4970

2-1-52 Ran Halliburton Electric Log T.D. 5060