

Operator

DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:

Well No.

Lease Name

S _____ T _____ R _____ E _____ W _____


WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.



Signature

Title

Date

7-15-12W


WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY
412 Union National Bk. Bldg., Wichita, Kansas

Company - YELLOW CAB CO. OF MISSOURI
Farm - Hupfer No. 1

SEC. 7 T. 15 R. 12 W
SEc NW

Total Depth. 3300'
Comm. 1-14-45 Comp. 2-2-45
Shot or Treated.
Contractor. Premier Drlg. Co.
issued. 2-24-45

County. Russell
KANSAS



CASING:
10 3/4" 300' Cem.

Elevation. _____

Production. Dry

Figures Indicate Bottom of Formations.

surface clay & sdy shale	0- 75
sdv shale & shells	225
sand	265
shale & lime	290
lime	300
shale & iron	308
shale & shells	460
red bed	760
sdv lime	805
shale & red bed	938
red bed & shale	1039
shale & shells	1120
shale	1245
shale & shells	1415
lime	1485
lime & shale	1500
lime	1525
lime & shale	1580
lime & shale	1633
lime	1715
sdv lime	1767
lime	1872
lime & shale	2005
sdv lime & shale	2090
lime & shale	2662
lime	2735
lime & shale	2975
lime	3190
shale & lime	3230
lime	3279
lime Arbuckle	3300
Total Depth.	

Tops:
K.C. 2992
Arbuckle 3279