

Basic Core Analysis of Murfin MV Anderson #1 L-K

1516723203-00-00

KGS Analysis Results

Core Plug I.D.	Depth (ft)	Helium Porosity (%)	Insitu Klinkenberg Permeability (md)	Grain Density (g/cc)	
1	2968.5	1.1	<0.0001	2.70	
2	2970.0	1.5	<0.0001	2.71	
3	2970.6	9.0	2.96	2.74	
4	2970.8	0.1	0.0000	2.78	
CoreLab	2972.9				
5	2973.3	8.6	0.121	2.71	
6	2973.7	15.4	22.2	2.69	
7	2976.5	1.7	<0.0001	2.70	
8	2978.0	1.8	<0.0001	2.70	
9	2980.5	4.0	<0.0001	2.65	
CoreLab	2982.8				
CoreLab	2983.6				
10	2984.3	10.2	10.5	2.71	
11	2984.5	21.4	100	2.70	
CoreLab	2985.0				
CoreLab	2985.3				
13	2985.5	29.4	330	2.71	
14	2985.6	29.2	446	2.70	
CoreLab	2985.8				
CoreLab	2986.1				
CoreLab	2987.4				
15	2987.7	17.4	77.6	2.71	
CoreLab	2988.5				
16	2988.6	19.3	382	2.71	
CoreLab	2989.5				
CoreLab	2990.7				
CoreLab	2991.8				
CoreLab	2992.7				
17	2993.5	10.2	0.0223	2.69	
CoreLab	2994.7				
18	2995.2	2.5	<0.0001	2.70	
19	2998.7	0.8	<0.0001	2.71	
20	3005.3	2.2	<0.0001	2.71	stylolite
21	3011.1	1.4	<0.0001	2.71	
22	3019.8	7.3	18.6	2.69	
23	3023.2	14.6	12.0	2.70	
CoreLab	3023.7				
24	3024.7	7.5	0.0031	2.70	
25	3024.7	23.3	1288	2.70	