


R.B.SNYDER ET AL
Shaffer "A" No. 1.

SEC.3 T.15 R.13 W
CNE NE

Total Depth. 3060' PB 3030'
Comm. 5-20-42 Comp. 6-21-42
Shot or Treated.
Contractor. Ted Spencer
Issued. 8-22-42

County. Russell



CASING:
15 1/2" 55'P 8" 2285'P
12 1/2" 269'P 7" 2970' Cem.
10" 745'P

Elevation.

Production. Pot. 593 B.

Figures Indicate Bottom of Formations .

cellar	0-10	shale & shells	2290
lime	20	red rock	2295
mud blue	55	shale & shells	2320
slate	90	shale sdy	2385
lime sdy	115	lime	2400
shale	120	shale	2445
red rock	165	lime	2480
lime	170	shale	2485
red rock	195	lime	2505
shale	205	shale	2515
sand	210	lime	2535
lime	240	shale	2545
sand	260	lime	2555
shale	269	shale	2585
mud white	275	lime	2605
lime	285	shale	2620
shale	295	lime	2635
sand 2BW 295-300	300	shale	2650
mud white 8BW 320	335	lime	2895
shale blue	395	shale	2912
sand HFW 410	430	lime Dodge	2925
slate B	445	red rock	2929
red rock	740	shale blue	2945
lime	780	sand brkn	2955
red rock	950	sh oil & wtr 2955	
slate blue	1000	slate blue	2965
red rock	1050	lime (gas 2980)	2998
slate	1145	oil 2985 and 2992-97	
brkn salt	1205		
salt	1435	Shot w/10,000 Gals. Acid	
shale	1445		
lime	1455	Drilled Deeper:	
shale	1460	Comm. 7-18-42	
lime	1540	Comp. 7-24-42	
shale	1545		
lime	1605		
shale	1610	lime	3032
lime	1655	shale	3034
red rock	1680	HFW 3050-55	
lime	1815	lime	3049
red rock	1820	lime	3060
lime	1845	Total Depth.	
slate	1860		
sand	1890		
shale	1895	Top K. C. 2965	
lime cave	1930	Plugged back to 3030	
shale	1935		
lime	1940		
shale	1950		
lime	2020		
red rock	2040		
lime	2085		
red rock	2095		
shale & shells,			
caving	2155		
lime	2170		
shale & shells	2225		
shale sdy	2235		
shale	2285		