

18-15s-17w

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company TRANS PACIFIC OIL CORPORATION

Address 1005 MAIN SUITE 200

Lease & # LEIKER 8-18 Sec. 18 Twp 15 Rng 17

Date 5-27-2008 County Ellis Elevation 1995 G.L. 2000 K.B. 1995

Drilling Contractor ~~XXXX~~ Shields

Drill Pipe Length 3141 I.D. of Drill Pipe 3.80 Tool Joint Size 4 1/2 X 7

Drill Collar Length _____ I.D. of Drill Collars _____ Tool Joint Size _____

Mud Weight 8.6 Viscosity 60 Filtrate 7.6 Chlorides-Pits 4,800 DST

Top Packer Depth 3/55 Bottom Packer Depth 3/60 Number of Packers 2

Tested From 3160 to 3210 Total Depth 3210 Anchor Length 50

Test # 1 Formation Tested TOPEKA Hole Size 7 7/8

Initial Blow WEAK BLOW BELT IT TO ONE INCH INTO WATER IN 30 MIN

Blow back on the 1st Shut-in No

Final Blow Weak Surface Blow

Blow back on the 2nd Shut-in 10

Initial Hydrostatic 1668 P.S.I. Final Hydrostatic 1562 P.S.I. Maximum Temp. 104 F

P.S.I. Maximum Temp. 104 F

Initial Opening 48 P.S.I. to 57 P.S.I. from 3:00AM m to 3:30 m 30 minutes

Initial Shut-in 455 P.S.I. from 3:30 m to 4:15 m 45 minutes

Final Opening 55 P.S.I. to 61 P.S.I. from 4:15 m to 5:15 m 60 minutes

Final Shut-in 153 P.S.I. from 5:15 m to 6:15 A m 60 minutes

[illegible]

Total Feet Recovered _____ Recovery Chlorides _____ Rw. _____ ohms @ _____ Degrees

Gravity of oil 1.025 Corrected Gas to Surface in 10 minutes into the 10 Degrees

Max. Gas Gauged _____ MCF/day See Gas Flow Report Was a gas sample taken _____

Comments Show of oil between tools

Extra Equipment-Jars NO Safety Joint NO Circulating Sub NO Straddle NO

Electronic Recorder No. 91986 Depth 3206 Extra Packer (3rd) NO Hook Wall NO

Bottom Recorder No 4337 Depth 3207 Extra Packer (3rd) NO Sampler NO

Tool Operator Ben Miller Approved By _____


Ticket No. 15451

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure.....	1668
2	Initial Flow Pressure.....	48
3	Final Initial Flow Pressure.....	54
4	Initial Shut-In Pressure.....	455
5	Initial Final Flow Pressure.....	55
6	Final Flow Pressure.....	61
7	Final Shut-In Pressure.....	155
8	Final Hydrostatic Pressure.....	1562

Maximum Temperature..... 104

GENERAL INFORMATION

COMPANY NAME TRANS PACIFIC OIL CORPRATION	
TEST DATE 5/27/08	LEASE AND WELL NUMBER LEIKER 8-18
SECTION-TOWN-RANGE 18-15-17	FORMATION TESTED TOPEKA
STATE KANSAS	DRILL STEM TEST NUMBER 1
COUNTY ELLIS	REPORT NUMBER #####
ELEVATION GROUND LEVEL 1995	ELEVATION KELLY BUSHINGS 2000
COMPANY REPRESENTATIVE BETH	TESTING ENGINEER DAVE NICHOLS

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3160	TOP PACKER DEPTH 3155
TEST INTERVAL (to) 3210	BOTTOM PACKER DEPTH 3160
ANCHOR LENGTH 50	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3210	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

<i>INITIAL OPEN</i>		<i>FINAL OPEN</i>	
TOOL OPEN (from) 3:00		TOOL OPEN (from) 4:15	
TOOL OPEN (to) 3:30		TOOL OPEN (to) 5:15	
DURATION (min.) 30		DURATION (min.) 60	
<i>INITIAL SHUT-IN</i>		<i>FINAL SHUT-IN</i>	
TOOL CLOSED (from) 3:30		TOOL CLOSED (from) 5:15	
TOOL CLOSED (to) 4:15		TOOL CLOSED (to) 6:15	
DURATION (min.) 45		DURATION (min.) 60	

INITIAL FLOW

WEAK BLOW BUILT TO ONE INCH INTO WATER IN 30 MINS

FINAL FLOW

WEAK SURFACE BLOW

Company: TRANS PACIFIC OIL CORPORATION
 TWP. 15 RGE. 17W
 Lease & Well No. LEIKER 8-18
 Test #: 1
 Date: 5-27-08
 SEC. 18

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	TRANS PACIFIC OIL CORPORATION	LEASE AND WELL NUMBER	LEIKER 8-18
TEST DATE	5/27/08	FORMATION TESTED	TOPEKA
SECTION-TOWN-RANGE	18-15-17	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	15451
COUNTY	ELLIS	ELEVATION KELLY BUSHINGS	2000
ELEVATION GROUND LEVEL	1995	TESTING ENGINEER	DAVE NICHOLS
COMPANY REPRESENTATIVE	BETH		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	1	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	24 MILES ROUND TRIP FROM	SAMPLER	NO
TOP RECORDER DEPTH	3206	HAYS	
RECORDER NUMBER	91986	BOTTOM RECORDER DEPTH	3207
		RECORDER NUMBER	4337

WELL INFORMATION

DRILLING CONTRACTOR	SHEILDS	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3141	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		


COMMENTS

RECOVERY BREAK DOWN

(800) 792-6902

MUD WEIGHT #/GAL	8.6	GRAVITY CORRECTED	ohms @	Degrees
VISCOSITY	60			
WATER LOSS	7.6			
		Resistivity	ppm	
		Recovery Chlorides	ppm	
		Pit Chlorides	4,800	
		4 1/2 inch Drill Pipe 3.83	I.D. Drill Collars 2.25 I.D	
		Start Here		

Temperature / Pressure Data



Tool serial number: 91716
 Test start: 06/27/2008 08:06:10

(800) 792-6902

Ticket No. 15452

Ticket No. 15452


SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Temperature / Pressure Data



Tool serial number: 90715
Test start: 05/28/2008 05:02:41

1	Initial Hydrostatic Pressure.....	1786
2	Initial Flow Pressure.....	35
3	Final Initial Flow Pressure.....	80
4	Initial Shut-In Pressure.....	1044
5	Initial Final Flow Pressure.....	83
6	Final Flow Pressure.....	140
7	Final Shut-In Pressure.....	1020
8	Final Hydrostatic Pressure.....	1652

Maximum Temperature..... 108

GENERAL INFORMATION

COMPANY NAME TRANS PACIFIC OIL CORPORATION

TEST DATE 5/28/08

SECTION-TOWN-RANGE 18-15-17

STATE KANSAS

COUNTY ELLIS

ELEVATION GROUND LEVEL 1995

COMPANY REPRESENTATIVE BETH

LEASE AND WELL NUMBER LEIKER 8-18

FORMATION TESTED LANSING

DRILL STEM TEST NUMBER 2

REPORT NUMBER #####

ELEVATION KELLY BUSHINGS 2000

TESTING ENGINEER DAVID NICHOLS

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3360

TEST INTERVAL (to) 3380

ANCHOR LENGTH 20

TOTAL DEPTH (ft) 3380

TOP PACKER DEPTH 3355

BOTTOM PACKER DEPTH 3360

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 12:20

TOOL OPEN (to) 12:50

DURATION (min.) 30

INITIAL SHUT-IN

TOOL CLOSED (from) 12:50

TOOL CLOSED (to) 1:35

DURATION (min.) 45

FINAL OPEN

TOOL OPEN (from) 1:35

TOOL OPEN (to) 2:35

DURATION (min.) 60

FINAL SHUT-IN

TOOL CLOSED (from) 2:35

TOOL CLOSED (to) 3:35

DURATION (min.) 60

INITIAL FLOW

WEAK BLOW BUILT TO 7 INCHS IN WATER IN 30 MINS

FINAL FLOW

WEAK BLOW BUILT TO 7 INCHS IN WATER IN 60 MINS

Company: TRANS PACIFIC OIL CORPORATION
TWP. 15 RGE. 17
Lease & Well No. LEIKER 8-18
Test #: 2
Date: 5-28-08
SEC. 18

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	TRANS PACIFIC OIL CORPORATION	LEASE AND WELL NUMBER	LIEKER 8-18
TEST DATE	5/28/08	FORMATION TESTED	LANSING
SECTION-TOWN-RANGE	18-15-17	DRILL STEM TEST NUMBER	2
STATE	KANSAS	REPORT NUMBER	15452
COUNTY	ELLIS	ELEVATION KELLY BUSHINGS	2000
ELEVATION GROUND LEVEL	1995	TESTING ENGINEER	DAVID NICHOLS
COMPANY REPRESENTATIVE	BETH		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	NO	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WAIL	NO
		SAMPLER	NO
	25 MILES ROUND TRIP FROM	HAYS	
TOP RECORDER DEPTH	3376	BOTTOM RECORDER DEPTH	3377
RECORDER NUMBER	91986	RECORDER NUMBER	4337

WELL INFORMATION

DRILLING CONTRACTOR	SHEILDS	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3344	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		


COMMENTS

RECOVERY BREAK DOWN

(800) 792-6902

MUD WEIGHT #/GAL	9.3	GRAVITY CORRECTED	ohms @	Degrees
VISCOSITY	52			
WATER LOSS	8.0			
		Resistivity		
		Recovery Chlorides	59,000	
		Pit Chlorides	4,800	
4 1/2 inch Drill Pipe 3.83		I.D. Drill Collars 2.25 I.D		
Start Here				

Temperature / Pressure Data

[illegible]

TRANS PACIFIC OIL CORPORATION

18-15-17

LEVER 8-18

5-28-08 DST#2

LANSING

(800) 792-6902

Ticket No. 15453


SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Temperature / Pressure Data



Tool serial number: 91736
Date saved: 05/29/2008 09:34:11

1	Initial Hydrostatic Pressure.....	1880
2	Initial Flow Pressure.....	74
3	Final Initial Flow Pressure.....	82
4	Initial Shut-In Pressure.....	1157
5	Initial Final Flow Pressure.....	89
6	Final Flow Pressure.....	106
7	Final Shut-In Pressure.....	1146
8	Final Hydrostatic Pressure.....	1777
	Maximum Temperature.....	112

GENERAL INFORMATION

COMPANY NAME TRANS PACIFIC OIL CORPORATIN

TEST DATE 5/29/08

SECTION-TOWN-RANGE 18-15-17

STATE KANSAS

COUNTY ELLIS

ELEVATION GROUND LEVEL 1995

COMPANY REPRESENTATIVE BETH

LEASE AND WELL NUMBER LEIKER 8-18

FORMATION TESTED ARBUCKLE

DRILL STEM TEST NUMBER 3

REPORT NUMBER #####

ELEVATION KELLY BUSHINGS 2000

TESTING ENGINEER DAVID NICHOLS

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3491

TEST INTERVAL (to) 3581

ANCHOR LENGTH 90

TOTAL DEPTH (ft) 3581

TOP PACKER DEPTH 3486

BOTTOM PACKER DEPTH 3491

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 3:10

TOOL OPEN (to) 3:40

DURATION (min.) 30

FINAL OPEN

TOOL OPEN (from) 4:25

TOOL OPEN (to) 5:25

DURATION (min.) 60

INITIAL SHUT-IN

TOOL CLOSED (from) 3:40

TOOL CLOSED (to) 4:25

DURATION (min.) 45

FINAL SHUT-IN

TOOL CLOSED (from) 5:25

TOOL CLOSED (to) 6:25

DURATION (min.) 60

INITIAL FLOW

WEAK BLOW BUILT TO 3 INCHS INTO WATER IN 30 MINS

FINAL FLOW

WEAK BLOW BUILT TO 3 1/2 INCHS INTO WATER IN 60 MINS

Company: TRANS PACIFIC OIL CORPORATION
RGE. 15 TWP. 17
Lease & Well No. LEIKER 8-18 Test #: 3 Date: 5-29-08 SEC. 18

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	TRANS PACIFIC OIL CORPORATIN	LEASE AND WELL NUMBER	LEIKER 8-18
TEST DATE	5/29/08	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	18-15-17	DRILL STEM TEST NUMBER	3
STATE	KANSAS	REPORT NUMBER	15453
COUNTY	ELLIS	ELEVATION KELLY BUSHINGS	2000
ELEVATION GROUND LEVEL	1995	TESTING ENGINEER	DAVID NICHOLS
COMPANY REPRESENTATIVE	BETH		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	NO	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	25 MILES ROUND TRIP FROM	HAYS	
TOP RECORDER DEPTH	3577	BOTTOM RECORDER DEPTH	3578
RECORDER NUMBER	91986	RECORDER NUMBER	4337

WELL INFORMATION

DRILLING CONTRACTOR	SHEILDS	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3472	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		


COMMENTS

RECOVERY BREAK DOWN

(800) 792-6902

MUD WEIGHT #/GAL	9.4	GRAVITY CORRECTED	34	ohms @	Degrees
VISCOSITY	58	Resistivity		ppm	
WATER LOSS	8.4	Recovery Chlorides		ppm	
		Pit Chlorides	5,000		
		4 1/2 inch Drill Pipe 3.83	I.D. Drill Collars 2.25 I.D		
		Start Here			

Temperature / Pressure Data



Tool serial number: 91716
 Test start: 05/29/2008 08:34:16