

KANSAS DRILLERS LOG

IMPORTANT
Kans. Geo. Survey request
samples on this well.

15-195-20398

API No. 15 — 195 — 20,398
County Number

Operator

Euwer Petroleum Company & Parrish Oil Co.

Address

Suite 206 Litwin Building Wichita, Kansas 67202

Well No.

#1

Lease Name

Basinger

Footage Location

feet from (N) (S) line

feet from (E) (W) line

Principal Contractor

H-30 Drilg Co.

Geologist

Charles Stagle

Spud Date

3-5-77

Total Depth

4452

P.B.T.D.

Date Completed

3-15-77


Oil Purchaser

D & A

S. 33 T. 15 R. 25 W

Loc. C SE SE

County Trego

640 Acres
N

Locate well correctly

Elev.: Gr. 2440

DF KB 2445

CASING RECORD

Report of all strings set—surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
RATE OF PRODUCTION PER 24 HOURS		Oil	Gas	Water	Gas-oil ratio
		bbls.	MCF	bbls.	CFPB
Disposition of gas (vented, used on lease or sold)			Producing interval (s)		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:
Well No.	Lease Name	
S _____ T _____ R _____ E _____ W _____		

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH																																																								
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;"> <p>API 15-195-20,398</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>TOPS</th> <th>DEPTH</th> <th>DATUM</th> </tr> </thead> <tbody> <tr><td>ANH</td><td>1866</td><td>+ 579</td></tr> <tr><td>HEEB</td><td>3737</td><td>-1292</td></tr> <tr><td>LANS</td><td>3776</td><td>-1331</td></tr> <tr><td>BKC</td><td>4076</td><td>-1631</td></tr> <tr><td>PAWN</td><td>4206</td><td>-1761</td></tr> <tr><td>FT SC</td><td>4284</td><td>-1839</td></tr> <tr><td>CHER</td><td>4310</td><td>-1865</td></tr> <tr><td>GONG</td><td>4362</td><td>-1917</td></tr> <tr><td>MISS</td><td>4410</td><td>-1965</td></tr> <tr><td>RTD</td><td>4452</td><td>-2007</td></tr> <tr><td>LTD</td><td>4454</td><td>-2009</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> </div> <div style="width: 65%;"> <div style="text-align: right; margin-bottom: 10px;"> <table border="1" style="display: inline-table; border-collapse: collapse;"> <tr><td>+</td><td>+</td><td>+</td><td>+</td></tr> <tr><td>+</td><td>+</td><td>+</td><td>+</td></tr> </table> </div> <p>8-5/8" 257/225SX</p> <p>DST (1) 4270-4310 (PAW-FT SC)/30-45-30 -45, REC 10'M, NS, SIP 96-53# FP 53-53# 53-53#</p> <p>DST (2) 4351-4441/30-60-30-60, REC 80' M, NS, SIP 961-834# FP 53-53# 64- 64# BHT 114°</p> <p>DST (3) 4412-32 (MISS)/45-60-45-60, REC 75'M, NS, SIP 1204-930# FP 43- 43# 53-53# BHT 104°</p> <p>DST (4) 4430-52 (MISS)/45-60-45-60, REC 65'M, SIP 1236-1194# FP 43-43# 53-64# BHT 114°</p> </div> </div>					TOPS	DEPTH	DATUM	ANH	1866	+ 579	HEEB	3737	-1292	LANS	3776	-1331	BKC	4076	-1631	PAWN	4206	-1761	FT SC	4284	-1839	CHER	4310	-1865	GONG	4362	-1917	MISS	4410	-1965	RTD	4452	-2007	LTD	4454	-2009													+	+	+	+	+	+	+	+
TOPS	DEPTH	DATUM																																																										
ANH	1866	+ 579																																																										
HEEB	3737	-1292																																																										
LANS	3776	-1331																																																										
BKC	4076	-1631																																																										
PAWN	4206	-1761																																																										
FT SC	4284	-1839																																																										
CHER	4310	-1865																																																										
GONG	4362	-1917																																																										
MISS	4410	-1965																																																										
RTD	4452	-2007																																																										
LTD	4454	-2009																																																										
+	+	+	+																																																									
+	+	+	+																																																									

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	<div style="text-align: right; margin-top: 20px;"> <div style="border-bottom: 1px solid black; width: 80%; margin-bottom: 5px;"></div> <div style="border-bottom: 1px solid black; width: 80%; margin-bottom: 5px;"></div> <div style="border-bottom: 1px solid black; width: 80%; margin-bottom: 5px;"></div> </div>
---------------	---

11E112

COMPANY Robert M. Euwer

SEC. 33 T. 15S R. 25W
LOC. SE SE

FARM Basinger

NO. 1

COUNTY Trego

KANSAS

TOTAL DEPTH 4,452'

COMM. March 4, 1977

COMP. March 14, 1977

SHOT OR TREATED

CONTRACTOR H-30, Inc.

ISSUED March 21, 1977

CASING

20
15
12
13

10
8
6
5

-5/8" 257' cemented w/225 sxs cement. ELEVATION 2,445' KB.

PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

Post Rock	50'
Shale and Lime	1,325'
Sand and Shale	1,619'
Shale	1,864'
Anhydrite	1,905'
Shale and Lime	2,765'
Lime and Shale	4,180'
Lime	4,310'
Lime and Shale	4,329'
Lime	4,385'
Lime and Shale	4,414'
Lime	4,452'
Rotary Total Depth	4,452'

I hereby certify the above and foregoing to be
a true and correct log of the above described
well as shown by the drilling reports.

H-30, INC.

Dean Britting
Dean Britting

State of Kansas

County of Sedgwick

ss:

Subscribed and Sworn to before me a Notary Public

and for said county and state this 21st. day
of March, 1977.



Elsie Willison
Elsie Willison - Notary Public

My Commission Expires:

June 30, 1978