


26-16-10W

BENSON DRIG.CO.
Womhoff No. 2.

SEC.26 T.16 R.10 W
CWL SE SE

Total Depth. 3353'
Comm. 6-3-43 Comp. 7-11-43
Shot or Treated.
Contractor.
Issued. 7-31-43

County. Ellsworth



CASING:

15 ¹ / ₂ "	352'	8"	2985'
12 ¹ / ₂ "	497'	6"	3330'
10"	1910'		

Elevation.

Production. Dry

Figures Indicate Bottom of Formations.

cellar	10	no log	1855	lime	3312
clay yellow	40	lime	1875	conglomerate	3331
shale	140	red rock	1880	shale green	3345
sandy	150	lime	1920	lime	3353
sand & clay	180	red rock	1935	Acidized	
sand	190	lime	2000	Total Depth.	
red rock	200	shale	2025		
shale	225	lime	2045		
red rock	246	shale	2048	sh cil 3095-3105	
shale	260	lime	2055	& 2 BW	
red rock	275	shale	2065		
shale sdy	290	lime	2080	HW 180-90	
shale	323	lime & shale bks	2110	1/2 BW 575-600	
sand	336	shale	2115	2 BWPH 1610-20	
shale	345	lime	2130	2 BW 1670-85	
sand	365	shale	2185	1/4 BWPH 2820-40	
shale	390	shale brown	2215	HW 3351-53	
sand	398	shale	2225		
shale	416	lime	2230		
shale sdy	435	shale	2305		
ud	450	lime	2320		
shale	487	shale	2370		
red rock	605	lime	2388		
lime	619	shale	2393		
red rock	820	lime	2432		
shale	868	shale	2440		
red rock	920	lime	2450		
shale	935	shale	2455		
shale brown	950	lime	2460		
shale	1050	shale	2508		
salt	1280	lime	2530		
shale	1290	shale	2547		
salt	1317	lime	2560		
lime brkn	1340	shale	2568		
lime & shale brks	1370	lime	2571		
shale	1375	shale	2595		
lime	1395	lime	2650		
shale	1400	shale	2656		
lime	1432	lime	2705		
shale brown	1437	shale	2710		
lime	1475	lime	2856		
shale	1487	shale	2860		
lime	1535	lime	2866		
red rock	1550	shale	2877		
lime	1685	lime Dodge	2880		
lime sdy	1695	lime	2890		
shale	1700	red rock	2902		
red rock	1705	shale	2910		
lime	1727	shale brown	2930		
red rock	1731	shale	2961		
lime	1760	lime	2970		
shale	1767	shale	2980		
lime	1778	2985 equals 2995 Corr.			
red rock	1788	lime	3061		
lime	1805	shale	3071		
shale	1810	lime	3245		
red rock	1815	shale	3250		
shale	1820	lime	3290		
lime	1840	lime brkn	3303		
red rock	1846	conglomerate	3309		