DRILL-STEM TEST DATA

Well Name:	DORSA #1				
Company :	SCOTT T LUTZ				
Location - Sec:	11	**Twp:**	16S	**Rge:**	26W
County:	NESS	**State:**	KS		
Date:	09/08/95				

TRILOBITE TESTING L.L.C.

OPERATOR : Scott T Lutz
WELL NAME: Dorsa #1
LOCATION : 11-16S-26W, Ness Cty, KS
INTERVAL : 4497.00 To 4535.00 ft

DATE 09/08/95
KB 0.00 ft
GR 0.00 ft
TD 4535.00 ft
TICKET NO: 8536 DST #1
FORMATION: Mississippi
TEST TYPE: CONVENTIONAL

RECORDER DATA

Mins			Field	1	2	3	4
PF	20	Rec.	13754	13754	13849		
SI	20	Range(Psi)	4000.0	4000.0	0.0	0.0	0.0
SF	5	Clock(hrs)	AK-1	AK-1	AK-1		
FS	0	Depth(ft)	4501.0	4501.0	4531.0	0.0	0.0

TIME DATA----------
PF Fr. 2230 to 2250 hr
IS Fr. 2250 to 2310 hr
SF Fr. 2310 to 2315 hr
FS Fr. to hr

	Field	1	2	3	4
A. Init Hydro	2289.0	2282.0	0.0	0.0	0.0
B. First Flow	29.0	34.0	0.0	0.0	0.0
B1. Final Flow	29.0	29.0	0.0	0.0	0.0
C. In Shut-in	29.0	32.0	0.0	0.0	0.0
D. Init Flow	29.0	32.0	0.0	0.0	0.0
E. Final Flow	29.0	34.0	0.0	0.0	0.0
F. Fl Shut-in	0.0	0.0	0.0	0.0	0.0
G. Final Hydro	2238.0	2247.0	0.0	0.0	0.0
Inside/Outside	I	I	O		

T STARTED 2100 hr
T ON BOTM hr
T OPEN 2230 hr
T PULLED 2315 hr
T OUT 0100 hr

TOOL DATA----------

Tool Wt.	0.00 lbs
Wt Set On Packer	30000.00 lbs
Wt Pulled Loose	70000.00 lbs
Initial Str Wt	60000.00 lbs
Unseated Str Wt	60000.00 lbs
Bot Choke	0.75 in
Hole Size	7.88 in
D Col. ID	2.25 in
D. Pipe ID	3.80 in
D.C. Length	327.00 ft
D.P. Length	4181.00 ft

RECOVERY
Tot Fluid 5.00 ft of 5.00 ft in DC and 0.00 ft in DP
5.00 ft of Drilling Mud
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
0.00 ft of
SALINITY 0.00 P.P.M. A.P.I. Gravity 0.00

MUD DATA----------

Mud Type	Chemical
Weight	8.70 lb/cf
Vis.	51.00 S/L
W.L.	5.60 in3
F.C.	0.00 in
Mud Drop	
Amt. of fill	0.00 ft
Btm. H. Temp.	118.00 F
Hole Condition	
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00
Cushion Type	
Reversed Out	
Tool Chased	
Tester	Dan Bangle
Co. Rep.	Ron Nelson
Contr.	Discovery
Rig #	1
Unit #	
Pump T.	

BLOW DESCRIPTION


Initial Blow -
Weak surface blow

Final Blow -
No blow, flushed tool, good surge

SAMPLES:
SENT TO:

Test Successful: Y

CHART PAGE



This is an actual photograph of recorder chart