

Kirby Krier Oil
Dolechek 1

15-009-25198

26-165-12w

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company KIRBY KRIER OIL INC.
 Address 1043 NE 90th RD. CLAFLIN KS 67525
 Lease & # DOLECHEK #1 Sec. 26 Twp 16S Rng 12W
 Date 5-4-2008 County BARTON Elevation 1934 G.L. 1939 K.B.
 Drilling Contractor ROYALDRIG RIG #1
 Drill Pipe Length 3288 I.D. of Drill Pipe 3.8 Tool Joint Size 4 1/2 X 4
 Drill Collar Length — I.D. of Drill Collars — Tool Joint Size —
 Mud Weight 8.8 Viscosity 54 Filtrate 10.2 Chlorides-Pits 5,000 DST —
 Top Packer Depth 3302 Bottom Packer Depth 3307 Number of Packers 2
 Tested From 3307 to 3349 Total Depth 3349 Anchor Length 42
 Test # 1 Formation Tested REAGAN SANDS Hole Size 7 7/8
 Initial Blow WEAK TO FAIR BUILDING BLOW BUILT TO BOTTOM OF 5 GALLON BUCKET
 Blow back on the 1st Shut-in NO
 Final Blow WEAK TO FAIR BUILDING BLOW BUILT TO BOTTOM OF 5 GALLON BUCKET
 Blow back on the 2nd Shut-in NO
 Initial Hydrostatic 1703 P.S.I. Final Hydrostatic 1622 P.S.I. Maximum Temp. 108 F

Initial Opening	<u>52</u> P.S.I. to <u>75</u> P.S.I.	from	<u>2:50 A</u> m to <u>3:35 A</u> m	<u>45</u> minutes
Initial Shut-in	<u>427</u> P.S.I.	from	<u>3:35 A</u> m to <u>4:05 A</u> m	<u>30</u> minutes
Final Opening	<u>75</u> P.S.I. to <u>99</u> P.S.I.	from	<u>4:05 A</u> m to <u>4:50 A</u> m	<u>45</u> minutes
Final Shut-in	<u>963</u> P.S.I.	from	<u>4:50 A</u> m to <u>5:35 A</u> m	<u>45</u> minutes

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
<u>5</u>	<u>OIL CUT MUD</u>		<u>5</u>	<u>95</u>	
<u>60</u>	<u>GASSY OIL CUT MUD</u>	<u>5</u>	<u>20</u>	<u>75</u>	
<u>66</u>	<u>GASSY MUD CUT OIL</u>	<u>25</u>	<u>40</u>	<u>35</u>	

Total Feet Recovered 125 Recovery Chlorides _____ Rw. _____ ohms @ _____ Degrees
 Gravity of oil _____ Corrected Gas to Surface in _____ minutes into the _____
 Max. Gas Gauged _____ MCF/day See Gas Flow Report Was a gas sample taken _____
 Comments _____

Extra Equipment-Jars NO Safety Joint NO Circulating Sub _____ Straddle NO
 Electronic Recorder No. 91951 Depth 3345 Extra Packer (3rd) NO Hook Wall NO
 Bottom Recorder No 10250 Depth 3346 Extra Packer (4th) NO Sampler NO
 Tool Operator Frank Zamallo Approved By _____


Ticket No. 15342

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	1703
2	Initial Flow Pressure	52
3	Final Initial Flow Pressure	75
4	Initial Shut-In Pressure	427
5	Initial Final Flow Pressure	75
6	Final Flow Pressure	99
7	Final Shut-In Pressure	963
8	Final Hydrostatic Pressure	1622

Maximum Temperature 108

GENERAL INFORMATION

COMPANY NAME KIRBY KRIER OIL INC.	
TEST DATE 5/4/08	LEASE AND WELL NUMBER DOLECHEK #1
SECTION-TOWN-RANGE 26-16S-12W	FORMATION TESTED REAGAN SANDS
STATE KANSAS	DRILL STEM TEST NUMBER 1
COUNTY BARTON	REPORT NUMBER 15342
ELEVATION GROUND LEVEL 1934	ELEVATION KELLY BUSHINGS 1939
COMPANY REPRESENTATIVE JIM MUSGROVE	TESTING ENGINEER FRANK ZAMARRIPA

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3307	TOP PACKER DEPTH 3302
TEST INTERVAL (to) 3349	BOTTOM PACKER DEPTH 3307
ANCHOR LENGTH 42	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3349	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN		FINAL OPEN	
TOOL OPEN (from) 2:50A		TOOL OPEN (from) 4:05	
TOOL OPEN (to) 3:35		TOOL OPEN (to) 4:50	
DURATION (min.) 45		DURATION (min.) 45	
INITIAL SHUT-IN		FINAL SHUT-IN	
TOOL CLOSED (from) 3:35		TOOL CLOSED (from) 4:50	
TOOL CLOSED (to) 4:05		TOOL CLOSED (to) 5:35	
DURATION (min.) 30		DURATION (min.) 45	

INITIAL FLOW WEAK TO FAIR BUILDING BLOW BUILT TO BOTTOM OF 5 GALLON BUCKET
NO BLOW BACK

FINAL FLOW WEAK TO FAIR BUILDING BLOW BUILT TO BOTTOM OF 5 GALLON BUCKET
NO BLOW BACK

Company: KIRBY KRIER OIL INC.
16S RGE. 12W

Lease & Well No. DOLECHEK # 1 Test #: 1 Date: 5-4-08 SEC. 26 TWP.

15-009-25198

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	KIRBY KRIER OIL INC.	LEASE AND WELL NUMBER	DOLECHEK #1
TEST DATE	5/4/08	FORMATION TESTED	REAGAN SANDS
SECTION-TOWN-RANGE	26-16S-12W	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	15342
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1939
ELEVATION GROUND LEVEL	1934	TESTING ENGINEER	FRANK ZAMARRIPA
COMPANY REPRESENTATIVE	JIM MUSGROVE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	52 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3345	BOTTOM RECORDER DEPTH	3346
RECORDER NUMBER	91951	RECORDER NUMBER	10250

WELL INFORMATION

DRILLING CONTRACTOR	ROYAL DRLG RIG #1	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3288	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		

COMMENTS

Temperature / Pressure Data



Tool serial number: 91981
 Test start: 05/04/2008 07:43:03