

MAP No. KANSAS SEC. 9 TWP. 16 R. 16W

WELL No. 1 Beeching

Sinclair O & G COMPANY

CONTRACTOR

SECTION PLAT

0			

330 FT. FROM N. LINE

FT. FROM S. LINE

990 FT. FROM E. LINE

FT. FROM W. LINE

FIRST REPORTS

LOCATION _____

RIG UP _____

DRILLING AND REMARKS:

ROG

RECORD

CASED _____ IN., _____ FT.

SAND _____

GAS _____

OIL _____

TOTAL DEPTH _____

PRODUCTION

1ST 24 HRS. NAT. _____

1ST 24 HRS. AFTER SHOT _____

GAS _____ CU. FT.

DRY HOLE _____

ABANDONED _____

DATE

AUG 15 1928

192

S. J. LEWIS

SCOUT

MAP No. KANSAS SEC. 9 TWP. 16 R. 16W

WELL No. 1 Beeching

Sinclair O & G COMPANY

CONTRACTOR

SECTION PLAT

0			

330 FT. FROM N. LINE

FT. FROM S. LINE

990 FT. FROM E. LINE

FT. FROM W. LINE

ABANDONED

LOCATION _____

RIG UP _____

DRILLING AND REMARKS:

IT&A

RECORD

CASED _____ IN., _____ FT.

SAND _____

GAS _____

OIL _____

TOTAL DEPTH 8773

PRODUCTION

1ST 24 HRS. NAT. _____

1ST 24 HRS. AFTER SHOT _____

GAS _____ CU. FT.

DRY HOLE _____

ABANDONED _____

DATE

AUG 15 1928

192

S. J. LEWIS


SCOUT

Rush
Form 252A 6-26-62 Mid-West

Map No. KANSAS Sec. 9 Twp. 16 R. 16 W

Well No. 1 Beeching Farm
Linclair O & S Company

330 Ft. from N. Line
..... Ft. from S. Line
990 Ft. from E. Line
..... Ft. from W. Line



1928

Date	REPORT
8/15	R.O.S
8/22	—
9/5	Spud
9/12	dry 300'
9/19	" 356'
9/26	" 555'
10/3	S.D. - 704' - T.D.
10/10	—
10/17	dry 1080'
10/24	" 1180'
10/31	" 1300'
11/7	" 1450'
11/14	" 2000'
11/21	" 2490'
11/28	" 2670'
12/5	" 2925'
12/12	Top Oswald 3265' show oil 3270-75' water 3286' run 6"
12/19	dry 3425'
12/26	" 3472'

1929
 1/2 - fsg tools 3472' - T.D.
 1/9 - S.D. 3472'
 1/16 - Top Gotham 3580'
 show oil 3555'
 HFW - 3589'
 dry 3608'
 1/23 - " 3613'
 1/30 - " 3690'
 2/6 - VIR 8" - 3718' - T.D.
 2/13 —
 2/20 —
 2/27 —
 3/6 - Dry 3748'
 3/13 - " 3773'
 3/20 - T.D. 3773'
 Dry & Abandoned

