


15-135-24411

8-16s-21w



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **American Warrior, Inc.**

PO Box 399
Garden City, Ks. 67846

ATTN: Scott Corsair

8-16s-21w-Ness

C W Lamer #1

Start Date: 2005.11.10 @ 21:20:21

End Date: 2005.11.11 @ 05:31:36

Job Ticket #: 23651 DST #: 1

**RECEIVED
KANSAS CORPORATION COMMISSION**

DEC 04 2007

**CONSERVATION DIVISION
WICHITA, KS**

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

American Warrior, Inc.


C W Lamer #1

8-16s-21w-Ness

DST # 1

Cherokee

2005.11.10



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

American Warrior, Inc.
PO Box 399
Garden City, Ks. 67846
ATTN: Scott Corsair


C W Lamer #1
8-16s-21w-Ness
Job Ticket: 23651 **DST#: 1**
Test Start: 2005.11.10 @ 21:20:21

GENERAL INFORMATION:

Formation: **Cherokee**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 23:56:06
Time Test Ended: 05:31:36
Interval: **4205.00 ft (KB) To 4265.00 ft (KB) (TVD)**
Total Depth: **4265.00 ft (KB) (TVD)**
Hole Diameter: **7.80 inches** Hole Condition: Good
Test Type: Conventional Bottom Hole
Tester: Jason McLemore
Unit No: 32
Reference Elevations: 2389.00 ft (KB)
2383.00 ft (CF)
KB to GR/CF: 6.00 ft

Serial #: 6741 **Inside**
Press@RunDepth: 110.82 psig @ 4210.00 ft (KB) Capacity: 7000.00 psig
Start Date: 2005.11.10 End Date: 2005.11.11 Last Calib.: 2005.11.11
Start Time: 21:20:23 End Time: 05:31:36 Time On Btm: 2005.11.10 @ 23:55:36
Time Off Btm: 2005.11.11 @ 02:42:36

TEST COMMENT: IFP- Fair Blow ,BOB in 24 Min.
IS- Dead
FFP- Fair Blow , BOB in 26 Min.
FS- Dead



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2102.16	103.55	Initial Hydro-static
1	21.35	102.68	Open To Flow (1)
32	68.97	108.12	Shut-In(1)
77	527.64	109.62	End Shut-In(1)
77	70.74	109.36	Open To Flow (2)
107	110.82	111.99	Shut-In(2)
167	525.06	112.47	End Shut-In(2)
167	2012.30	113.02	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
95.00	OCM-15%G-25%O-60%M	1.33
120.00	HOCMV-10%G-45%O-10%W-35%M	1.68

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior, Inc.
PO Box 399
Garden City, Ks. 67846

ATTN: Scott Corsair

C W Lamer #1
8-16s-21w-Ness
Job Ticket: 23651 **DST#: 1**
Test Start: 2005.11.10 @ 21:20:21


Tool Information

Drill Pipe:	Length: 4205.00 ft	Diameter: 3.80 inches	Volume: 58.99 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 56000.00 lb
			Total Volume: 58.99 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	21.00 ft			String Weight: Initial 54000.00 lb
Depth to Top Packer:	4205.00 ft			Final 54000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	60.00 ft			
Tool Length:	81.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4185.00	
Shut In Tool	5.00			4190.00	
Hydraulic tool	5.00			4195.00	
Packer	5.00			4200.00	21.00 Bottom Of Top Packer
Packer	5.00			4205.00	
Stubb	1.00			4206.00	
Perforations	3.00			4209.00	
Change Over Sub	1.00			4210.00	
Recorder	0.00	6741	Inside	4210.00	
Blank Spacing	31.00			4241.00	
Change Over Sub	1.00			4242.00	
Perforations	20.00			4262.00	
Recorder	0.00	13221	Outside	4262.00	
Bullnose	3.00			4265.00	60.00 Bottom Packers & Anchor

Total Tool Length: 81.00



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior, Inc.

C W Lamer #1

PO Box 399
Garden City, Ks. 67846

8-16s-21w-Ness

Job Ticket: 23651

DST#: 1

ATTN: Scott Corsair

Test Start: 2005.11.10 @ 21:20:21

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 50.00 sec/qt	Cushion Volume: bbl		
Water Loss: 9.57 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 6000.00 ppm			
Filter Cake: 2.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
95.00	OCM-15%G-25%O-60%M	1.333
120.00	HOCMMV-10%G-45%O-10%W-35%M	1.683

Total Length: 215.00 ft Total Volume: 3.016 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: 110' GIP

