

Ness

KANSAS

SECTION 23 TOWNSHIP 16 RANGE 22W

WELL NO. #1 Walker


COMPANY Welch & Olsson

FORM 513 SUNRAY

County Ness Elev. _____				C o l u m n	
Sec. 23 Twp. 16 Rge. 22W					
Company Welch & Olsson					
Farm Name Walker No. 1					
TOPS	DEPTH	LOG	DATUM	L o g N o .	
Anh.					Loc. in Sec. NW NW SE
Tp.					
H.					
Tr.					
Dg.					
Bl.					
L.					Geol. _____
K.C.					Contr. _____
B.K.C.					Co. tools
Ce.					Pool _____
C.					Wildcat
M.					
K.					
Ms.					
Me.					
V.					
S.					
S.					
A.					
R.					
PE.					
G.					
FD.					

FIRST REPORT
 APR 11 '56

Date Comm. **1-26-56** **Sunray Mid-Cont. DEN**
8" @ 225/125 drlg. 2740



HOT FILE

Ness

KANSAS

SEC.	TWP.	R.
23	16	22 W

WELL NO. # 1 Walker FARM

COMPANY Welch & Olsson Drlg. Co. Inc.

CONTRACTOR Co. tools

Wildcat


_____ Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line

_____ Ft. from W. Line

NW NW SE



SDX - ~~444~~ -50¢ per ft. not to exceed \$2100.00

	ELEVATION	REPORT
1956	2388	<i>Don't advise</i> (WH6-DC2L) <i>Contract Nelson</i>
4/11	To Miss Test approx 4200' Comm. 4-26-56 8" @ 225/125 Drlg. 2740'	comp. by 6-1-56 (See DMC ltr) 9/4/56 (FR. Tkt)
4-19	Lans. 3790 Fsg. @ 4008'	
4-25	BKC 4119 CE. 4296 Ce. sd. 4340 Miss. 4399 DST 4324-73 op 1 hr. rec. 580' oil, 620' mco, 20' wtr., 1230# DST 4380-98, op 45 min. rec. 35' drlg. mud, 1020# TD 4400 5 1/2" @ 4399 w/100	
5-3	CO to 4364, 24/ 4341-45 FU 1000' fluid 2 hrs. FU 2325' fluid in 4 1/2 hrs., 1900' oil 425' wtr., running bailer	
5-10	S/6.3 boph 3 hrs., S/ 3 boph, 33% wtr. 11 hrs. S/ 5 boph 15% wtr. S/4.45 boph 7 hrs.	
5-17	No report	

(OVER)

1956

5-24 P/ 53.36 bo, lots water 24 hrs.
P/ 51.69 bo, lots wtr, 24 hrs.

5-31 No report

6/7 Putting on pump. (Ks. Sct. Ltr)

6/8 Comm. 4-17-56
Comp. 6-5-56
TD 4400'.
State Test: 10.92 BO in 24 hrs, 32%
water. (See Comp. Ltr 6/8/56-Wichita
District Office)

6-13 Pump 11 boph / 32% wtr.
L. 3790', B.K.C. 4119', Ce. 4296',
Sd. 4340', M. 4399'
TD 4400'

COMPLETED