


15-135-24849

2-16S-29W



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Grand Mesa**

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206

ATTN: Steve Carl

2 16 24 Ness Ks

#4-2 Harris

Start Date: 2008.10.08 @ 07:36:23


End Date: 2008.10.08 @ 12:38:23

Job Ticket #: 34282 DST #: 1

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Grand Mesa

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

#4-2 Harris

2 16 24 Ness Ks

Job Ticket: 34282

DST#: 1

Test Start: 2008.10.08 @ 07:36:23

GENERAL INFORMATION:

Formation: **Ft Scott**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 09:07:23

Time Test Ended: 12:38:23

Interval: **4210.00 ft (KB) To 4271.00 ft (KB) (TVD)**

Total Depth: 4271.00 ft (KB) (TVD)

Hole Diameter: 7.80 inches Hole Condition: Good

Test Type: Conventional Bottom Hole

Tester: Jason McLemore

Unit No: 32

Reference Elevations: 2393.00 ft (KB)

2388.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 6755

Inside

Press@RunDepth: 35.42 psig @ 4213.00 ft (KB)

Start Date: 2008.10.08 End Date:

Start Time: 07:36:25 End Time:

2008.10.08

12:38:23

Capacity: 7000.00 psig

Last Calib.: 2008.10.08

Time On Btm: 2008.10.08 @ 09:06:53


Time Off Btm: 2008.10.08 @ 10:54:53

TEST COMMENT: IFP-Weak Blow, Died in 12 Min.

ISI-Dead

FFP-Dead

FSI-Dead



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2154.61	110.89	Initial Hydro-static
1	34.11	110.31	Open To Flow (1)
25	35.10	110.76	Shut-In(1)
52	44.92	111.62	End Shut-In(1)
53	34.93	111.63	Open To Flow (2)
78	35.42	112.55	Shut-In(2)
108	40.21	113.61	End Shut-In(2)
108	2051.76	114.25	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
3.00	Drilling Mud	0.01

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Grand Mesa

#4-2 Harris

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

2 16 24 Ness Ks

Job Ticket: 34282

DST#: 1

Test Start: 2008.10.08 @ 07:36:23

Tool Information

Drill Pipe:	Length: 4074.00 ft	Diameter: 3.80 inches	Volume: 57.15 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 122.00 ft	Diameter: 2.25 inches	Volume: 0.60 bbl	Weight to Pull Loose:	50000.00 lb
		Total Volume:	57.75 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	14.00 ft			String Weight: Initial	48000.00 lb
Depth to Top Packer:	4210.00 ft			Final	48000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	61.00 ft				
Tool Length:	89.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4183.00	
Shut In Tool	5.00			4188.00	
Hydraulic tool	5.00			4193.00	
Jars	5.00			4198.00	
Safety Joint	2.00			4200.00	
Packer	5.00			4205.00	28.00 Bottom Of Top Packer
Packer	5.00			4210.00	
Stubb	1.00			4211.00	
Perforations	1.00			4212.00	
Recorder	0.00	8360	Inside	4212.00	
Change Over Sub	1.00			4213.00	
Recorder	0.00	6755	Inside	4213.00	
Blank Spacing	31.00			4244.00	
Change Over Sub	1.00			4245.00	
Perforations	23.00			4268.00	
Bullnose	3.00			4271.00	61.00 Bottom Packers & Anchor
Total Tool Length:		89.00			



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Grand Mesa

#4-2 Harris

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

2 16 24 Ness Ks

Job Ticket: 34282

DST#: 1

Test Start: 2008.10.08 @ 07:36:23

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 10.00 lb/gal

Viscosity: 46.00 sec/qt

Water Loss: 8.77 in³

Resistivity: ohm.m

Salinity: 5900.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
3.00	Drilling Mud	0.015

Total Length: 3.00 ft Total Volume: 0.015 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 6755 Inside Grand Mesa 2 16 24 Ness Ks DST Test Number: 1





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Grand Mesa**

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206

ATTN: Steve Carl

2 16 24 Ness Ks

#4-2 Harris

Start Date: 2008.10.09 @ 00:45:41


End Date: 2008.10.09 @ 04:04:11

Job Ticket #: 34283 DST #: 2

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Grand Mesa

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

#4-2 Harris

2 16 24 Ness Ks

Job Ticket: 34283

DST#: 2

Test Start: 2008.10.09 @ 00:45:41

GENERAL INFORMATION:

Formation: **Mississippi**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 02:12:41

Time Test Ended: 04:04:11

Interval: **4336.00 ft (KB) To 4363.00 ft (KB) (TVD)**

Total Depth: 4363.00 ft (KB) (TVD)

Hole Diameter: 7.80 inches Hole Condition: Good

Test Type: Conventional Bottom Hole

Tester: Jason McLemore

Unit No: 32

Reference Elevations: 2393.00 ft (KB)

2388.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8360

Inside

Press@RunDepth: psig @ 4338.00 ft (KB)

Start Date: 2008.10.09

End Date:

2008.10.09

Capacity: 7000.00 psig

Last Calib.: 2008.10.09

Start Time: 00:45:43


End Time:

04:04:11

Time On Btm: 2008.10.09 @ 02:12:11

Time Off Btm: 2008.10.09 @ 02:13:11

TEST COMMENT: IFP-Packer Failure, Pull Tool



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2192.20	109.36	Initial Hydro-static
1	1677.16	109.94	Open To Flow (1)
1	2173.47	112.62	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
186.00	Drilling Mud	1.50

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Grand Mesa

#4-2 Harris

1700 N Waterfront Pkwy

2 16 24 Ness Ks

Bldg # 600

Job Ticket: 34283

DST#: 2

Wichita, KS 67206

Test Start: 2008.10.09 @ 00:45:41


ATTN: Steve Carl

Tool Information

Drill Pipe:	Length: 4197.00 ft	Diameter: 3.80 inches	Volume: 58.87 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 122.00 ft	Diameter: 2.25 inches	Volume: 0.60 bbl	Weight to Pull Loose: 49000.00 lb
		Total Volume: 59.47 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	11.00 ft			String Weight: Initial 49000.00 lb
Depth to Top Packer:	4336.00 ft			Final 49000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	27.00 ft			
Tool Length:	55.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4309.00	
Shut In Tool	5.00			4314.00	
Hydraulic tool	5.00			4319.00	
Jars	5.00			4324.00	
Safety Joint	2.00			4326.00	
Packer	5.00			4331.00	28.00 Bottom Of Top Packer
Packer	5.00			4336.00	
Stubb	1.00			4337.00	
Perforations	1.00			4338.00	
Recorder	0.00	8360	Inside	4338.00	
Recorder	0.00	6755	Inside	4338.00	
Perforations	22.00			4360.00	
Bullnose	3.00			4363.00	27.00 Bottom Packers & Anchor

Total Tool Length: 55.00



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Grand Mesa

#4-2 Harris

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

2 16 24 Ness Ks

Job Ticket: 34283

DST#: 2

Test Start: 2008.10.09 @ 00:45:41

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 10.00 lb/gal

Viscosity: 46.00 sec/qt

Water Loss: 8.76 in³

Resistivity: ohm.m

Salinity: 5900.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
186.00	Drilling Mud	1.498

Total Length: 186.00 ft

Total Volume: 1.498 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Grand Mesa**

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206

ATTN: Steve Carl

2 16 24 Ness Ks


#4-2 Harris

Start Date: 2008.10.09 @ 04:22:03

End Date: 2008.10.09 @ 12:18:33

Job Ticket #: 34284 DST #: 3

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Grand Mesa

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

#4-2 Harris

2 16 24 Ness Ks

Job Ticket: 34284

DST#: 3

Test Start: 2008.10.09 @ 04:22:03

GENERAL INFORMATION:

Formation: **Mississippi**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 05:38:03
Time Test Ended: 12:18:33

Test Type: Conventional Bottom Hole
Tester: Jason McLemore
Unit No: 32

Interval: **4349.00 ft (KB) To 4363.00 ft (KB) (TVD)**
Total Depth: 4363.00 ft (KB) (TVD)
Hole Diameter: 7.80 inches Hole Condition: Good

Reference Elevations: 2393.00 ft (KB)
2388.00 ft (CF)
KB to GR/CF: 5.00 ft


Serial #: 6755

Inside

Press@RunDepth: 78.71 psig @ 4351.00 ft (KB)
Start Date: 2008.10.09 End Date: 2008.10.09
Start Time: 04:22:05 End Time: 12:18:33

Capacity: 7000.00 psig
Last Calib.: 2008.10.09
Time On Btm: 2008.10.09 @ 05:37:33
Time Off Btm: 2008.10.09 @ 10:14:33

TEST COMMENT: IFP-Weak Blow ,Built to 4"
ISI-Dead
FFP-Weak Blow ,Built to 4-1/2"
FSI-Dead



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2216.83	116.56	Initial Hydro-static
1	22.07	116.03	Open To Flow (1)
46	56.94	118.98	Shut-In (1)
108	1086.28	121.24	End Shut-In (1)
109	64.51	120.75	Open To Flow (2)
183	78.71	123.02	Shut-In (2)
276	1069.38	124.62	End Shut-In (2)
277	2224.04	125.05	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
60.00	HOCM-40%O-60%M	0.30
90.00	Free Oil	0.70

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Grand Mesa

#4-2 Harris

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

2 16 24 Ness Ks

Job Ticket: 34284


DST#: 3

Test Start: 2008.10.09 @ 04:22:03

Tool Information

Drill Pipe:	Length: 4226.00 ft	Diameter: 3.80 inches	Volume: 59.28 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 122.00 ft	Diameter: 2.25 inches	Volume: 0.60 bbl	Weight to Pull Loose:	50000.00 lb
		Total Volume:	59.88 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	27.00 ft			String Weight: Initial	48000.00 lb
Depth to Top Packer:	4349.00 ft			Final	48000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	14.00 ft				
Tool Length:	42.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		
Tool Comments:					

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4322.00	
Shut In Tool	5.00			4327.00	
Hydraulic tool	5.00			4332.00	
Jars	5.00			4337.00	
Safety Joint	2.00			4339.00	
Packer	5.00			4344.00	28.00 Bottom Of Top Packer
Packer	5.00			4349.00	
Stubb	1.00			4350.00	
Perforations	1.00			4351.00	
Recorder	0.00	8360	Inside	4351.00	
Recorder	0.00	6755	Inside	4351.00	
Perforations	9.00			4360.00	
Bullnose	3.00			4363.00	14.00 Bottom Packers & Anchor
Total Tool Length:		42.00			



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Grand Mesa

#4-2 Harris

1700 N Waterfront Pkwy

2 16 24 Ness Ks

Bldg # 600

Job Ticket: 34284

DST#: 3

Wichita, KS 67206

ATTN: Steve Carl

Test Start: 2008.10.09 @ 04:22:03

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

35 deg API

Mud Weight: 10.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 46.00 sec/qt

Cushion Volume:

bbl

Water Loss: 8.75 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5900.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
60.00	HOCM-40%O-60%M	0.295
90.00	Free Oil	0.698

Total Length: 150.00 ft

Total Volume: 0.993 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments: BHT 124F Gravity 36 API D @70F 35 API

Pressure vs. Time





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Grand Mesa**

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206

ATTN: Steve Carl

2 16 24 Ness Ks

#4-2 Harris

Start Date: 2008.10.09 @ 16:58:19

End Date: 2008.10.10 @ 01:07:49

Job Ticket #: 34285

DST #: 4

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Grand Mesa

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

#4-2 Harris

2 16 24 Ness Ks

Job Ticket: 34285

DST#: 4

Test Start: 2008.10.09 @ 16:58:19

GENERAL INFORMATION:

Formation: **Mississippi**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 19:23:49

Time Test Ended: 01:07:49

Interval: **4363.00 ft (KB) To 4373.00 ft (KB) (TVD)**

Total Depth: 4373.00 ft (KB) (TVD)

Hole Diameter: 7.80 inches Hole Condition: Good

Test Type: Conventional Bottom Hole

Tester: Jason McLemore

Unit No: 32

Reference Elevations: 2393.00 ft (KB)

2388.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: **6755** Inside

Press@RunDepth: 439.25 psig @ 4365.00 ft (KB)

Start Date: 2008.10.09 End Date: 2008.10.10

Start Time: 16:58:21 End Time: 01:07:49


Capacity: 7000.00 psig

Last Calib.: 2008.10.10

Time On Btm: 2008.10.09 @ 19:23:19

Time Off Btm: 2008.10.09 @ 23:12:49

TEST COMMENT: IFP-Strong Blow, BOB in 11 Mn.
ISI-Dead
FFP-Strong Blow, BOB in 11 Mn.
FSI-Dead



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2218.30	108.83	Initial Hydro-static
1	31.99	108.96	Open To Flow (1)
31	198.16	129.41	Shut-In(1)
77	1294.33	127.60	End Shut-In(1)
77	204.69	127.22	Open To Flow (2)
137	439.25	130.84	Shut-In(2)
228	1294.82	129.20	End Shut-In(2)
230	2184.58	128.44	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
990.00	Muddy Water	12.78

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Grand Mesa

#4-2 Harris

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

2 16 24 Ness Ks

Job Ticket: 34285

DST#: 4

Test Start: 2008.10.09 @ 16:58:19

Tool Information

Drill Pipe:	Length: 4230.00 ft	Diameter: 3.80 inches	Volume: 59.34 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 122.00 ft	Diameter: 2.25 inches	Volume: 0.60 bbl	Weight to Pull Loose: 55000.00 lb
			Total Volume: 59.94 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	17.00 ft			String Weight: Initial 48000.00 lb
Depth to Top Packer:	4363.00 ft			Final 50000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	10.00 ft			
Tool Length:	38.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4336.00	
Shut In Tool	5.00			4341.00	
Hydraulic tool	5.00			4346.00	
Jars	5.00			4351.00	
Safety Joint	2.00			4353.00	
Packer	5.00			4358.00	28.00 Bottom Of Top Packer
Packer	5.00			4363.00	
Stubb	1.00			4364.00	
Perforations	1.00			4365.00	
Recorder	0.00	8360	Inside	4365.00	
Recorder	0.00	6755	Inside	4365.00	
Perforations	5.00			4370.00	
Bullnose	3.00			4373.00	10.00 Bottom Packers & Anchor

Total Tool Length: 38.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Grand Mesa

#4-2 Harris

1700 N Waterfront Pkwy
Bldg # 600
Wichita, KS 67206
ATTN: Steve Carl

2 16 24 Ness Ks

Job Ticket: 34285

DST#: 4

Test Start: 2008.10.09 @ 16:58:19

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 10.00 lb/gal

Viscosity: 46.00 sec/qt

Water Loss: 8.75 in³

Resistivity: ohm.m

Salinity: 5900.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

deg API

Water Salinity:

26000 ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
990.00	Muddy Water	12.776

Total Length: 990.00 ft Total Volume: 12.776 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW .265@61F Chlorides 26000ppm

Serial #: 6755

Inside

Grand Mesa

2 16 24 Ness Ks

DST Test Number: 4

Pressure vs. Time

