

15-135-24324



# Ricketts Testing, Inc.

28-165-25w

## ORIGINAL

Company PALOMINO PETROLEUM, INC. Lease & Well No. MCCLEAN #3

Elevation 2563 K.B. Formation MISSISSIPPI Ticket No. 2234

Date 12-21-04 Sec. 28 Twp. 16S Range 25W County NESS State KS

Test Approved by ROBERT SCHREIBER Ricketts Representative JIM RICKETTS

Formation Test No. 1 Interval Tested from 4438 ft. to 4512 ft. Total Depth 4512 ft.

Packer Depth 4438 ft. Size 6 3/4 in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.

Packer Depth 4435 ft. Size 6 3/4 in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.

Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 4443 ft. Recorder Number 11027 Cap. 4625

Bottom Recorder Depth (Outside) 4446 ft. Recorder Number 243 Cap. 6000

Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_

Drilling Contractor PICKRELL DRILLING RIG #10 Drill Collar Length \_\_\_\_\_ I.D. \_\_\_\_\_ in.

Mud Type CHEMICAL Viscosity 43 Weight Pipe Length \_\_\_\_\_ I.D. \_\_\_\_\_ in.

Weight 9.3 Water Loss 9.6 cc. Drill Pipe Length 4418 I.D. 3.25 in.

Chlorides 2900 P.P.M. Test Tool Length 20 ft. Tool Size 5 1/2 in.

Jars: Make \_\_\_\_\_ Serial Number \_\_\_\_\_ Anchor Length 74 ft. Size 5 1/2 in.

Did Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.

Gravity Oil \_\_\_\_\_ Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 XH in.

Blow: VERY WEAK BLOW, 1/2" IN WATER INITIAL FLOW PERIOD. NO BLOW FINAL FLOW PERIOD.

Recovered 15 ft. of SLIGHTLY OIL CUT MUD.

Recovered 6" of FREE OIL.

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Remarks: \_\_\_\_\_

**RECEIVED**  
**APR 06 2005**  
**KCC WICHITA**

Time Set Packer (s) 2:50 A.M. Time Started Off Bottom 4:00 A.M. Maximum Temperature 118°

Initial Hydrostatic Pressure .....(A) 2184 P.S.I.

Initial Flow Period .....Minutes 30 (B) 14 P.S.I. to

(C) 16 P.S.I.

Initial Closed In Period .....Minutes 30 (D) 168 P.S.I.

Final Flow Period .....Minutes 10 (E) 17 P.S.I. to

(F) 16 P.S.I.

Final Closed In Period .....Minutes (G) NOT TAKEN P.S.I.


Final Hydrostatic Pressure .....(H) 2168 P.S.I.

ORIGINAL

Date(s) of Test 12-21-2004

1 well

# 12-21-2004 DST#1 McClean#3



RECEIVED  
APR 06 2005  
KCC WILCOX



# Ricketts Testing, Inc.

# ORIGINAL

Company PALOMINO PETROLEUM, INC. Lease & Well No. MCCLEAN #3  
 Elevation 2563 K.B. Formation MISSISSIPPI Ticket No. 2235  
 Date 12-21-04 Sec. 28 Twp. 16S Range 25W County NESS State KS  
 Test Approved by ROBERT SCHREIBER Ricketts Representative JIM RICKETTS

Formation Test No. 2 Interval Tested from 4438 ft. to 4537 ft. Total Depth 4537 ft.  
 Packer Depth 4438 ft. Size 6 3/4 in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.  
 Packer Depth 4435 ft. Size 6 3/4 in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.  
 Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 4443 ft. Recorder Number 11027 Cap. 4625  
 Bottom Recorder Depth (Outside) 4446 ft. Recorder Number Z43 Cap. 6000  
 Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_

Drilling Contractor PICKRELL DRILLING RIG #10 Drill Collar Length \_\_\_\_\_ I.D. \_\_\_\_\_ in  
 Mud Type CHEMICAL Viscosity 49 Weight Pipe Length \_\_\_\_\_ I.D. \_\_\_\_\_ in  
 Weight 9.4 Water Loss 10.0 cc. Drill Pipe Length 4418 I.D. 3.25 in  
 Chlorides 3800 P.P.M. Test Tool Length 20 ft. Tool Size. 5 1/2 in  
 Jars: Make \_\_\_\_\_ Serial Number \_\_\_\_\_ Anchor Length 99 ft. Size 5 1/2 in  
 Did Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in  
 Gravity Oil \_\_\_\_\_ Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 XH in

Blow: WEAK BLOW BUILDING TO A MEDIUM BLOW, 8" IN WATER INITIAL FLOW PERIOD. WEAK BLOW BUILDING TO BOTTOM OF 5 GALLOW BUCKET IN 90 MINUTES FINAL FLOW PERIOD.

Recovered 30 ft. of FREE OIL.  
 Recovered 240 ft. of OIL & MUD. 20% OIL 80% MUD.  
 Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
 Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
 Recovered \_\_\_\_\_ ft. of \_\_\_\_\_


Remarks: \_\_\_\_\_

Time Set Packer (s) 10:04 P.M. Time Started Off Bottom 1:04 A.M. Maximum Temperature 118°  
 Initial Hydrostatic Pressure .....(A) 2210 P.S.I.  
 Initial Flow Period .....Minutes 30 (B) 21 P.S.I. to  
 (C) 56 P.S.I.  
 Initial Closed In Period .....Minutes 30 (D) 971 P.S.I.  
 Final Flow Period .....Minutes 90 (E) 62 P.S.I. to  
 (F) 132 P.S.I.  
 Final Closed In Period .....Minutes 30 (G) 836 P.S.I.  
 Final Hydrostatic Pressure .....(H) 2139 P.S.I.

**RECEIVED**  
**APR 06 2005**  
**KCC WICHITA**

# 12-21-2004 DST#2 McClean #3

RECEIVED  
 APR 06 2005  
 KCC WICHITA



Index	Time	Text	Pres 1 (Z43)	Temp 1 (Z43)
1	1.171	Initial HYD	2210.38	110.49
2	1.196	Initial Flow	21.23	111.15
3	1.704	Initial Flow	56.20	112.96
4	2.167	Initial Buildup	971.61	114.43
5	2.200	Final Flow	62.98	114.74
6	3.692	Final Flow	132.36	117.92
7	4.204	Final Buildup	836.59	118.96
8	4.213	Final HYD	2139.00	118.88