


15-135-24964

32-16s-26w



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Pintail**

225 N Market, Ste 300

CONFIDENTIAL

OCT 28 2009

ATTN: Flip Phillips

KCC

32-16s-26w Ness KS

Horchem 'N' #4

Start Date: 2009.09.20 @ 08:56:05

End Date: 2009.09.20 @ 14:21:59

Job Ticket #: 35366

DST #: 1

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Pintail

Horchem 'N' #4

32-16s-26w Ness KS

DST # 1

LKC 'I'

2009.09.20



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Pintail

225 N Market, Ste 300
Wichita, KS 67202

ATTN: Flip Phillips

Horchem 'N' #4

32-16s-26w Ness KS

Job Ticket: 35366

DST#: 1

Test Start: 2009.09.20 @ 08:56:05

GENERAL INFORMATION:

Formation: LKC "I"

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 10:34:45

Time Test Ended: 14:21:59

Interval: 4130.00 ft (KB) To 4170.00 ft (KB) (TVD)

Total Depth: 4170.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Test Type: Conventional Bottom Hole

Tester: Brandon Domsch

Unit No: 48

Reference Elevations: 2653.00 ft (KB)

2648.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8322

Inside

Press@RunDepth: 58.91 psig @ 4131.00 ft (KB)

Start Date: 2009.09.20

End Date: 2009.09.20

Start Time: 08:56:05

End Time: 14:21:59


Capacity: 8000.00 psig

Last Calib.: 2009.09.20

Time On Btm: 2009.09.20 @ 10:34:00

Time Off Btm: 2009.09.20 @ 12:36:30

TEST COMMENT: IF: Built to 2 1/2 inches.
IS: No return.
FF: Built to 2 1/4 inches.
FS: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2024.51	112.15	Initial Hydro-static
1	19.87	111.62	Open To Flow (1)
32	33.38	113.49	Shut-In (1)
62	1005.39	114.49	End Shut-In (1)
62	44.27	114.43	Open To Flow (2)
91	58.91	116.10	Shut-In (2)
122	955.65	117.40	End Shut-In (2)
123	2017.36	117.76	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
75.00	SO&GCM 5%g 5%o 90%w	0.37
0.00	GIP = 0	0.00
0.00	API = NA	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Pintail

Horchem 'N' #4

225 N Market, Ste 300
Wichita, KS 67202

32-16s-26w Ness KS

Job Ticket: 35366

DST#: 1

ATTN: Flip Phillips

Test Start: 2009.09.20 @ 08:56:05

Tool Information

Drill Pipe:	Length: 3890.00 ft	Diameter: 3.88 inches	Volume: 56.89 bbl	Tool Weight:	1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 248.00 ft	Diameter: 2.25 inches	Volume: 1.22 bbl	Weight to Pull Loose:	65000.00 lb
		Total Volume:	58.11 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	28.00 ft			String Weight: Initial	57000.00 lb
Depth to Top Packer:	4130.00 ft			Final	57000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	40.00 ft				
Tool Length:	60.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		
Tool Comments:					

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4111.00	
Shut In Tool	5.00			4116.00	
Hydraulic tool	5.00			4121.00	
Packer	5.00			4126.00	20.00 Bottom Of Top Packer
Packer	4.00			4130.00	
Stubb	1.00			4131.00	
Recorder	0.00	8322	Inside	4131.00	
Recorder	0.00	6741	Inside	4131.00	
Perforations	34.00			4165.00	
Bullnose	5.00			4170.00	40.00 Bottom Packers & Anchor
Total Tool Length:	60.00				



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Pintail

Horchem 'N' #4

225 N Market, Ste 300
Wichita, KS 67202

32-16s-26w Ness KS

Job Ticket: 35366

DST#: 1

ATTN: Flip Phillips

Test Start: 2009.09.20 @ 08:56:05

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 45.00 sec/qt

Water Loss: 9.04 in³

Resistivity: 0.00 ohm.m

Salinity: 2700.00 ppm

Filter Cake: 1.00 inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
75.00	SO&GCM 5%g 5%o 90%m	0.369
0.00	GIP = 0	0.000
0.00	API = N/A	0.000

Total Length: 75.00 ft

Total Volume: 0.369 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Pintail**

225 N Market, Ste 300
Wichita, KS 67202

ATTN: Flip Phillips

32-16s-26w Ness KS

Horchem 'N' #4

Start Date: 2009.09.21 @ 00:08:05

End Date: 2009.09.21 @ 06:58:59

Job Ticket #: 35367 DST #: 2

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Pintail

225 N Market, Ste 300
Wichita, KS 67202

ATTN: Flip Phillips

Horchem 'N' #4

32-16s-26w Ness KS

Job Ticket: 35367

DST#: 2

Test Start: 2009.09.21 @ 00:08:05

GENERAL INFORMATION:

Formation: LKC "L"

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 02:07:45

Time Test Ended: 06:58:59

Interval: 4230.00 ft (KB) To 4260.00 ft (KB) (TVD)

Total Depth: 4260.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Test Type: Conventional Bottom Hole

Tester: Brandon Domsch

Unit No: 48

Reference Elevations: 2653.00 ft (KB)

2648.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8322

Inside

Press@RunDepth: 83.53 psig @ 4231.00 ft (KB)

Start Date: 2009.09.21 End Date: 2009.09.21

Start Time: 00:08:05 End Time: 06:58:59


Capacity: 8000.00 psig

Last Calib.: 2009.09.21

Time On Btm: 2009.09.21 @ 02:07:00

Time Off Btm: 2009.09.21 @ 04:56:45

TEST COMMENT: IF: Built to 4 inches.
IS: No return.
FF: Built to 6 1/2 inches.
FS: No return.



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2103.90	113.57	Initial Hydro-static
1	16.92	113.18	Open To Flow (1)
31	45.73	116.19	Shut-In (1)
61	903.78	117.59	End Shut-In (1)
61	53.45	117.80	Open To Flow (2)
121	83.53	120.84	Shut-In (2)
168	906.40	121.69	End Shut-In (2)
170	2101.70	121.04	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
50.00	O&WCM 5%o 15%w 80%m	0.25
70.00	OCM 15%o 85%m	0.34
30.00	G&OCM 10%g 15%o 75%m	0.15
0.00	GIP = 30 ft	0.00
0.00	API = NA	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Pintail

Horchem 'N' #4

225 N Market, Ste 300
Wichita, KS 67202

32-16s-26w Ness KS

Job Ticket: 35367

DST#: 2

ATTN: Flip Phillips

Test Start: 2009.09.21 @ 00:08:05

Tool Information

Drill Pipe:	Length: 3983.00 ft	Diameter: 3.88 inches	Volume: 58.25 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 248.00 ft	Diameter: 2.25 inches	Volume: 1.22 bbl	Weight to Pull Loose: 62000.00 lb
			Total Volume: 59.47 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	21.00 ft			String Weight: Initial 54000.00 lb
Depth to Top Packer:	4230.00 ft			Final 55000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	30.00 ft			
Tool Length:	50.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4211.00	
Shut In Tool	5.00			4216.00	
Hydraulic tool	5.00			4221.00	
Packer	5.00			4226.00	20.00 Bottom Of Top Packer
Packer	4.00			4230.00	
Stubb	1.00			4231.00	
Recorder	0.00	8322	Inside	4231.00	
Recorder	0.00	6741	Inside	4231.00	
Perforations	24.00			4255.00	
Bullnose	5.00			4260.00	30.00 Bottom Packers & Anchor
Total Tool Length:	50.00				



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Printail

225 N Market, Ste 300
Wichita, KS 67202

ATTN: Flip Phillips

Horchem 'N' #4

32-16a-26w Ness KS

Job Ticket: 35367

DST#: 2

Test Start: 2009.09.21 @ 00:08:05

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 60.00 sec/qt

Water Loss: 6.78 in³

Resistivity: 0.00 ohm.m

Salinity: 2000.00 ppm

Filter Cake: 1.00 inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
50.00	O&WCM 5%o 15%w 80%m	0.246
70.00	OCM 15%o 85%m	0.344
30.00	G&OCM 10%g 15%o 75%m	0.148
0.00	GIP = 30 ft	0.000
0.00	API = N/A	0.000

Total Length: 150.00 ft

Total Volume: 0.738 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Pintail**

225 N Market, Ste 300
Wichita, KS 67202

ATTN: Flip Phillips

32-16s-26w Ness KS

Horchem 'N' #4

Start Date: 2009.09.22 @ 01:50:05

End Date: 2009.09.22 @ 06:35:29

Job Ticket #: 35368

DST #: 3

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Pintail

Horchem 'N' #4

32-16s-26w Ness KS

DST # 3

Fl. Scott

2009.09.22



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Pintail

225 N Market, Ste 300
Wichita, KS 67202

ATTN: Flip Phillips

Horchem 'N' #4

32-16s-26w Ness KS

Job Ticket: 35368

DST#: 3

Test Start: 2009.09.22 @ 01:50:05

GENERAL INFORMATION:

Formation: **Ft. Scott**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 03:38:00

Time Test Ended: 06:35:29

Test Type: Conventional Bottom Hole

Tester: Brandon Domsch

Unit No: 48

Interval: **4450.00 ft (KB) To 4490.00 ft (KB) (TVD)**

Total Depth: 4490.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2653.00 ft (KB)

2648.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8322

Inside

Press@RunDepth: 24.97 psig @ 4451.00 ft (KB)

Start Date: 2009.09.22

End Date:

2009.09.22

Start Time: 01:50:05

End Time:

06:35:29

Capacity: 8000.00 psig

Last Calib.: 2009.09.22

Time On Btm: 2009.09.22 @ 03:37:15


Time Off Btm: 2009.09.22 @ 04:36:30

TEST COMMENT: IF: 1/2 inch died in 17 mins.

IS: No return.

FF: No blow, flushed tool @ 5 mins, no blow, pulled test.

FS: NA



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2261.29	114.55	Initial Hydro-static
1	21.32	114.09	Open To Flow (1)
23	24.97	114.56	Shut-In(1)
51	79.80	115.82	End Shut-In(1)
51	28.03	115.83	Open To Flow (2)
59	28.90	116.94	Shut-In(2)
60	2286.12	118.86	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	M 100% m	0.05
0.00	GIP = 0	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Pintail

225 N Market, Ste 300
Wichita, KS 67202

ATTN: Flip Phillips

Horchem 'N' #4

32-16s-26w Ness KS

Job Ticket: 35368

DST#: 3

Test Start: 2009.09.22 @ 01:50:05

Tool Information

Drill Pipe:	Length: 4204.00 ft	Diameter: 3.88 inches	Volume: 61.48 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 248.00 ft	Diameter: 2.25 inches	Volume: 1.22 bbl	Weight to Pull Loose: 70000.00 lb
		Total Volume:	62.70 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	22.00 ft			String Weight: Initial 55000.00 lb
Depth to Top Packer:	4450.00 ft			Final 55000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	40.00 ft			
Tool Length:	60.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4431.00	
Shut In Tool	5.00			4436.00	
Hydraulic tool	5.00			4441.00	
Packer	5.00			4446.00	20.00 Bottom Of Top Packer
Packer	4.00			4450.00	
Stubb	1.00			4451.00	
Recorder	0.00	8322	Inside	4451.00	
Recorder	0.00	6741	Inside	4451.00	
Perforations	34.00			4485.00	
Bullnose	5.00			4490.00	40.00 Bottom Packers & Anchor
Total Tool Length:		60.00			



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Pintail

Horchem 'N' #4

225 N Market, Ste 300
Wichita, KS 67202

32-16s-26w Ness KS

Job Ticket: 35368

DST#: 3

ATTN: Flip Phillips

Test Start: 2009.09.22 @ 01:50:05

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 50.00 sec/qt

Cushion Volume:

bbl

Water Loss: 9.56 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 2000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
10.00	M 100% m	0.049
0.00	GIP = 0	0.000

Total Length: 10.00 ft

Total Volume: 0.049 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Pintail**

225 N Market, Ste 300
Wichita, KS 67202

ATTN: Flip Phillips

32-16s-26w Ness KS


Horchem 'N' #4

Start Date: 2009.09.22 @ 18:16:05

End Date: 2009.09.23 @ 00:28:44

Job Ticket #: 35369 DST #: 4

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Pintail

225 N Market, Ste 300
Wichita, KS 67202

ATTN: Flip Phillips

Horchem 'N' #4

32-16s-26w Ness KS

Job Ticket: 35369

DST#: 4

Test Start: 2009.09.22 @ 18:16:05

GENERAL INFORMATION:

Formation: **Miss.**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 20:16:30

Time Test Ended: 00:28:44

Test Type: Conventional Bottom Hole

Tester: Brandon Domsch

Unit No: 48

Interval: **4486.00 ft (KB) To 4600.00 ft (KB) (TVD)**

Total Depth: 4600.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2653.00 ft (KB)

2648.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8322

Inside

Press@RunDepth: 48.49 psig @ 4487.00 ft (KB)

Start Date: 2009.09.22

End Date:

2009.09.23

Start Time: 18:16:05

End Time:

00:28:44

Capacity: 8000.00 psig

Last Calib.: 2009.09.23

Time On Btm: 2009.09.22 @ 20:16:15


Time Off Btm: 2009.09.22 @ 22:22:15

TEST COMMENT: IF: Built to 1 1/2 inches.

IS: No return.

FF: No blow, flushed tool @ 5 mins, built to 1/2 inch died in 29 mins.

FS: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2286.28	111.49	Initial Hydro-static
1	22.53	110.79	Open To Flow (1)
32	31.11	113.92	Shut-In(1)
62	936.92	114.85	End Shut-In(1)
62	36.05	114.45	Open To Flow (2)
97	48.49	117.03	Shut-In(2)
125	789.51	117.40	End Shut-In(2)
126	2247.68	118.56	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
60.00	M 100% m	0.30
0.00	GIP = 0	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Pintail

Horchem 'N' #4

225 N Market, Ste 300
Wichita, KS 67202

32-16s-26w Ness KS

Job Ticket: 35369

DST#: 4

ATTN: Flip Phillips

Test Start: 2009.09.22 @ 18:16:05

Tool Information

Drill Pipe:	Length: 4234.00 ft	Diameter: 3.88 inches	Volume: 61.92 bbl	Tool Weight:	1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 248.00 ft	Diameter: 2.25 inches	Volume: 1.22 bbl	Weight to Pull Loose:	65000.00 lb
			Total Volume: 63.14 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	16.00 ft			String Weight: Initial	58000.00 lb
Depth to Top Packer:	4486.00 ft			Final	58000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	114.00 ft				
Tool Length:	134.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		
Tool Comments:					

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Change Over Sub	1.00			4467.00	
Shut In Tool	5.00			4472.00	
Hydraulic tool	5.00			4477.00	
Packer	5.00			4482.00	20.00 Bottom Of Top Packer
Packer	4.00			4486.00	
Stubb	1.00			4487.00	
Recorder	0.00	8322	Inside	4487.00	
Recorder	0.00	6741	Inside	4487.00	
Perforations	12.00			4499.00	
Change Over Sub	1.00			4500.00	
Drill Pipe	94.00			4594.00	
Change Over Sub	1.00			4595.00	
Bullnose	5.00			4600.00	114.00 Bottom Packers & Anchor

Total Tool Length: 134.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Pintail

Horchem 'N' #4

225 N Market, Ste 300
Wichita, KS 67202

32-16s-26w Ness KS

Job Ticket: 35369

DST#: 4

ATTN: Flip Phillips

Test Start: 2009.09.22 @ 18:16:05

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 55.00 sec/qt

Water Loss: 9.57 in³

Resistivity: 0.00 ohm.m

Salinity: 2300.00 ppm

Filter Cake: 1.00 inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
60.00	M 100% m	0.295
0.00	GIP = 0	0.000

Total Length: 60.00 ft

Total Volume: 0.295 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time

