

**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Carmen Schmitt Inc**

PO Box 47
Great Bend KS 67530

ATTN: Jacob Porter

27 16S 28W Lane KS

Fullmer #2

Start Date: 2006.09.24 @ 10:18:00

End Date: 2006.09.24 @ 16:37:45

Job Ticket #: 25616 DST #: 1

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

RECEIVED

OCT 26 2006

KCC WICHITA

Carmen Schmitt Inc


Fullmer #2

27 16S 28W Lane KS

DST # 1

Lansing "J"

2006.09.24



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Carmen Schmitt Inc
 PO Box 47
 Great Bend KS 67530
 ATTN: Jacob Porter


Fullmer #2
27 16S 28W Lane KS
 Job Ticket: 25616 **DST#: 1**
 Test Start: 2006.09.24 @ 10:18:00

GENERAL INFORMATION:

Formation: **Lansing "J"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 12:16:15
 Time Test Ended: 16:37:45
 Test Type: Conventional Bottom Hole
 Tester: Chuck Smith
 Unit No: 25
 Interval: **4211.00 ft (KB) To 4235.00 ft (KB) (TVD)**
 Total Depth: 4235.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Good
 Reference Elevations: 2757.00 ft (KB)
 2752.00 ft (CF)
 KB to GR/CF: 5.00 ft

Serial #: 8017 **Inside**
 Press@RunDepth: 174.73 psig @ 4215.00 ft (KB) Capacity: 7000.00 psig
 Start Date: 2006.09.24 End Date: 2006.09.24 Last Calib.: 2006.09.25
 Start Time: 10:18:01 End Time: 16:37:45 Time On Btm: 2006.09.24 @ 12:15:45
 Time Off Btm: 2006.09.24 @ 14:50:00

TEST COMMENT: IF BOB @ 5 min.
 ISI Surface return built to 4 "
 FF BOB @ 6 min.
 FSI Surface blow built to 7 1/2 "



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2065.49	106.21	Initial Hydro-static
1	31.58	106.08	Open To Flow (1)
17	89.94	109.19	Shut-In(1)
47	1104.93	115.53	End Shut-In(1)
48	105.47	115.82	Open To Flow (2)
93	174.73	125.17	Shut-In(2)
154	1083.96	123.77	End Shut-In(2)
155	2002.60	124.01	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
92.00	GMCO 40%G 25%M 35%O	0.45
278.00	GO 70%G 30%O	1.91
92.00	FO 100%O	1.29

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530

ATTN: Jacob Porter

Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25616 **DST#: 1**
Test Start: 2006.09.24 @ 10:18:00

Tool Information

Drill Pipe:	Length: 3883.00 ft	Diameter: 3.80 inches	Volume: 54.47 bbl	Tool Weight:	1800.00 lb
Heavy Wt. Pipe:	Length: 310.00 ft	Diameter: 2.25 inches	Volume: 1.52 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose:	80000.00 lb
			<u>Total Volume: 55.99 bbl</u>	Tool Chased:	0.00 ft
Drill Pipe Above KB:	10.00 ft			String Weight: Initial	46000.00 lb
Depth to Top Packer:	4211.00 ft			Final	47000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	24.00 ft				
Tool Length:	52.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			4184.00		
Shut In Tool	5.00			4189.00		
Hydraulic tool	5.00			4194.00		
Jars	5.00			4199.00		
Safety Joint	3.00			4202.00		
Packer	5.00		Fluid	4207.00	28.00	Bottom Of Top Packer
Packer	4.00			4211.00		
Stubb	1.00			4212.00		
Perforations	3.00			4215.00		
Recorder	0.00	8017	Inside	4215.00		
Perforations	15.00			4230.00		
Recorder	0.00	13276	Inside	4230.00		
Bullnose	5.00			4235.00	24.00	Bottom Packers & Anchor

Total Tool Length: 52.00

RECEIVED
OCT 26 2006
KCC WICHITA



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530
ATTN: Jacob Porter

Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25616 **DST#: 1**
Test Start: 2006.09.24 @ 10:18:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API: 38 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: 0 ppm
Viscosity: 45.00 sec/qt	Cushion Volume: bbl	
Water Loss: 8.78 in ³	Gas Cushion Type:	
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig	
Salinity: 1100.00 ppm		
Filter Cake: 1.00 inches		

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
92.00	GMCO 40%G 25%M 35%O	0.452
278.00	GO 70%G 30%O	1.914
92.00	FO 100%O	1.291

Total Length: 462.00 ft Total Volume: 3.657 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments: API: 36 @ 80 degrees F = 38.

DST Test Number: 1


27 16S 28W Lane KS

Carmen Schmitt Inc

Inside

Serial #: 8017

Pressure vs. Time



SCANNED
KGS WICHITA OFFICE

RECEIVED

OCT 26 2006


KCC WICHITA

Ref. No: 25616

Mobile Testing, Inc

Printed: 2006.10.04 @ 09:14:17 Page 5

27-16-28W



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Carmen Schmitt Inc**

PO Box 47
Great Bend KS 67530

ATTN: Jacob Porter

27 16S 28W Lane KS

Fullmer #2

Start Date: 2006.09.24 @ 12:20:00

End Date: 2006.09.24 @ 18:59:30

Job Ticket #: 25618 DST #: 2

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Printed: 2006.10.04 @ 09:14:34 Page 1

RECEIVED
OCT 26 2006
KCC WICHITA

Carmen Schmitt Inc

Fullmer #2

27 16S 28W Lane KS

DST # 2

Lansing "K"

2006.09.24



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Carmen Schmitt Inc
 PO Box 47
 Great Bend KS 67530
 ATTN: Jacob Porter


Fullmer #2
27 16S 28W Lane KS
 Job Ticket: 25618 **DST#: 2**
 Test Start: 2006.09.24 @ 12:20:00

GENERAL INFORMATION:

Formation: **Lansing "K"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 14:22:00
 Time Test Ended: 18:59:30
 Interval: **4236.00 ft (KB) To 4265.00 ft (KB) (TVD)**
 Total Depth: 4265.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Good
 Test Type: Conventional Bottom Hole
 Tester: Chuck Smith
 Unit No: 25
 Reference Elevations: 2757.00 ft (KB)
 2752.00 ft (CF)
 KB to GR/CF: 5.00 ft

Serial #: 8017 **Inside**
 Press@RunDepth: 74.93 psig @ 4240.00 ft (KB) Capacity: 7000.00 psig
 Start Date: 2006.09.24 End Date: 2006.09.24 Last Calib.: 2006.09.25
 Start Time: 12:20:01 End Time: 18:59:30 Time On Btm: 2006.09.24 @ 14:21:45
 Time Off Btm: 2006.09.24 @ 16:54:30


TEST COMMENT: IF Surface blow built to 2 1/2 "
 ISI No return
 FF Surface blow built to 3 1/2 "
 FSI No return



PRESSURE SUMMARY			
Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2081.48	108.41	Initial Hydro-static
1	21.42	107.42	Open To Flow (1)
16	39.11	107.05	Shut-In(1)
47	876.67	111.67	End Shut-In(1)
48	45.01	111.34	Open To Flow (2)
92	74.93	115.43	Shut-In(2)
153	867.33	118.05	End Shut-In(2)
153	2035.77	118.32	Final Hydro-static

Recovery		
Length (ft)	Description	Volume (bbl)
62.00	OCM 30%O 70%M	0.30
62.00	OWCM 5%O 45%W 50%M	0.30

Gas Rates			
	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530

ATTN: Jacob Porter

Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25618 **DST#: 2**
Test Start: 2006.09.24 @ 12:20:00

Tool Information

Drill Pipe:	Length: 3913.00 ft	Diameter: 3.80 inches	Volume: 54.89 bbl	Tool Weight: 1800.00 lb
Heavy Wt. Pipe:	Length: 310.00 ft	Diameter: 2.25 inches	Volume: 1.52 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 68000.00 lb
			Total Volume: 56.41 bbl	Tool Chased: 0.00 ft
Drill Pipe Above KB:	15.00 ft			String Weight: Initial 47000.00 lb
Depth to Top Packer:	4236.00 ft			Final 48000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	29.00 ft			
Tool Length:	57.00 ft			
Number of Packers:	2	Diameter:	6.75 inches	

Tool Comments:

Tool Description


Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			4209.00		
Shut In Tool	5.00			4214.00		
Hydraulic tool	5.00			4219.00		
Jars	5.00			4224.00		
Safety Joint	3.00			4227.00		
Packer	5.00		Fluid	4232.00	28.00	Bottom Of Top Packer
Packer	4.00			4236.00		
Stubb	1.00			4237.00		
Perforations	3.00			4240.00		
Recorder	0.00	8017	Inside	4240.00		
Perforations	20.00			4260.00		
Recorder	0.00	13276	Inside	4260.00		
Bullnose	5.00			4265.00	29.00	Bottom Packers & Anchor

Total Tool Length: 57.00

RECEIVED

OCT 26 2006

KCC WICHITA



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530
ATTN: Jacob Porter

Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25618 DST#: 2
Test Start: 2006.09.24 @ 12:20:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API: 0 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: 29000 ppm
Viscosity: 47.00 sec/qt	Cushion Volume: bbl	
Water Loss: 8.77 in ³	Gas Cushion Type:	
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig	
Salinity: 1100.00 ppm		
Filter Cake: 1.00 inches		

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
62.00	OCM 30%O 70%M	0.305
62.00	OWCM 5%O 45%W 50%M	0.305

Total Length: 124.00 ft Total Volume: 0.610 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments: RW; .343 @ 50 degrees F = 29000


Serial #: 8017

Inside

Carmen Schmitt Inc

27 16S28W Lane KS

DST Test Number: 2



SCANNED
KGS Wichita Office

24 Sun Sep 2006


RECEIVED
OCT 26 2006
KCC WICHITA

Callobite Testing, Inc

Ref. No: 25618

Printed: 2006.10.04 @ 09:14:35 Page 5

27-16-28W



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Carmen Schmitt Inc**

PO Box 47
Great Bend KS 67530

ATTN: Jacob Porter

27 16S 28W Lane KS

Fullmer #2

Start Date: 2006.09.26 @ 08:38:00

End Date: 2006.09.26 @ 14:17:45

Job Ticket #: 25619 DST #: 3

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Printed: 2006.10.04 @ 09:15:00 Page 1

RECEIVED

OCT 26 2006

KCC WICHITA

Carmen Schmitt Inc


Fullmer #2

27 16S 28W Lane KS

DST # 3

Fl. Scott

2006.09.26



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530
ATTN: Jacob Porter


Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25619 **DST#: 3**
Test Start: 2006.09.26 @ 08:38:00

GENERAL INFORMATION:

Formation: **Ft. Scott**
Deviated: **No** Whipstock: ft (KB)
Time Tool Opened: 10:13:00
Time Test Ended: 14:17:45
Test Type: Conventional Bottom Hole
Tester: Chuck Smith
Unit No: 25
Interval: **4468.00 ft (KB) To 4512.00 ft (KB) (TVD)**
Total Depth: 4512.00 ft (KB) (TVD)
Reference Elevations: 2757.00 ft (KB)
2752.00 ft (CF)
Hole Diameter: 7.88 inches Hole Condition: Good
KB to GR/CF: 5.00 ft

Serial #: 8017 **Inside**
Press@RunDepth: 31.90 psig @ 4471.00 ft (KB) Capacity: 7000.00 psig
Start Date: 2006.09.26 End Date: 2006.09.26 Last Calib.: 2006.09.26
Start Time: 08:38:01 End Time: 14:17:45 Time On Btm: 2006.09.26 @ 10:12:45
Time Off Btm: 2006.09.26 @ 12:44:15

TEST COMMENT: IF Weak surface blow died @ 9 min.
ISI No return
FF Weak blow built to > 2 "
FSI No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2232.53	109.44	Initial Hydro-static
1	19.40	108.87	Open To Flow (1)
16	25.35	109.53	Shut-In(1)
46	227.93	111.16	End Shut-In(1)
47	20.95	111.40	Open To Flow (2)
91	31.90	114.02	Shut-In(2)
151	720.11	116.55	End Shut-In(2)
152	2179.69	116.96	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
25.00	SOCM 5%O 95%M	0.12

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530

ATTN: Jacob Porter

Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25619 **DST#: 3**
Test Start: 2006.09.26 @ 08:38:00

Tool Information

Drill Pipe:	Length: 4135.00 ft	Diameter: 3.80 inches	Volume: 58.00 bbl	Tool Weight: 1800.00 lb
Heavy Wt. Pipe:	Length: 310.00 ft	Diameter: 2.25 inches	Volume: 1.52 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 67000.00 lb
			Total Volume: 59.52 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	5.00 ft			String Weight: Initial 47000.00 lb
Depth to Top Packer:	4468.00 ft			Final 48000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	44.00 ft			
Tool Length:	72.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4441.00	
Shut In Tool	5.00			4446.00	
Hydraulic tool	5.00			4451.00	
Jars	5.00			4456.00	
Safety Joint	3.00			4459.00	
Packer	5.00			4464.00	28.00 Bottom Of Top Packer
Packer	4.00			4468.00	
Stubb	1.00			4469.00	
Perforations	2.00			4471.00	
Recorder	0.00	8017	Inside	4471.00	
Perforations	5.00			4476.00	
Drill Pipe	31.00			4507.00	
Recorder	0.00	13276	Inside	4507.00	
Bullnose	5.00			4512.00	44.00 Bottom Packers & Anchor

Total Tool Length: 72.00

RECEIVED
OCT 26 2006
KCC WICHITA



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530
ATTN: Jacob Porter

Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25619 **DST#: 3**
Test Start: 2006.09.26 @ 08:38:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	0 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	0 ppm
Viscosity: 51.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.99 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 2300.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
25.00	SOCM 5%O 95%M	0.123

Total Length: 25.00 ft Total Volume: 0.123 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments: 130 Feet of gas in pipe.

Serial #: 8017


Inside

Carmen Schmitt Inc

27 16S 28W Lane KS

DST Test Number: 3

KCS Wichita Office
SCANNED



White Testing, Inc

Ref. No: 25619

Printed: 2006.10.04 @ 09:15:01 Page 5

RECEIVED
OCT 26 2006
KCC WICHITA

27-16-28w



DRILL STEM TEST REPORT

Prepared For: **Carmen Schmitt Inc**

PO Box 47
Great Bend KS 67530

ATTN: Jacob Porter

27 16S 28W Lane KS

Fullmer #2

Start Date: 2006.09.27 @ 00:53:00

End Date: 2006.09.27 @ 06:11:30

Job Ticket #: 25620 DST #: 4

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Printed: 2006.10.04 @ 09:15:18 Page 1

RECEIVED
OCT 26 2006
KCC WICHITA

Carmen Schmitt Inc


Fullmer #2

27 16S 28W Lane KS

DST # 4

Cherokee

2006.09.27



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530
ATTN: Jacob Porter


Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25620 **DST#: 4**
Test Start: 2006.09.27 @ 00:53:00

GENERAL INFORMATION:

Formation: **Cherokee**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 02:54:15
Time Test Ended: 06:11:30
Interval: **4506.00 ft (KB) To 4574.00 ft (KB) (TVD)**
Total Depth: 4574.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Good
Test Type: Conventional Bottom Hole
Tester: Chuck Smith
Unit No: 37
Reference Elevations: 2757.00 ft (KB)
2752.00 ft (CF)
KB to GR/CF: 5.00 ft

Serial #: 8017 Inside
Press@RunDepth: 33.88 psig @ 4509.00 ft (KB) Capacity: 7000.00 psig
Start Date: 2006.09.27 End Date: 2006.09.27 Last Calib.: 2006.09.27
Start Time: 00:53:01 End Time: 06:11:30 Time On Btm: 2006.09.27 @ 02:54:00
Time Off Btm: 2006.09.27 @ 03:56:45

TEST COMMENT: IF Weak surface blow
ISI No return
FF No blow
FSI No return pulled tool after 5 min.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2223.19	108.28	Initial Hydro-static
1	20.50	107.55	Open To Flow (1)
16	27.99	107.94	Shut-In(1)
46	1204.35	110.24	End Shut-In(1)
47	29.39	109.57	Open To Flow (2)
57	33.88	110.54	Shut-In(2)
63	709.68	111.09	End Shut-In(2)
63	2148.36	111.74	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	M 100%M	0.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530

ATTN: Jacob Porter

Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25620 **DST#: 4**
Test Start: 2006.09.27 @ 00:53:00

Tool Information


Drill Pipe:	Length: 4198.00 ft	Diameter: 3.80 inches	Volume: 58.89 bbl	Tool Weight: 1800.00 lb
Heavy Wt. Pipe:	Length: 310.00 ft	Diameter: 2.25 inches	Volume: 1.52 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 59000.00 lb
			<u>Total Volume: 60.41 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	30.00 ft			String Weight: Initial 49000.00 lb
Depth to Top Packer:	4506.00 ft			Final 49000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	68.00 ft			
Tool Length:	96.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4479.00	
Shut In Tool	5.00			4484.00	
Hydraulic tool	5.00			4489.00	
Jars	5.00			4494.00	
Safety Joint	3.00			4497.00	
Packer	5.00			4502.00	28.00 Bottom Of Top Packer
Packer	4.00			4506.00	
Stubb	1.00			4507.00	
Perforations	2.00			4509.00	
Recorder	0.00	8017	Inside	4509.00	
Drill Pipe	60.00			4569.00	
Recorder	0.00	13276	Inside	4569.00	
Bullnose	5.00			4574.00	68.00 Bottom Packers & Anchor

Total Tool Length: 96.00

RECEIVED
OCT 26 2006
KCC WICHITA



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Carmen Schmitt Inc
PO Box 47
Great Bend KS 67530
ATTN: Jacob Porter

Fullmer #2
27 16S 28W Lane KS
Job Ticket: 25620 **DST#: 4**
Test Start: 2006.09.27 @ 00:53:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	0 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	0 ppm
Viscosity: 50.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.98 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 2300.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
10.00	M 100%M	0.049

Total Length: 10.00 ft Total Volume: 0.049 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments: Spots of oil in recovery.

DST Test Number: 4


27 16S 28W Lane KS

Carmen Schmitt Inc

Inside

Serial #: 8017

Pressure vs. Time



KCS Wichita Office
SCANNED

RECEIVED
OCT 26 2006
KCC WICHITA