

**TRILOBITE  
TESTING, INC.**

**DRILL STEM TEST REPORT**

Prepared For: **Carmen Schmitt Inc.**

**CONFIDENTIAL**

P.O. Box 47  
Great Bend, KS 67530

**ORIGINAL** **KCC**  
**AUG 02 2005**

ATTN: Rich O'Donnell

**CONFIDENTIAL**

**13-16S-28W Lane**

**Bentley #4**

Start Date: 2005.05.30 @ 05:48:52

End Date: 2005.05.30 @ 12:04:22

Job Ticket #: 21609                      DST #: 1

**RECEIVED**  
**AUG 05 2005**  
**KCC WICHITA**

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620

Carmen Schmitt Inc.


Bentley #4

13-16S-28W Lane

DST # 1

L/KC 'G - J'

2005.05.30



**TRILOBITE  
TESTING, INC**

## DRILL STEM TEST REPORT

Carmen Schmitt Inc.  
P. O. Box 47  
Great Bend KS. 67530  
ATTN: Rich O'Donnell

**Bentley #4**  
**13-16S-28W Lane**  
Job Ticket: 21609      **DST#: 1**  
Test Start: 2005.05.30 @ 05:48:52

### GENERAL INFORMATION:


Formation: L/KC 'G - J'  
Deviated: No Whipstock: ft (KB)  
Time Tool Opened: 07:47:37  
Time Test Ended: 12:04:22  
Interval: 4044.00 ft (KB) To 4140.00 ft (KB) (TVD)  
Total Depth: 4140.00 ft (KB) (TVD)  
Hole Diameter: 7.88 inches Hole Condition: Good  
Test Type: Conventional Bottom Hole  
Tester: Rod Steinbrink  
Unit No: 22  
Reference Elevations: 2664.00 ft (KB)  
2659.00 ft (CF)  
KB to GR/CF: 5.00 ft

### Serial #: 8017

Inside

Press@RunDepth: 408.63 psig @ 4045.00 ft (KB)  
Start Date: 2005.05.30 End Date: 2005.05.30  
Start Time: 05:48:55 End Time: 12:04:22  
Capacity: 7000.00 psig  
Last Calib.: 1899.12.30  
Time On Btrr: 2005.05.30 @ 07:36:22  
Time Off Btrr: 2005.05.30 @ 10:17:07

TEST COMMENT: IF; Weak to fair off btm in 9 mins  
IS; No return blow  
FF; Weak to fair off btm in 1.1 mins  
FS; Weak intermitted surface blow thru



### PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2057.45	107.11	Initial Hydro-static
12	112.49	106.69	Open To Flow (1)
29	243.01	120.17	Shut-In(1)
60	885.23	114.99	End Shut-In(1)
61	232.36	115.20	Open To Flow (2)
102	408.63	124.35	Shut-In(2)
160	869.26	120.19	End Shut-In(2)
161	1969.43	119.44	Final Hydro-static

### Recovery

Length (ft)	Description	Volume (bbl)
625.00	Wtr	6.75
215.00	SGMCW <1%g trc/oil @ top 60%w 40%r3.02	

### Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

**TOOL DIAGRAM**

Carmen Schmitt Inc.

**Bentley #4**

P. O. Box 47  
Great Bend KS. 67530

**13-16S-28W Lane**

Job Ticket: 21609

**DST#: 1**

ATTN: Rich O'Donnell

Test Start: 2005.05.30 @ 05:48:52

**Tool Information**


Drill Pipe:	Length: 3722.00 ft	Diameter: 3.80 inches	Volume: 52.21 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 315.00 ft	Diameter: 2.80 inches	Volume: 2.40 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 70000.00 lb
			<u>Total Volume: 54.61 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	19.00 ft			String Weight: Initial 52000.00 lb
Depth to Top Packer:	4044.00 ft			Final 54000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	96.00 ft			
Tool Length:	122.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

**Tool Description**

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4023.00	
Hydraulic tool	5.00			4028.00	
Jars	5.00			4033.00	
Safety Joint	2.00			4035.00	
Packer	5.00			4040.00	26.00 Bottom Of Top Packer
Packer	4.00			4044.00	
Stubb	1.00			4045.00	
Recorder	0.00	8017	Inside	4045.00	
Perforations	26.00			4071.00	
Change Over Sub	1.00			4072.00	
Anchor	62.00			4134.00	
Change Over Sub	1.00			4135.00	
Recorder	0.00	13309	Outside	4135.00	
Bullnose	5.00			4140.00	96.00 Bottom Packers & Anchor

**Total Tool Length: 122.00**



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

FLUID SUMMARY

Carmen Schmitt Inc.

**Bentley #4**

P. O. Box 47  
Great Bend KS. 67530

**13-16S-28W Lane**

Job Ticket: 21609

DST#: 1

ATTN: Rich O'Donnell

Test Start: 2005.05.30 @ 05:48:52

## Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 45.00 sec/qt

Water Loss: 7.98 in<sup>3</sup>

Resistivity: ohm.m

Salinity: 2000.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity: 40000 ppm

deg API

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
625.00	Wtr	6.748
215.00	SGMCW <1%g trc/oil @ top 60%w 40%m	3.016

Total Length: 840.00 ft

Total Volume: 9.764 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW .19 @ 70 Deg = 40,000 Chlorides


Serial #: 8017

Inside

Carmen Schmitt Inc.


13-16S-28W Lane

DST Test Number: 1



KGS Wichita Office  
SCANNED

13-16-28W



**TRILOBITE  
TESTING, INC.**

### DRILL STEM TEST REPORT

Prepared For: **Carmen Schmitt Inc.**

P. O. Box 47  
Great Bend KS. 67530

ATTN: Rich O'Donnell

**13-16S-28W Lane**

**Bentley #4**

Start Date: 2005.05.30 @ 21:05:55

End Date: 2005.05.31 @ 02:12:40

Job Ticket #: 21610                      DST #: 2

Carmen Schmitt Inc.

Bentley #4


13-16S-28W Lane

DST # 2

L/KC "K"

2005.05.30

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE TESTING, INC**

# DRILL STEM TEST REPORT

Carmen Schmitt Inc.  
 P. O. Box 47  
 Great Bend KS. 67530  
 ATTN: Rich O'Donnell


**Bentley #4**  
**13-16S-28W Lane**  
 Job Ticket: 21610      **DST#: 2**  
 Test Start: 2005.05.30 @ 21:05:55

## GENERAL INFORMATION:

Formation: **L/KC "K"**  
 Deviated: **No** Whipstock:                      ft (KB)  
 Time Tool Opened: 22:21:55  
 Time Test Ended: 02:12:40  
 Interval: **4143.00 ft (KB) To 4178.00 ft (KB) (TVD)**  
 Total Depth: **4178.00 ft (KB) (TVD)**  
 Hole Diameter: **7.88 inches** Hole Condition: **Good**  
 Test Type: **Conventional Bottom Hole**  
 Tester: **Rod Steinbrink**  
 Unit No: **22**  
 Reference Elevations: **2664.00 ft (KB)**  
    **2659.00 ft (CF)**  
    **KB to GR/CF: 5.00 ft**

**Serial #: 8017**      **Inside**  
 Press@RunDepth: **83.50 psig @ 4144.00 ft (KB)**      Capacity: **7000.00 psig**  
 Start Date: **2005.05.30**      End Date: **2005.05.31**      Last Calib.: **1899.12.30**  
 Start Time: **21:05:58**      End Time: **02:12:40**      Time On Btrm: **2005.05.30 @ 22:18:40**  
    **02:12:40**      Time Off Btrm: **2005.05.31 @ 00:54:25**

**TEST COMMENT:** IF; Surface blow built to 2"      IS; No blow  
 FF; Surface blow built to 2"      FS; No blow



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2071.90	102.38	Initial Hydro-static
4	16.96	101.57	Open To Flow (1)
20	38.27	103.30	Shut-In(1)
50	754.39	108.33	End Shut-In(1)
50	39.28	108.29	Open To Flow (2)
94	83.50	115.91	Shut-In(2)
155	555.05	115.12	End Shut-In(2)
156	2000.33	113.46	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
120.00	MCW 80%w 20%m	0.91

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

**TOOL DIAGRAM**

Carmen Schmitt Inc.  
P. O. Box 47  
Great Bend KS. 67530  
  
ATTN: Rich O'Donnell

**Bentley #4**  
**13-16S-28W Lane**  
Job Ticket: 21610      DST#: 2  
Test Start: 2005.05.30 @ 21:05:55


**Tool Information**

Drill Pipe:	Length: 3815.00 ft	Diameter: 3.80 inches	Volume: 53.51 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 315.00 ft	Diameter: 2.80 inches	Volume: 2.40 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 80000.00 lb
			<u>Total Volume: 55.91 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	13.00 ft			String Weight: Initial 52000.00 lb
Depth to Top Packer:	4143.00 ft			Final 52000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	35.00 ft			
Tool Length:	61.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4122.00	
Hydraulic tool	5.00			4127.00	
Jars	5.00			4132.00	
Safety Joint	2.00			4134.00	
Packer	5.00			4139.00	26.00      Bottom Of Top Packer
Packer	4.00			4143.00	
Stubb	1.00			4144.00	
Recorder	0.00	8017	Inside	4144.00	
Perforations	29.00			4173.00	
Recorder	0.00	13309	Outside	4173.00	
Bullnose	5.00			4178.00	35.00      Bottom Packers & Anchor

**Total Tool Length: 61.00**



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

FLUID SUMMARY

Carmen Schmitt Inc.

**Bentley #4**

P. O. Box 47  
Great Bend KS. 67530

**13-16S-28W Lane**

Job Ticket: 21610

DST#: 2

ATTN: Rich O'Donnell

Test Start: 2005.05.30 @ 21:05:55

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

30000 ppm

Viscosity: 49.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.97 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2000.00 ppm

Filter Cake: inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
120.00	MCW 80%w 20%m	0.914

Total Length: 120.00 ft      Total Volume: 0.914 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW .24 @ 70 Deg = 30,000 Chlorides

DST Test Number: 2


13-16S-28W Lane

Carmen Schmitt Inc.

Inside

Serial #: 8017

### Pressure vs. Time



13-16-28W



### DRILL STEM TEST REPORT

Prepared For: **Carmen Schmitt Inc.**  
 P. O. Box 47  
 Great Bend KS. 67530

ATTN: Rich O'Donnell

**13-16S-28W Lane**

**Bentley #4**

Start Date: 2005.06.01 @ 07:02:15  
 End Date: 2005.06.01 @ 12:56:30  
 Job Ticket #: 21611                      DST #: 3

Trilobite Testing, Inc  
 PO Box 362 Hays, KS 67601  
 ph: 785-625-4778 fax: 785-625-5620

Carmen Schmitt Inc.  
 Bentley #4  
 13-16S-28W Lane  
 DST # 3  
 Ft. Scott  
 2005.06.01





**TRILOBITE  
TESTING, INC**

## DRILL STEM TEST REPORT

**TOOL DIAGRAM**

Carmen Schmitt Inc.  
P. O. Box 47  
Great Bend KS. 67530  
ATTN: Rich O'Donnell

**Bentley #4**  
**13-16S-28W Lane**  
Job Ticket: 21611      DST#: 3  
Test Start: 2005.06.01 @ 07:02:15


### Tool Information

Drill Pipe:	Length: 4032.00 ft	Diameter: 3.80 inches	Volume: 56.56 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 315.00 ft	Diameter: 2.80 inches	Volume: 2.40 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 70000.00 lb
			<u>Total Volume: 58.96 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	10.00 ft			String Weight: Initial 54000.00 lb
Depth to Top Packer:	4363.00 ft			Final 56000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	58.00 ft			
Tool Length:	84.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4342.00	
Hydraulic tool	5.00			4347.00	
Jars	5.00			4352.00	
Safety Joint	2.00			4354.00	
Packer	5.00			4359.00	26.00      Bottom Of Top Packer
Packer	4.00			4363.00	
Stubb	1.00			4364.00	
Recorder	0.00	8017	Inside	4364.00	
Perforations	19.00			4383.00	
Change Over Sub	1.00			4384.00	
Anchor	31.00			4415.00	
Change Over Sub	1.00			4416.00	
Recorder	0.00	13309	Outside	4416.00	
Bullnose	5.00			4421.00	58.00      Bottom Packers & Anchor

**Total Tool Length: 84.00**



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

FLUID SUMMARY

Carmen Schmitt Inc.

**Bentley #4**

P. O. Box 47  
Great Bend KS. 67530

**13-16S-28W Lane**

Job Ticket: 21611

DST#: 3

ATTN: Rich O'Donnell

Test Start: 2005.06.01 @ 07:02:15

## Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 54.00 sec/qt

Water Loss: 10.38 in<sup>3</sup>

Resistivity: ohm.m

Salinity: 5000.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length: ft

Cushion Volume: bbl

Gas Cushion Type:

Gas Cushion Pressure: psig

Oil API: deg API

Water Salinity: ppm

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
60.00	GOCM 50%g 20%o 30%m	0.457
30.00	GOCM 10%g 10%o 80%m	0.228
	250 GP	

Total Length: 90.00 ft      Total Volume: 0.685 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

DST Test Number: 3


13-16S-28W Lane

Carmen Schmitt Inc.

Inside

Serial #: 8017

### Pressure vs. Time



1 Wed Jun 2005

12PM

9AM

Time (Hours)

13-16-28W



## DRILL STEM TEST REPORT

Prepared For: **Carmen Schmitt Inc.**

P. O. Box 47  
Great Bend KS. 67530

ATTN: Rich O'Donnell

**13-16S-28W Lane**

**Bentley #4**

Start Date: 2005.06.02 @ 20:20:15

End Date: 2005.06.03 @ 01:32:45

Job Ticket #: 21612                      DST #: 4

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620

Carmen Schmitt Inc.


Bentley #4

13-16S-28W Lane

DST # 4

Cherokee

2005.06.02



**TRILOBITE TESTING, INC**

# DRILL STEM TEST REPORT

Carmen Schmitt Inc.  
 P. O. Box 47  
 Great Bend KS. 67530  
 ATTN: Rich O'Donnell

**Bentley #4**  
**13-16S-28W Lane**  
 Job Ticket: 21612      DST#: 4  
 Test Start: 2005.06.02 @ 20:20:15

## GENERAL INFORMATION:

Formation: **Cherokee**  
 Deviated: **No Whipstock:**      ft (KB)  
 Time Tool Opened: 21:31:30  
 Time Test Ended: 01:32:45

Test Type: Conventional Bottom Hole  
 Tester: Rod Steinbrink  
 Unit No: 22

Interval: **4465.00 ft (KB) To 4496.00 ft (KB) (TVD)**  
 Total Depth: 4569.00 ft (KB) (TVD)  
 Hole Diameter: 7.88 inches Hole Condition: Good


Reference Elevations: 2664.00 ft (KB)  
 2659.00 ft (CF)  
 KB to GR/CF: 5.00 ft

**Serial #: 8017**      Inside

Press@RunDepth: 106.52 psig @ 4466.00 ft (KB)  
 Start Date: 2005.06.02      End Date: 2005.06.03  
 Start Time: 20:20:18      End Time: 01:32:45

Capacity: 7000.00 psig  
 Last Calib.: 1899.12.30  
 Time On Btmr: 2005.06.02 @ 21:28:00  
 Time Off Btmr: 2005.06.03 @ 00:05:00

TEST COMMENT: IF; Weak surface built to 1"  
 FF; Weak surface built to 2"



## PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2238.19	115.34	Initial Hydro-static
4	18.35	116.24	Open To Flow (1)
20	36.55	117.99	Shut-In(1)
50	1251.80	118.39	End Shut-In(1)
50	35.69	118.13	Open To Flow (2)
95	106.52	121.03	Shut-In(2)
155	1222.70	121.86	End Shut-In(2)
157	2153.30	120.49	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
150.00	Drig. Mud	1.14

## Gas Rates

Description	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE TESTING, INC**

**DRILL STEM TEST REPORT**

**TOOL DIAGRAM**

Carmen Schmitt Inc.  
 P. O. Box 47  
 Great Bend KS. 67530  
 ATTN: Rich O'Donnell

**Bentley #4**  
**13-16S-28W Lane**  
 Job Ticket: 21612      DST#: 4  
 Test Start: 2005.06.02 @ 20:20:15


**Tool Information**

Drill Pipe:	Length: 4154.00 ft	Diameter: 3.80 inches	Volume: 58.27 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 315.00 ft	Diameter: 2.80 inches	Volume: 2.40 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 80000.00 lb
			<u>Total Volume: 60.67 bbl</u>	Tool Chased 5.00 ft
Drill Pipe Above KB:	30.00 ft			String Weight: Initial 54000.00 lb
Depth to Top Packer:	4465.00 ft			Final 54000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	105.00 ft			
Tool Length:	131.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			4444.00	
Hydraulic tool	5.00			4449.00	
Jars	5.00			4454.00	
Safety Joint	2.00			4456.00	
Packer	5.00			4461.00	26.00      Bottom Of Top Packer
Packer	4.00			4465.00	
Stubb	1.00			4466.00	
Recorder	0.00	8017	Inside	4466.00	
Perforations	25.00			4491.00	
Recorder	0.00	13276	Outside	4491.00	
Blank Off Sub	1.00			4492.00	105.00      Tool Interval
Packer	4.00			4496.00	
Stubb	1.00			4497.00	
Perforations	4.00			4501.00	
Change Over Sub	1.00			4502.00	
Anchor	62.00			4564.00	
Change Over Sub	1.00			4565.00	
Recorder	0.00	13309	Below	4565.00	
Bullnose	5.00			4570.00	1000130.00      Bottom Packers & Anchor

**Total Tool Length: 131.00**



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

FLUID SUMMARY

Carmen Schmitt Inc.

**Bentley #4**

P. O. Box 47  
Great Bend KS. 67530

**13-16S-28W Lane**

Job Ticket: 21612

DST#: 4

ATTN: Rich O'Donnell

Test Start: 2005.06.02 @ 20:20:15

## Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 50.00 sec/qt

Water Loss: 7.19 in<sup>3</sup>

Resistivity: ohm.m

Salinity: 3400.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
150.00	Drig. Mud	1.142

Total Length: 150.00 ft

Total Volume: 1.142 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 8017

Inside

Carmen Schmitt Inc.

13-16S-28W/Lane

DST Test Number: 4

KGS Wichita's Office  
SCANNED

