



15-101-21974

DIAMOND TESTING

P.O. Box 157

HOISINGTON, KANSAS 67544

(620) 653-7550 • (800) 542-7313

STC 21108.D361

Page 1 of 2 Pages

Company Mull Drilling Co., Inc. Lease & Well No. James Trust No. 1-24
Elevation 2763KB Formation Lansing/Kansas City "A" Effective Pay -- Ft. Ticket No. J1964
Date 10-24-06 Sec. 24 Twp. 16S Range 29W County Lane State Kansas
Test Approved By Phil Askey Diamond Representative John C. Riedl

Formation Test No. 1 Interval Tested from 3,890 ft. to 3,950 ft. Total Depth 3,950 ft.

Packer Depth 3,885 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Packer Depth 3,890 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Depth of Selective Zone Set ft.

Top Recorder Depth (Inside) 3,893 ft. Recorder Number 21108 Cap. 5,000 psi

Bottom Recorder Depth (Outside) 3,947 ft. Recorder Number 11017 Cap. 4,000 psi

Below Straddle Recorder Depth ft. Recorder Number Cap. psi

Drilling Contractor WW Drilling, LLC - Rig 2 Drill Collar Length 120 ft. I.D. 2 1/4 in.

Mud Type Chemical Viscosity 46 Weight Pipe Length -- ft. I.D. -- in.

Weight 9.1 Water Loss 8.5 cc. Drill Pipe Length 3,750 ft. I.D. 3 1/2 in.

Chlorides 1,800 P.P.M. Test Tool Length 20 ft. Tool Size 3 1/2 - IF in.

Jars: Make Bowen Serial Number Not Run Anchor Length 60 ft. Size 4 1/2 - FH in.

Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Weak, 1/2 in., blow decreasing to 1/8 in.

2nd Open: Weak, surface blow throughout.

Recovered 70 ft. of oil specked water cut mud = .344400 bbls. (Grind out: 15%-water; 85%-mud) Chlorides: 12,000 Ppm
(Recovery: .60 @ 65°)

Recovered ft. of

Recovered ft. of

Recovered ft. of

Recovered ft. of

Remarks

Time Set Packer(s) 1:00 AM P.M. Time Started Off Bottom 3:10 AM P.M. Maximum Temperature 110°

Initial Hydrostatic Pressure (A) 1914 P.S.I.

Initial Flow Period Minutes 10 (B) 35 P.S.I. to (C) 41 P.S.I.

Initial Closed In Period Minutes 30 (D) 1013 P.S.I.

Final Flow Period Minutes 30 (E) 49 P.S.I. to (F) 69 P.S.I.

Final Closed In Period Minutes 60 (G) 866 P.S.I.

Final Hydrostatic Pressure (H) 1891 P.S.I.

GENERAL INFORMATION

Client Information:

Company: MULL DRILLING CO INC

Contact: MARK SHREVE

Phone: Fax: e-mail:

Site Information:

Contact: PHIL ASKEY

Phone: Fax: e-mail:

Well Information:

Name: JAMES TRUST #1-24

Operator: MULL DRILLING CO INC

Location-Downhole: DST #1 3890 TO 3950

Location-Surface: S24/16S/29W LANE COUNTY

Test Information:

Company: DIAMOND TESTING

Representative: JOHN RIEDL

Supervisor: PHIL ASKEY

Test Type: CONVENTIONAL

Job Number: D361

Test Unit: 2

Start Date: 2006/10/25

Start Time: 11:15:00

End Date: 2006/10/25

End Time: 17:00:00

Report Date: 2006/10/25

Prepared By: JOHN RIEDL

Remarks:


Qualified By: PHIL ASKEY


RECOVERY: 70' OIL SPKED WATER CUT MUD(15%WATER 85%MUD) IIN D.C.
CHLORIDES 12,000Ppm

JAMES TRUST #1-24
 Formation: LKC "A"
 Job Number: D361

MULL DRILLING CO INC
 DST #1 3890 TO 3950
 Start Test Date: 2006/10/25
 Final Test Date: 2006/10/25


JAMES TRUST #1-24





This is an actual photograph of recorder chart.

POINT	PRESSURE	
	Field Reading	Elec. Office Reading
(A) Initial Hydrostatic Mud	1914	1914
(B) First Initial Flow Pressure.....	35	35
(C) First Final Flow Pressure	41	41
(D) Initial Closed-in Pressure	1013	1013
(E) Second Initial Flow Pressure	49	49
(F) Second Final Flow Pressure.....	69	69
(G) Final Closed-in Pressure.....	866	866
(H) Final Hydrostatic Mud	1891	1891



DIAMOND TESTING

P.O. Box 157
HOISINGTON, KANSAS 67544
(620) 653-7550 • (800) 542-7313
STC 21108.D 362

Page 1 of 2 Pages

Company Mull Drilling Co., Inc. Lease & Well No. James Trust No. 1-24
Elevation 2763KB Formation Lansing/Kansas City "K" & "L" Effective Pay -- Ft. Ticket No. J1965
Date 10-26-06 Sec. 24 Twp. 16S Range 29W County Lane State Kansas
Test Approved By Phil Askey Diamond Representative John C. Riedl

Formation Test No. 2 Interval Tested from 4,182 ft. to 4,260 ft. Total Depth 4,260 ft.

Packer Depth 4,177 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Packer Depth 4,182 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Depth of Selective Zone Set -- ft.

Top Recorder Depth (Inside) 4,185 ft. Recorder Number 21108 Cap. 5,000 psi

Bottom Recorder Depth (Outside) 4,257 ft. Recorder Number 11017 Cap. 4,000 psi

Below Straddle Recorder Depth -- ft. Recorder Number -- Cap. -- psi

Drilling Contractor WW Drilling, LLC - Rig 2 Drill Collar Length 120 ft. I.D. 2 1/4 in.

Mud Type Chemical Viscosity 47 Weight Pipe Length -- ft. I.D. -- in.

Weight 9.6 Water Loss 8.0 cc. Drill Pipe Length 4,042 ft. I.D. 3 1/2 in.

Chlorides 2,300 P.P.M. Test Tool Length 20 ft. Tool Size 3 1/2 - IF in.

Jars: Make Bowen Serial Number Not Run Anchor Length 78 ft. Size 4 1/2 - FH in.

Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Weak, 1/2 in., blow.

2nd Open: Weak, surface blow. Dead in 15 mins.

Recovered 40 ft. of drilling mud = .196800 bbls. (Grind out: 2%-water; 98%-mud) Chlorides: 2,500 Ppm

Recovered -- ft. of --

Recovered -- ft. of --

Recovered -- ft. of --

Recovered -- ft. of --

Remarks --

Time Set Packer(s) 7:15 ~~AXM.~~ P.M. Time Started Off Bottom 9:25 ~~AXM.~~ P.M. Maximum Temperature 110°

Initial Hydrostatic Pressure (A) 2083 P.S.I.

Initial Flow Period Minutes 10 (B) 36 P.S.I. to (C) 43 P.S.I.

Initial Closed In Period Minutes 30 (D) 753 P.S.I.

Final Flow Period Minutes 30 (E) 44 P.S.I. to (F) 56 P.S.I.

Final Closed In Period Minutes 60 (G) 644 P.S.I.

Final Hydrostatic Pressure (H) 2011 P.S.I.

GENERAL INFORMATION

Client Information:

Company: MULL DRILLING CO INC

Contact: MARK SHREVE

Phone: Fax: e-mail:

Site Information:

Contact: PHILASKEY

Phone: Fax: e-mail:

Well Information:

Name: JAMES TRUST #1-24

Operator: MULL DRILLING CO INC

Location-Downhole: DST #2 4182 TO 4260

Location-Surface: S24/16S/29W LANE COUNTY

Test Information:

Company: DIAMOND TESTING

Representative: JOHN RIEDL

Supervisor: PHIL ASKEY

Test Type: CONVENTIONAL

Job Number: D362

Test Unit: 2

Start Date: 2006/10/26

Start Time: 17:25:00

End Date: 2006/10/26

End Time: 23:30:00

Report Date: 2006/10/26

Prepared By: JOHN RIEDL

Remarks:


Qualified By: PHIL ASKEY


RECOVERY: 40' DRILLING MUD (2%WATER 98%MUD) CHLORIDES 2,500Ppm
TOTAL FLUID REC. 40' ALL IN DRILL COLLAR

MULL DRILLING CO INC
DST #2 4182 TO 4260
Start Test Date: 2006/10/26
Final Test Date: 2006/10/26

JAMES TRUST #1-24
Formation: LKC "K,L"
Job Number: D362

JAMES TRUST #1-24





This is an actual photograph of recorder chart.

POINT	PRESSURE		Elec.
	Field Reading	Office Reading	
(A) Initial Hydrostatic Mud	2083	2083	PSI
(B) First Initial Flow Pressure.....	36	36	PSI
(C) First Final Flow Pressure	43	43	PSI
(D) Initial Closed-in Pressure	753	753	PSI
(E) Second Initial Flow Pressure	44	44	PSI
(F) Second Final Flow Pressure.....	56	56	PSI
(G) Final Closed-in Pressure.....	644	644	PSI
(H) Final Hydrostatic Mud	2011	2011	PSI



DIAMOND TESTING

P.O. Box 157
HOISINGTON, KANSAS 67544
(620) 653-7550 • (800) 542-7313
STC 21108.D 363

Page 1 of 2 Pages

Company Mull Drilling Co., Inc. Lease & Well No. James Trust No. 1-24
Elevation 2763KB Formation Marmaton Effective Pay -- Ft. Ticket No. J1966
Date 10-27-06 Sec. 24 Twp. 16S Range 29W County Lane State Kansas
Test Approved By Phil Askey Diamond Representative John C. Riedl

Formation Test No. 3 Interval Tested from 4,284 ft. to 4,365 ft. Total Depth 4,365 ft.

Packer Depth 4,279 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Packer Depth 4,284 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Depth of Selective Zone Set ft.

Top Recorder Depth (Inside) 4,287 ft. Recorder Number 21108 Cap. 5,000 psi

Bottom Recorder Depth (Outside) 4,362 ft. Recorder Number 11017 Cap. 4,000 psi

Below Straddle Recorder Depth ft. Recorder Number Cap. psi

Drilling Contractor WW Drilling, LLC - Rig 2 Drill Collar Length 90 ft. I.D. 2 1/4 in.

Mud Type Chemical Viscosity 46 Weight Pipe Length -- ft. I.D. -- in.

Weight 9.4 Water Loss 9.6 cc. Drill Pipe Length 4,174 ft. I.D. 3 1/2 in.

Chlorides 1,000 P.P.M. Test Tool Length 20 ft. Tool Size 3 1/2 - IF in.

Jars: Make Bowen Serial Number Not Run Anchor Length 81 ft. Size 4 1/2 - FH in.

Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Weak, 3/8 in., blow.

2nd Open: Weak, 1 in., blow decreasing & dead in 28 mins.

Recovered 60 ft. of gas in pipe

Recovered 65 ft. of gas cut oily mud = .319800 bbls. (Grind out: 10%-gas; 30%-oil; 60%-mud)

Recovered 65 ft. of TOTAL FLUID = .319800 bbls.

Recovered ft. of

Recovered ft. of

Remarks

Time Set Packer(s) 1:05 ~~AM~~ P.M. Time Started Off Bottom 3:15 ~~AM~~ P.M. Maximum Temperature 113°

Initial Hydrostatic Pressure (A) 2124 P.S.I.

Initial Flow Period 10 Minutes (B) 36 P.S.I. to (C) 47 P.S.I.

Initial Closed In Period 30 Minutes (D) 283 P.S.I.

Final Flow Period 30 Minutes (E) 52 P.S.I. to (F) 55 P.S.I.

Final Closed In Period 60 Minutes (G) 596 P.S.I.

Final Hydrostatic Pressure (H) 2079 P.S.I.

GENERAL INFORMATION

Client Information:

Company: MULL DRILLING CO INC

Contact: MARK SHREVE

Phone: Fax: e-mail:

Site Information:

Contact: PHIL ASKEY

Phone: Fax: e-mail:

Well Information:

Name: JAMES TRUST #1-24 DST#3

Operator: MULL DRILLING CO INC

Location-Downhole: DST #3 4284 TO 4365

Location-Surface: S24/16S/29W LANE COUNTY

Test Information:

Company: DIAMOND TESTING

Representative: JOHN RIEDL

Supervisor: PHIL ASKEY

Test Type: CONVENTIONAL

Job Number: D363

Test Unit: 2

Start Date: 2006/10/27

Start Time: 10:30:00

End Date: 2006/10/27

End Time: 17:00:00

Report Date: 2006/10/27

Prepared By: JOHN RIEDL

Remarks:

Qualified By: PHIL ASKEY

RECOVERY: 60' GAS IN PIPE


65' GCOM (10%GAS 30%OIL 60%MUD)

TOTAL FLUID RECOVERY: 65' ALL IN DRILL COLLARS

MULL DRILLING CO INC
DST #3 4284 TO 4365
Start Test Date: 2006/10/27
Final Test Date: 2006/10/27

JAMES TRUST #1-24 DST#3
Formation: MARMATON
Job Number: D363


JAMES TRUST #1-24 DST#3



MULL DRILLING
AMOS TRUST #124

PST #3

ROC #1017
OUTSIDE



This is an actual photograph of recorder chart.

POINT	PRESSURE	
	Field Reading	Elec. Office Reading
(A) Initial Hydrostatic Mud	2124	2124
(B) First Initial Flow Pressure	36	36
(C) First Final Flow Pressure	47	47
(D) Initial Closed-in Pressure	283	283
(E) Second Initial Flow Pressure	52	52
(F) Second Final Flow Pressure	55	55
(G) Final Closed-in Pressure	596	596
(H) Final Hydrostatic Mud	2079	2079



DIAMOND TESTING

P.O. Box 157
HOISINGTON, KANSAS 67544
(620) 653-7550 • (800) 542-7313
STC 21108.D 364

Page 1 of 2 Pages

Company Mull Drilling Co., Inc. Lease & Well No. James Trust No. 1-24

Elevation 2763KB Formation Pawnee/Fort Scott Effective Pay -- Ft. Ticket No. J1967

Date 10-28-06 Sec. 24 Twp. 16S Range 29W County Lane State Kansas

Test Approved By Phil Askey Diamond Representative John C. Riedl

Formation Test No. 4 Interval Tested from 4,373 ft. to 4,455 ft. Total Depth 4,455 ft.

Packer Depth 4,368 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Packer Depth 4,373 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Depth of Selective Zone Set ft.

Top Recorder Depth (Inside) 4,376 ft. Recorder Number 21108 Cap. 5,000 psi

Bottom Recorder Depth (Outside) 4,452 ft. Recorder Number 11017 Cap. 4,000 psi

Below Straddle Recorder Depth ft. Recorder Number Cap. psi

Drilling Contractor WW Drilling, LLC - Rig 2 Drill Collar Length 90 ft. I.D. 2 1/4 in.

Mud Type Chemical Viscosity 50 Weight Pipe Length -- ft. I.D. -- in.

Weight 9.3 Water Loss 9.6 cc. Drill Pipe Length 4,263 ft. I.D. 3 1/2 in.

Chlorides 2,500 P.P.M. Test Tool Length 20 ft. Tool Size 3 1/2 - IF in.

Jars: Make Bowen Serial Number Not Run Anchor Length 82 ft. Size 4 1/2 - FH in.

Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Weak, 3/8 in., blow.

2nd Open: Weak, surface blow. Dead in 15 mins.

Recovered 40 ft. of very slightly oil cut mud = .196800 bbls. (Grind out: 1%-oil; 2%-water; 97%-mud)

Recovered ft. of Chlorides: 3,000 Ppm

Recovered ft. of

Recovered ft. of

Recovered ft. of

Remarks

Time Set Packer(s) 6:25 ~~P.M.~~ ^{A.M.} Time Started Off Bottom 8:35 ~~P.M.~~ ^{A.M.} Maximum Temperature 112°

Initial Hydrostatic Pressure (A) 2198 P.S.I.

Initial Flow Period Minutes 10 (B) 37 P.S.I. to (C) 37 P.S.I.

Initial Closed In Period Minutes 30 (D) 467 P.S.I.

Final Flow Period Minutes 30 (E) 41 P.S.I. to (F) 42 P.S.I.

Final Closed In Period Minutes 60 (G) 113 P.S.I.

Final Hydrostatic Pressure (H) 2147 P.S.I.

GENERAL INFORMATION

Client Information:

Company: MULL DRILLING CO INC

Contact: MARK SHREVE

Phone: Fax: e-mail:

Site Information:

Contact: PHIL ASKEY

Phone: Fax: e-mail:

Well Information:

Name: JAMES TRUST #1-24

Operator: MULL DRILLING CO INC

Location-Downhole: DST #4 4373 TO 4455

Location-Surface: S24/16S/29W LANE COUNTY

Test Information:

Company: DIAMOND TESTING

Representative: JOHN RIEDL

Supervisor: PHIL ASKEY

Test Type: CONVENTIONAL

Job Number: D364

Test Unit: 2

Start Date: 2006/10/28

Start Time: 04:40:00

End Date: 2006/10/28

End Time: 10:40:00

Report Date: 2006/10/28

Prepared By: JOHN RIEDL

Remarks:


Qualified By: PHIL ASKEY

RECOVERY: 40' VSLOCM (1%OIL 2%WATER 97%MUD) CHLORIDES 3,000Pp
TOTAL FLUID REC. 40' IN DRILL COLLARS

MULL DRILLING CO INC
DST #4 4373 TO 4455
Start Test Date: 2006/10/28
Final Test Date: 2006/10/28

JAMES TRUST #1-24
Formation: PAWNEE, FORT SCOTT
Job Number: D364


JAMES TRUST #1-24



MULL DRILL
JAMES TRUST #1-24

DST #4

ROC #4
11013
055 148



This is an actual photograph of recorder chart.

POINT	PRESSURE Elec.	
	Field Reading	Office Reading
(A) Initial Hydrostatic Mud	2198	2198
(B) First Initial Flow Pressure.....	37	37
(C) First Final Flow Pressure	37	37
(D) Initial Closed-in Pressure	467	467
(E) Second Initial Flow Pressure	41	41
(F) Second Final Flow Pressure.....	42	42
(G) Final Closed-in Pressure	113	113
(H) Final Hydrostatic Mud	2147	2147



DIAMOND TESTING

P.O. Box 157
HOISINGTON, KANSAS 67544
(620) 653-7550 • (800) 542-7313
STC 21108.D365

Page 1 of 2 Pages

Company Mull Drilling Co., Inc. Lease & Well No. James Trust No. 1-24
Elevation 2763KB Formation Cherokee/Johnson Effective Pay -- Ft. Ticket No. J1968
Date 10-29-06 Sec. 24 Twp. 16S Range 29W County Lane State Kansas
Test Approved By Phil Askey Diamond Representative John C. Riedl

Formation Test No. 5 Interval Tested from 4,451 ft. to 4,525 ft. Total Depth 4,525 ft.

Packer Depth 4,446 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Packer Depth 4,451 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.

Depth of Selective Zone Set ft.

Top Recorder Depth (Inside) 4,454 ft. Recorder Number 21108 Cap. 5,000 psi

Bottom Recorder Depth (Outside) 4,528 ft. Recorder Number 11017 Cap. 4,000 psi

Below Straddle Recorder Depth ft. Recorder Number Cap. psi

Drilling Contractor WW Drilling, LLC - Rig 2 Drill Collar Length 90 ft. I.D. 2 1/4 in.

Mud Type Chemical Viscosity 51 Weight Pipe Length -- ft. I.D. -- in.

Weight 9.4 Water Loss 10.4 cc. Drill Pipe Length 4,341 ft. I.D. 3 1/2 in.

Chlorides 2,200 P.P.M. Test Tool Length 20 ft. Tool Size 3 1/2 - IF in.

Jars: Make Bowen Serial Number Not Run Anchor Length 74 ft. Size 4 1/2 - FH in.

Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Weak, 1/2 in., blow.

2nd Open: Weak blow. Dead in 25 mins.

Recovered 30 ft. of oil cut mud = .147600 bbls. (Grind out: 15%-oil; 3%-water; 82%-mud) Chlorides: 3,000 Ppm

Recovered ft. of

Recovered ft. of

Recovered ft. of

Recovered ft. of

Remarks

Time Set Packer(s) 12:00 ~~P.M.~~ ^{A.M.} Time Started Off Bottom 2:10 ~~P.M.~~ ^{A.M.} Maximum Temperature 112°

Initial Hydrostatic Pressure (A) 2224 P.S.I.

Initial Flow Period Minutes 10 (B) 36 P.S.I. to (C) 38 P.S.I.

Initial Closed In Period Minutes 30 (D) 961 P.S.I.

Final Flow Period Minutes 30 (E) 43 P.S.I. to (F) 46 P.S.I.

Final Closed In Period Minutes 60 (G) 1013 P.S.I.

Final Hydrostatic Pressure (H) 2194 P.S.I.

GENERAL INFORMATION

Client Information:

Company: MULL DRILLING CO INC

Contact: MARK SHREVE

Phone: Fax: e-mail:

Site Information:

Contact: PHIL ASKEY

Phone: Fax: e-mail:

Well Information:

Name: JAMES TRUST #1-24

Operator: MULL DRILLING CO INC

Location-Downhole: DST #5 4451 TO 4525

Location-Surface: S24/16S/29W LANE COUNTY

Test Information:

Company: DIAMOND TESTING

Representative: JOHN RIEDL

Supervisor: PHIL ASKEY

Test Type: CONVENTIONAL

Job Number: D365

Test Unit: 2

Start Date: 2006/10/29

Start Time: 00:01:00

End Date: 2006/10/29

End Time: 04:40:00

Report Date: 2006/10/29

Prepared By: JOHN RIEDL

Remarks:


Qualified By: PHIL ASKEY


RECOVERY: 30' OCM (15%OIL 3%WATER 82%MUD) CHLORIDES 3,000Ppm
TOTAL FLUID REC: 30' IN DRILL COLLAR

MULL DRILLING CO INC
DST #5 4451 TO 4525
Start Test Date: 2006/10/29
Final Test Date: 2006/10/29

JAMES TRUST #1-24
Formation: JOHNSON, CHEROKEE
Job Number: D365

JAMES TRUST #1-24





This is an actual photograph of recorder chart.

POINT	PRESSURE		Elec. Office Reading	
	Field Reading			
(A) Initial Hydrostatic Mud	2224	2224	PSI	
(B) First Initial Flow Pressure.....	36	36	PSI	
(C) First Final Flow Pressure	38	38	PSI	
(D) Initial Closed-in Pressure	961	961	PSI	
(E) Second Initial Flow Pressure	43	43	PSI	
(F) Second Final Flow Pressure.....	46	46	PSI	
(G) Final Closed-in Pressure	1013	1013	PSI	
(H) Final Hydrostatic Mud	2194	2194	PSI	