

TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc
8100 E 22nd ST N #700
Box 783188
Wichita KS, 67278-3188
ATTN: Mike Engelbrecht

20-16s-31w Scott Co, KS

Huseman 20A #1

Job Ticket: 57283

DST#: 1

Test Start: 2014.10.18 @ 13:45:00

GENERAL INFORMATION:

Formation: **Lansing 'C'**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 15:39:30

Time Test Ended: 20:24:45

Test Type: Conventional Bottom Hole (Initial)

Tester: Jace McKinney

Unit No: 75

Interval: **3983.00 ft (KB) To 4004.00 ft (KB) (TVD)**

Reference Elevations: 2937.00 ft (KB)

Total Depth: 4004.00 ft (KB) (TVD)

2932.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Poor

KB to GR/CF: 5.00 ft

Serial #: 8675 Inside

Press@RunDepth: 92.43 psig @ 4001.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2014.10.18

End Date:

2014.10.18

Last Calib.: 2014.10.18

Start Time: 13:45:15

End Time:


20:24:45

Time On Btm: 2014.10.18 @ 15:39:15

Time Off Btm: 2014.10.18 @ 18:41:15

TEST COMMENT: Built to 8" blow
Bled off for 3 min. No return blow
B.O.B. in 44 min.
Bled off for 3 min. Built to 1/2" return blow

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1935.87	110.91	Initial Hydro-static
1	26.28	109.64	Open To Flow (1)
31	67.87	112.66	Shut-In(1)
76	945.38	113.26	End Shut-In(1)
77	76.19	112.94	Open To Flow (2)
121	92.43	115.80	Shut-In(2)
181	924.88	116.09	End Shut-In(2)
182	1907.29	115.48	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
122.00	mcgo 10%M 30%G 60%O	0.60
78.00	gco 15%G 85%O	1.09
0.00	110 Feet Gas In Pipe	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc
8100 E 22nd ST N #700
Box 783188
Wichita KS, 67278-3188
ATTN: Mike Engelbrecht

20-16s-31w Scott Co, KS

Huseman 20A #1

Job Ticket: 57283

DST#: 1

Test Start: 2014.10.18 @ 13:45:00

GENERAL INFORMATION:

Formation: **Lansing 'C'**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 15:39:30

Time Test Ended: 20:24:45

Test Type: Conventional Bottom Hole (Initial)

Tester: Jace McKinney

Unit No: 75

Interval: **3983.00 ft (KB) To 4004.00 ft (KB) (TVD)**

Total Depth: 4004.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 2937.00 ft (KB)

2932.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8650 Outside

Press@RunDepth: psig @ 4001.00 ft (KB)

Start Date: 2014.10.18

End Date:

2014.10.18

Start Time: 13:45:15

End Time:

20:24:30

Capacity: 8000.00 psig


Last Calib.: 2014.10.18

Time On Btm:

Time Off Btm:

TEST COMMENT: Built to 8" blow
Bled off for 3 min. No return blow
B.O.B. in 44 min.
Bled off for 3 min. Built to 1/2" return blow

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
-------------	-----------------	--------------	------------

Recovery

Length (ft)	Description	Volume (bbl)
122.00	mcgo 10%M 30%G 60%O	0.60
78.00	gco 15%G 85%O	1.09
0.00	110 Feet Gas In Pipe	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc

20-16s-31w Scott Co, KS

8100 E 22nd ST N #700

Huseman 20A #1

Box 783188

Job Ticket: 57283

DST#: 1

Wichita KS, 67278-3188

Test Start: 2014.10.18 @ 13:45:00

ATTN: Mike Engelbrecht

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

31 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 59.00 sec/qt

Cushion Volume:

bbl

Water Loss: 6.80 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2800.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
122.00	mcgo 10%M 30%G 60%O	0.600
78.00	gco 15%G 85%O	1.090
0.00	110 Feet Gas In Pipe	0.000

Total Length: 200.00 ft

Total Volume: 1.690 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: API: 30 @ 50 F = 31


Serial #: 8675

Inside

Ritchie Exploration Inc

Huseman 20A #1

DST Test Number: 1




Serial #: 8650

Outside Ritchie Exploration Inc

Huseman 20A #1

DST Test Number: 1





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc

8100 E 22nd ST N #700
Box 783188
Wichita KS, 67278-3188
ATTN: Mike Engelbrecht

20-16s-31w Scott Co, KS

Huseman 20A #1

Job Ticket: 57284

DST#: 2

Test Start: 2014.10.19 @ 03:55:00

GENERAL INFORMATION:

Formation: **Kansas City 'E-F'**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 05:21:00

Time Test Ended: 09:46:45

Test Type: Conventional Bottom Hole (Reset)

Tester: Jace McKinney

Unit No: 75

Interval: 4036.00 ft (KB) To 4065.00 ft (KB) (TVD)

Total Depth: 4065.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 2937.00 ft (KB)

2932.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8675 Inside

Press@RunDepth: 205.14 psig @ 4037.00 ft (KB)

Start Date: 2014.10.19

End Date:

2014.10.19

Start Time: 03:55:15

End Time:

09:46:45

Capacity: 8000.00 psig


Last Calib.: 2014.10.19

Time On Btm: 2014.10.19 @ 05:20:00

Time Off Btm: 2014.10.19 @ 07:52:30

TEST COMMENT: B.O.B. in 20 min
Bled off of 5 min, No return blow
B.O.B. in 28 min
Bled off for 5 min, No return blow

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2021.81	107.24	Initial Hydro-static
1	22.79	106.67	Open To Flow (1)
31	132.22	112.75	Shut-In(1)
76	1007.43	117.53	End Shut-In(1)
76	136.00	116.89	Open To Flow (2)
106	205.14	122.36	Shut-In(2)
151	994.41	120.96	End Shut-In(2)
153	1940.49	120.63	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
122.00	100%Water	0.60
126.00	mcw 40%M 60%W	1.76
126.00	w cm with oil scum 30%W 70%M	1.77
103.00	100%Mud with oil scum	1.44

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc

20-16s-31w Scott Co, KS

8100 E 22nd ST N #700

Huseman 20A #1

Box 783188

Job Ticket: 57284

DST#: 2

Wichita KS, 67278-3188

Test Start: 2014.10.19 @ 03:55:00

ATTN: Mike Engelbrecht

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

38000 ppm

Viscosity: 59.00 sec/qt

Cushion Volume:

bbl

Water Loss: 6.79 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2800.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
122.00	100%Water	0.600
126.00	mcw 40%M 60%W	1.764
126.00	w cm w ith oil scum 30%W 70%M	1.767
103.00	100%Mud w ith oil scum	1.445

Total Length: 477.00 ft

Total Volume: 5.576 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW: .20 @ 55 F = 38000


Serial #: 8675


Inside

Ritchie Exploration Inc

Huseman 20A #1

DST Test Number: 2





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc
8100 E 22nd ST N #700
Box 783188
Wichita KS, 67278-3188
ATTN: Mike Engelbrecht

20-16s-31w Scott Co, KS

Huseman 20A #1

Job Ticket: 57285

DST#: 3

Test Start: 2014.10.19 @ 18:58:00

GENERAL INFORMATION:

Formation: **Kansas City 'H'**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 20:34:15

Time Test Ended: 01:10:45

Test Type: Conventional Bottom Hole (Reset)

Tester: Jace McKinney

Unit No: 75

Interval: 4130.00 ft (KB) To 4163.00 ft (KB) (TVD)

Reference Elevations: 2937.00 ft (KB)

Total Depth: 4163.00 ft (KB) (TVD)

2932.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Poor

KB to GR/CF: 5.00 ft

Serial #: 8675 Inside

Press@RunDepth: 148.20 psig @ 4131.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2014.10.19

End Date:

2014.10.20

Last Calib.: 2014.10.20

Start Time: 18:58:15

End Time:


01:10:45

Time On Btm: 2014.10.19 @ 20:33:00

Time Off Btm: 2014.10.19 @ 23:34:30

TEST COMMENT: Built to 7 1/2" blow
Bled off for 3 min. No return blow
Built to 7" blow
Bled off for 3 min. No return blow

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2060.91	109.53	Initial Hydro-static
2	18.10	108.52	Open To Flow (1)
31	94.72	115.83	Shut-In(1)
76	1055.09	117.01	End Shut-In(1)
77	96.86	116.50	Open To Flow (2)
121	148.20	122.84	Shut-In(2)
181	1037.41	121.91	End Shut-In(2)
182	2008.78	121.37	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
122.00	mcw 20%M 80%W	0.60
128.00	w cm 40%W 60%M	1.79

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc

20-16s-31w Scott Co, KS

8100 E 22nd ST N #700

Huseman 20A #1

Box 783188

Job Ticket: 57285

DST#: 3

Wichita KS, 67278-3188

Test Start: 2014.10.19 @ 18:58:00

ATTN: Mike Engelbrecht

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 62.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.00 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2100.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
122.00	mcw 20%M 80%W	0.600
128.00	w cm 40%W 60%M	1.792

Total Length: 250.00 ft

Total Volume: 2.392 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: Rw : .25 @ 55 F = 40,000


Serial #: 8675

Inside

Ritchie Exploration Inc

Huseman 20A #1

DST Test Number: 3





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc

8100 E 22nd ST N #700
Box 783188
Wichita KS, 67278-3188
ATTN: Mike Engelbrecht

20-16s-31w Scott Co, KS

Huseman 20A #1

Job Ticket: 57286

DST#: 4

Test Start: 2014.10.20 @ 07:52:00

GENERAL INFORMATION:

Formation: **Kansas City 'I'**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 10:00:00

Time Test Ended: 14:54:00

Test Type: Conventional Bottom Hole (Reset)

Tester: Jace McKinney

Unit No: 75

Interval: 4166.00 ft (KB) To 4195.00 ft (KB) (TVD)

Total Depth: 4195.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 2937.00 ft (KB)

2932.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8675 Inside

Press@RunDepth: 263.53 psig @ 4167.00 ft (KB)

Start Date: 2014.10.20

End Date:

2014.10.20

Start Time: 07:52:15

End Time:

14:54:00

Capacity: 8000.00 psig


Last Calib.: 2014.10.20

Time On Btm: 2014.10.20 @ 09:59:45

Time Off Btm: 2014.10.20 @ 12:59:30

TEST COMMENT: B.O.B. in 18 min.
Bled off for 5 min. No return blow
B.O.B. in 21 1/2 min.
Bled off for 5 min. No return blow

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2025.70	107.69	Initial Hydro-static
1	20.51	106.72	Open To Flow (1)
31	143.75	124.23	Shut-In(1)
75	1062.52	121.87	End Shut-In(1)
76	148.22	121.40	Open To Flow (2)
120	263.53	125.94	Shut-In(2)
180	1031.75	124.44	End Shut-In(2)
180	1930.49	124.81	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
311.00	100%Water	3.25
126.00	mcw 30%M 70%W	1.77
78.00	100%Mud	1.09

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc

20-16s-31w Scott Co, KS

8100 E 22nd ST N #700

Huseman 20A #1

Box 783188

Job Ticket: 57286

DST#: 4

Wichita KS, 67278-3188

Test Start: 2014.10.20 @ 07:52:00

ATTN: Mike Engelbrecht

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 62.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.00 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2100.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
311.00	100%Water	3.247
126.00	mcw 30%M 70%W	1.767
78.00	100%Mud	1.094

Total Length: 515.00 ft

Total Volume: 6.108 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW: .25 @ 80 F = 40,000

Serial #: 8675


Inside

Ritchie Exploration Inc

Huseman 20A #1

DST Test Number: 4

Pressure vs. Time





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc

8100 E 22nd ST N #700
Box 783188
Wichita KS, 67278-3188
ATTN: Mike Engelbrecht

20-16s-31w Scott Co, KS

Huseman 20A #1

Job Ticket: 57287

DST#: 5

Test Start: 2014.10.21 @ 20:28:00

GENERAL INFORMATION:

Formation: **Pawnee - Myric Stati**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 22:33:30

Time Test Ended: 02:12:00

Test Type: Conventional Bottom Hole (Reset)

Tester: Jace McKinney

Unit No: 75

Interval: 4434.00 ft (KB) To 4490.00 ft (KB) (TVD)

Total Depth: 4490.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 2937.00 ft (KB)

2932.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8675 Inside

Press@RunDepth: 23.61 psig @ 4435.00 ft (KB)

Start Date: 2014.10.21

End Date:

2014.10.22

Start Time: 20:28:15

End Time:

02:12:00

Capacity: 8000.00 psig


Last Calib.: 2014.10.22

Time On Btm: 2014.10.21 @ 22:32:45

Time Off Btm: 2014.10.22 @ 00:34:45

TEST COMMENT: Built to 1/4" blow
No return blow
No blow, Flushed tool after 10 min
No return blow

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2222.33	114.72	Initial Hydro-static
1	20.30	113.84	Open To Flow (1)
31	22.17	115.52	Shut-In(1)
61	226.83	116.62	End Shut-In(1)
61	22.42	116.45	Open To Flow (2)
91	23.61	117.50	Shut-In(2)
121	436.35	118.45	End Shut-In(2)
122	2196.99	118.88	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	100% Mud	0.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc

20-16s-31w Scott Co, KS

8100 E 22nd ST N #700

Huseman 20A #1

Box 783188

Job Ticket: 57287

DST#: 5

Wichita KS, 67278-3188

Test Start: 2014.10.21 @ 20:28:00

ATTN: Mike Engelbrecht

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 56.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.40 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2700.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
10.00	100% Mud	0.049

Total Length: 10.00 ft

Total Volume: 0.049 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 8675

Inside

Ritchie Exploration Inc

Huseman 20A #1

DST Test Number: 5





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc

8100 E 22nd ST N #700
Box 783188
Wichita KS, 67278-3188
ATTN: Mike Engelbrecht

20-16s-31w Scott Co, KS

Huseman 20A #1

Job Ticket: 57288

DST#: 6

Test Start: 2014.10.22 @ 14:35:00

GENERAL INFORMATION:

Formation: **Johnson Zone**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 16:19:30

Time Test Ended: 20:35:45

Test Type: Conventional Bottom Hole (Reset)

Tester: Jace McKinney

Unit No: 75

Interval: 4528.00 ft (KB) To 4583.00 ft (KB) (TVD)

Total Depth: 4583.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 2937.00 ft (KB)

2932.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8675

Inside

Press@RunDepth: 82.45 psig @ 4529.00 ft (KB)

Start Date: 2014.10.22

End Date:

2014.10.22

Start Time: 14:35:15

End Time:

20:35:45

Capacity: 8000.00 psig


Last Calib.: 2014.10.22

Time On Btm: 2014.10.22 @ 16:18:30

Time Off Btm: 2014.10.22 @ 18:50:00

TEST COMMENT: Built to 2 1/4" blow
Bled off for 3 min, No return blow
No blow, Flushed the tool after 15 min
Bled off for 3 min, No return blow

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2249.16	114.40	Initial Hydro-static
1	20.85	113.92	Open To Flow (1)
31	56.45	116.91	Shut-In(1)
76	1153.85	118.66	End Shut-In(1)
76	60.81	118.25	Open To Flow (2)
106	82.45	120.49	Shut-In(2)
151	1118.72	121.87	End Shut-In(2)
152	2201.00	122.06	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
125.00	ocm 2%O 98%M	0.64

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc

20-16s-31w Scott Co, KS

8100 E 22nd ST N #700

Huseman 20A #1

Box 783188

Job Ticket: 57288

DST#: 6

Wichita KS, 67278-3188

Test Start: 2014.10.22 @ 14:35:00

ATTN: Mike Engelbrecht

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 51.00 sec/qt

Cushion Volume:

bbl

Water Loss: 6.80 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2500.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
125.00	ocm 2%O 98%M	0.638

Total Length: 125.00 ft

Total Volume: 0.638 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 8675


Inside

Ritchie Exploration Inc

Huseman 20A #1

DST Test Number: 6

Pressure vs. Time



Trilobite Testing, Inc

Ref. No: 57288

Printed: 2014, 10, 23 @ 07:48:38