

Computer Inventoried

ORIGINAL

WELL NAME: Hibbert #23 A
COMPANY: Ricks Exploration, Inc.
LOCATION: 23-16S-42W
Greeley County, Kansas
DATE: 4/29/98

15-071-20686

TRILOBITE TESTING L.L.C.

ORIGINAL

OPERATOR : Ricks Exploration

DATE 4-24-98

WELL NAME: Hibbert #23XA

KB 3797.00 ft

TICKET NO: 11246

DST #1

LOCATION : 23-16S-42W Greeley KS.

GR 3787.00 ft

FORMATION: Morrow

INTERVAL : 4970.00 To 5073.00 ft

TD 5073.00 ft

TEST TYPE: CONVENTIONAL

RECORDER DATA

Mins	Field	1	2	3	4	TIME DATA-----
PF 30 Rec.	13339	13339	3024			PF Fr. 2305 to 2335 hr
SI 60 Range (Psi)	4025.0	4025.0	4995.0	0.0	0.0	IS Fr. 2335 to 0035 hr
SF 90 Clock (hrs)	12 HR	12 HR	ALP			SF Fr. 0035 to 0205 hr
FS 120 Depth(ft)	5002.0	5002.0	4972.0	0.0	0.0	FS Fr. 0205 to 0405 hr

	Field	1	2	3	4	
A. Init Hydro	2403.0	2410.0	2385.0	0.0	0.0	T STARTED 2037 hr
B. First Flow	619.0	581.0	570.0	0.0	0.0	T ON BOTM 2333 hr
B1. Final Flow	919.0	933.0	977.0	0.0	0.0	T OPEN 2335 hr
C. In Shut-in	979.0	983.0	1005.0	0.0	0.0	T PULLED 0405 hr
D. Init Flow	979.0	983.0	1006.0	0.0	0.0	T OUT 0930 hr
E. Final Flow	979.0	983.0	1007.0	0.0	0.0	
F. Fl Shut-in	979.0	983.0	1008.0	0.0	0.0	
G. Final Hydro	2353.0	2362.0	2339.0	0.0	0.0	
Inside/Outside	0	0	I			

TOOL DATA-----

Tool Wt.	2000.00 lbs
Wt Set On Packer	30000.00 lbs
Wt Pulled Loose	140000.00 lbs
Initial Str Wt	92000.00 lbs
Unseated Str Wt	110000.00 lbs
Bot Choke	0.75 in
Hole Size	8.88 in
D Col. ID	2.25 in
D. Pipe ID	3.80 in
D.C. Length	559.00 ft
D.P. Length	4409.00 ft

RECOVERY

Tot Fluid 2029.00 ft of 559.00 ft in DC and 1470.00 ft in DP
 480.00 ft of Gassy mud cut water
 0.00 ft of 40% gas trace oil 40% water 20% mud
 540.00 ft of Gas oil water cut mud
 0.00 ft of 48% gas 2% oil 20% water 30% mud
 1009.00 ft of Gas oil mud cut water
 0.00 ft of 55% gas 8% oil 23% water 10% mud
 0.00 ft of
 0.00 ft of RW .19 @ 65 deg =
 SALINITY 44000.00 P.P.M. A.P.I. Gravity 0.00

MUD DATA-----

Mud Type	Chemical
Weight	9.20 lb/c:
Vis.	60.00 S/L
W.L.	9.60 in3
F.C.	0.00 in
Mud Drop N	
Amt. of fill	6.00 ft
Btm. H. Temp.	134.00 F
Hole Condition	Fair
% Porosity	0.00
Packer Size	6.75 in
No. of Packers	2
Cushion Amt.	0.00
Cushion Type	
Reversed Out N	
Tool Chased Y	6.00 ft
Tester	Rod Steinbrink
Co. Rep.	Fred / Jeff
Contr.	Murfin
Rig #	25
Unit #	
Pump T.	

BLOW DESCRIPTION

Initial Flow:
 Strong blow off bottom in 1 min
 Initial Shut-in:
 No return blow
 Final Flow:
 No blow back
 Final Shut-in:
 No return blow

SAMPLES:

SENT TO:

Test Successful: Y

*** TOOL DIAGRAM *** CONVENTIONAL

WELL NAME: Hibbert #23XA

LOCATION : 23-16S-42W Greeley KS.

TICKET No. 11246 D.S.T. No. 1 DATE 4-24-98

TOTAL TOOL TO BOTTOM OF TOP PACKERS 30

INTERVAL TOOL 41

BOTTOM PACKERS AND ANCHOR

TOTAL TOOL 71

DRILL COLLAR ANCHOR IN INTERVAL

D.C. ANCHOR STND.Stands Single Total

D.P. ANCHOR STND.Stands Single 2 Total 62

TOTAL ASSEMBLY 133

D.C. ABOVE TOOLS.Stands6 Single Total 559

D.P. ABOVE TOOLS.Stands47 Single Total 4409

TOTAL DRILL COLLARS DRILL PIPE & TOOLS .. 5101

TOTAL DEPTH 5073

TOTAL DRILL PIPE ABOVE K.B. 28

REMARKS:

Sampler DATA;

Gas; 2000 ml

Oil; 500 ml

Water; 1500 ml

Mud;


Total Volume; 4000 ml

Pressure; 350 psi

P.O. SUB 1' Above 90' DC	4850
C.O. SUB 1'	4940
S.I. TOOL 5'	4946
Sampler 3'	4949
HMV 5'	4954
JARS 5'	4959
SAFETY JOINT 2'	4961
PACKER 4'	4965
PACKER 5'	4970
DEPTH	
STUBB 1'	4971
ANCHOR	
ALP Rec. @	4972
AK-1 Rec. 13339 @	5002
33' Perf.	5004
1' c/o sub	5005
62' DP	5067
1' c/o sub	5068
T.C.	
DEPTH	
AK-1 Rec. 13276 @	5068
BULLNOSE 5'	
T.D.	5073

CHART PAGE

DST #1
13389 X




This is a photocopy of the actual AK-1 recorder chart

11246 DST #1 Hibbert #23XA Ricks Exploration

TEST HISTORY

Flag Points

t (Min.)	P (PSIg)
R: 0.00	2385.39
B: 0.00	570.84
C: 30.00	977.81
D: 61.00	1005.95
E: 0.00	1006.01
F: 88.00	1007.82
G: 121.00	1008.67
Q: 0.00	2339.77



Pressure (PSIg)

Temperature (DEG F)

Time (Min.)

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 11246 DST #1 Hibbert #23XA Ricks Exploration

DATE: 04/24/98 TIME: 19:33:15

	Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
***** Initial Hydro.	145.00	2385.4	0.0	122.16		
***** Start Flow 1	0.00	570.8	0.0	122.57		
	1.00	628.5	57.7	123.31		
	2.00	646.0	75.2	124.74		
	3.00	684.7	113.9	126.86		
	4.00	728.5	157.7	129.28		
	5.00	770.5	199.7	131.58		
	6.00	784.5	213.7	133.59		
	7.00	797.3	226.5	135.25		
	8.00	811.1	240.2	136.61		
	9.00	807.2	236.3	137.71		
	10.00	814.2	243.4	138.57		
	11.00	846.4	275.5	139.29		
	12.00	875.2	304.4	139.62		
	13.00	893.3	322.4	139.67		
	14.00	903.4	332.6	139.63		
	15.00	910.5	339.7	139.67		
	16.00	916.5	345.6	139.74		
	17.00	922.1	351.3	139.82		
	18.00	926.9	356.1	139.91		
	19.00	931.2	360.4	140.01		
	20.00	936.1	365.2	140.10		
	21.00	941.4	370.5	140.21		
	22.00	946.2	375.4	140.31		
	23.00	951.2	380.3	140.40		
	24.00	955.7	384.8	140.49		
	25.00	960.0	389.2	140.55		
	26.00	964.0	393.1	140.62		
	27.00	967.8	396.9	140.68		
	28.00	971.2	400.4	140.73		
	29.00	974.7	403.9	140.76		
***** End Flow 1	30.00	977.8	407.0	140.78		
***** Start Shutin 1	0.00	977.8	0.0	140.78	0.0000	0.956
	1.00	995.9	18.1	140.79	31.0000	0.992
	2.00	997.7	19.9	140.78	16.0000	0.995
	3.00	998.6	20.8	140.73	11.0000	0.997
	4.00	999.2	21.4	140.64	8.5000	0.998
	5.00	999.6	21.8	140.53	7.0000	0.999
	6.00	1000.1	22.3	140.41	6.0000	1.000
	7.00	1000.4	22.6	140.27	5.2857	1.001
	8.00	1000.7	22.9	140.14	4.7500	1.001
	9.00	1000.9	23.1	140.01	4.3333	1.002
	10.00	1001.1	23.3	139.88	4.0000	1.002
	11.00	1001.3	23.5	139.74	3.7273	1.003
	12.00	1001.5	23.7	139.62	3.5000	1.003
	13.00	1001.7	23.9	139.50	3.3077	1.003
	14.00	1001.9	24.1	139.39	3.1429	1.004
	15.00	1002.0	24.2	139.27	3.0000	1.004
	16.00	1002.1	24.3	139.15	2.8750	1.004
	17.00	1002.3	24.5	139.06	2.7647	1.005
	18.00	1002.4	24.6	138.95	2.6667	1.005

ORIGINAL

 ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 11246 DST #1 Hibbert #23XA Ricks Exploration

DATE: 04/24/98

TIME: 19:33:15

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
19.00	1002.5	24.7	138.86	2.5789	1.005
20.00	1002.6	24.8	138.76	2.5000	1.005
21.00	1002.7	24.9	138.66	2.4286	1.005
22.00	1002.8	25.0	138.58	2.3636	1.006
23.00	1002.9	25.1	138.50	2.3043	1.006
24.00	1003.0	25.2	138.43	2.2500	1.006
25.00	1003.1	25.3	138.36	2.2000	1.006
26.00	1003.2	25.4	138.30	2.1538	1.006
27.00	1003.3	25.5	138.25	2.1111	1.007
28.00	1003.4	25.6	138.22	2.0714	1.007
29.00	1003.5	25.7	138.20	2.0345	1.007
30.00	1003.6	25.8	138.17	2.0000	1.007
31.00	1003.7	25.9	138.14	1.9677	1.008
32.00	1003.8	26.0	138.12	1.9375	1.008
33.00	1003.9	26.1	138.08	1.9091	1.008
34.00	1004.0	26.2	138.05	1.8824	1.008
35.00	1004.1	26.3	138.01	1.8571	1.008
36.00	1004.2	26.4	137.97	1.8333	1.008
37.00	1004.3	26.5	137.94	1.8108	1.009
38.00	1004.3	26.5	137.90	1.7895	1.009
39.00	1004.4	26.6	137.85	1.7692	1.009
40.00	1004.5	26.7	137.80	1.7500	1.009
41.00	1004.6	26.8	137.77	1.7317	1.009
42.00	1004.7	26.8	137.72	1.7143	1.009
43.00	1004.8	26.9	137.66	1.6977	1.010
44.00	1004.8	27.0	137.61	1.6818	1.010
45.00	1004.9	27.1	137.56	1.6667	1.010
46.00	1005.0	27.2	137.51	1.6522	1.010
47.00	1005.1	27.3	137.47	1.6383	1.010
48.00	1005.2	27.4	137.42	1.6250	1.010
49.00	1005.3	27.5	137.38	1.6122	1.011
50.00	1005.3	27.5	137.32	1.6000	1.011
51.00	1005.4	27.6	137.28	1.5882	1.011
52.00	1005.5	27.7	137.22	1.5769	1.011
53.00	1005.5	27.7	137.18	1.5660	1.011
54.00	1005.6	27.8	137.13	1.5556	1.011
55.00	1005.7	27.8	137.09	1.5455	1.011
56.00	1005.7	27.9	137.04	1.5357	1.011
57.00	1005.8	27.9	136.99	1.5263	1.012
58.00	1005.8	28.0	136.94	1.5172	1.012
59.00	1005.9	28.0	136.91	1.5085	1.012
60.00	1005.9	28.1	136.88	1.5000	1.012
61.00	1006.0	28.1	136.82	1.4918	1.012
***** End Shut-in 1					
***** Start Flow 2					
0.00	1006.0	0.0	136.77		
1.00	1006.1	0.1	136.74		
2.00	1006.1	0.1	136.70		
3.00	1006.2	0.2	136.66		
4.00	1006.2	0.2	136.62		
5.00	1006.3	0.2	136.58		
6.00	1006.3	0.3	136.54		
7.00	1006.3	0.3	136.50		

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 11246 DST #1 Hibbert #23XA Ricks Exploration

DATE: 04/24/98

TIME: 19:33:15

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
8.00	1006.4	0.3	136.46		
9.00	1006.4	0.4	136.42		
10.00	1006.4	0.4	136.38		
11.00	1006.5	0.4	136.36		
12.00	1006.5	0.5	136.31		
13.00	1006.6	0.5	136.28		
14.00	1006.6	0.5	136.26		
15.00	1006.6	0.5	136.22		
16.00	1006.6	0.6	136.19		
17.00	1006.6	0.6	136.16		
18.00	1006.7	0.7	136.15		
19.00	1006.7	0.7	136.10		
20.00	1006.7	0.7	136.07		
21.00	1006.8	0.7	136.04		
22.00	1006.8	0.8	136.02		
23.00	1006.8	0.8	135.99		
24.00	1006.8	0.8	135.95		
25.00	1006.8	0.8	135.93		
26.00	1006.9	0.9	135.91		
27.00	1006.9	0.9	135.88		
28.00	1006.9	0.9	135.84		
29.00	1006.9	0.9	135.82		
30.00	1007.0	0.9	135.80		
31.00	1007.0	1	135.77		
32.00	1007.0	1.0	135.75		
33.00	1007.0	1.0	135.73		
34.00	1007.1	1.0	135.70		
35.00	1007.1	1.1	135.68		
36.00	1007.1	1.1	135.66		
37.00	1007.1	1.1	135.64		
38.00	1007.1	1.1	135.63		
39.00	1007.1	1.1	135.61		
40.00	1007.2	1.1	135.57		
41.00	1007.2	1.2	135.55		
42.00	1007.2	1.2	135.54		
43.00	1007.2	1.2	135.52		
44.00	1007.2	1.2	135.49		
45.00	1007.3	1.2	135.47		
46.00	1007.3	1.3	135.46		
47.00	1007.3	1.3	135.43		
48.00	1007.3	1.3	135.41		
49.00	1007.3	1.3	135.39		
50.00	1007.3	1.3	135.38		
51.00	1007.4	1.4	135.35		
52.00	1007.4	1.3	135.34		
53.00	1007.4	1.3	135.32		
54.00	1007.4	1.4	135.31		
55.00	1007.4	1.4	135.29		
56.00	1007.4	1.4	135.28		
57.00	1007.4	1.4	135.26		
58.00	1007.5	1.5	135.25		

 ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 11246 DST #1 Hibbert #23XA Ricks Exploration

DATE: 04/24/98

TIME: 19:33:15

	Time	Pressure PSIg	delta P PSIg	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
	59.00	1007.4	1.4	135.23		
	60.00	1007.5	1.4	135.22		
	61.00	1007.5	1.5	135.21		
	62.00	1007.5	1.5	135.19		
	63.00	1007.5	1.5	135.18		
	64.00	1007.5	1.5	135.17		
	65.00	1007.6	1.6	135.15		
	66.00	1007.6	1.6	135.14		
	67.00	1007.6	1.6	135.13		
	68.00	1007.6	1.6	135.11		
	69.00	1007.6	1.6	135.10		
	70.00	1007.7	1.6	135.10		
	71.00	1007.7	1.6	135.09		
	72.00	1007.7	1.6	135.07		
	73.00	1007.7	1.7	135.05		
	74.00	1007.7	1.7	135.04		
	75.00	1007.7	1.7	135.03		
	76.00	1007.7	1.7	135.03		
	77.00	1007.7	1.7	135.01		
	78.00	1007.7	1.7	135.00		
	79.00	1007.7	1.7	134.99		
	80.00	1007.7	1.7	134.99		
	81.00	1007.8	1.7	134.97		
	82.00	1007.8	1.7	134.97		
	83.00	1007.8	1.8	134.95		
	84.00	1007.8	1.8	134.95		
	85.00	1007.8	1.8	134.93		
	86.00	1007.8	1.8	134.93		
	87.00	1007.8	1.8	134.93		
*****	End Flow 2	88.00	1007.8	1.8	134.91	
*****	Start Shutin 2	0.00	1007.8	0.0	134.91	0.0000
		1.00	1007.9	0.0	134.89	119.0000
		2.00	1007.9	0.1	134.89	60.0000
		3.00	1007.9	0.1	134.89	40.3333
		4.00	1007.9	0.1	134.88	30.5000
		5.00	1007.9	0.1	134.88	24.6000
		6.00	1007.9	0.1	134.86	20.6667
		7.00	1007.9	0.1	134.86	17.8571
		8.00	1007.9	0.1	134.85	15.7500
		9.00	1007.9	0.1	134.84	14.1111
		10.00	1008.0	0.1	134.85	12.8000
		11.00	1008.0	0.1	134.83	11.7273
		12.00	1008.0	0.2	134.83	10.8333
		13.00	1008.0	0.2	134.82	10.0769
		14.00	1008.0	0.2	134.82	9.4286
		15.00	1008.0	0.2	134.81	8.8667
		16.00	1008.0	0.2	134.81	8.3750
		17.00	1008.0	0.2	134.80	7.9412
		18.00	1008.0	0.2	134.79	7.5556
		19.00	1008.0	0.2	134.79	7.2105
		20.00	1008.0	0.2	134.78	6.9000

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 11246 DST #1 Hibbert #23XA Ricks Exploration

DATE: 04/24/98

TIME: 19:33:15

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P ² /10 ⁶
21.00	1008.1	0.3	134.78	6.6190	1.016
22.00	1008.1	0.2	134.78	6.3636	1.016
23.00	1008.1	0.3	134.77	6.1304	1.016
24.00	1008.1	0.3	134.77	5.9167	1.016
25.00	1008.1	0.3	134.76	5.7200	1.016
26.00	1008.1	0.3	134.74	5.5385	1.016
27.00	1008.1	0.3	134.75	5.3704	1.016
28.00	1008.1	0.3	134.74	5.2143	1.016
29.00	1008.1	0.3	134.73	5.0690	1.016
30.00	1008.1	0.3	134.73	4.9333	1.016
31.00	1008.1	0.3	134.73	4.8065	1.016
32.00	1008.1	0.3	134.73	4.6875	1.016
33.00	1008.2	0.3	134.73	4.5758	1.016
34.00	1008.2	0.4	134.73	4.4706	1.016
35.00	1008.2	0.4	134.72	4.3714	1.016
36.00	1008.2	0.4	134.72	4.2778	1.016
37.00	1008.2	0.4	134.71	4.1892	1.016
38.00	1008.2	0.4	134.71	4.1053	1.016
39.00	1008.2	0.4	134.71	4.0256	1.016
40.00	1008.2	0.4	134.71	3.9500	1.016
41.00	1008.2	0.4	134.71	3.8780	1.016
42.00	1008.2	0.4	134.70	3.8095	1.016
43.00	1008.2	0.4	134.70	3.7442	1.017
44.00	1008.2	0.4	134.69	3.6818	1.017
45.00	1008.2	0.4	134.69	3.6222	1.017
46.00	1008.2	0.4	134.69	3.5652	1.017
47.00	1008.3	0.4	134.69	3.5106	1.017
48.00	1008.3	0.4	134.68	3.4583	1.017
49.00	1008.3	0.4	134.68	3.4082	1.017
50.00	1008.3	0.4	134.69	3.3600	1.017
51.00	1008.3	0.5	134.68	3.3137	1.017
52.00	1008.3	0.5	134.67	3.2692	1.017
53.00	1008.3	0.5	134.69	3.2264	1.017
54.00	1008.3	0.5	134.68	3.1852	1.017
55.00	1008.3	0.5	134.67	3.1455	1.017
56.00	1008.3	0.5	134.68	3.1071	1.017
57.00	1008.3	0.5	134.68	3.0702	1.017
58.00	1008.3	0.5	134.67	3.0345	1.017
59.00	1008.3	0.5	134.67	3.0000	1.017
60.00	1008.3	0.5	134.67	2.9667	1.017
61.00	1008.3	0.5	134.67	2.9344	1.017
62.00	1008.4	0.5	134.66	2.9032	1.017
63.00	1008.4	0.5	134.66	2.8730	1.017
64.00	1008.4	0.5	134.66	2.8438	1.017
65.00	1008.4	0.5	134.65	2.8154	1.017
66.00	1008.4	0.5	134.66	2.7879	1.017
67.00	1008.4	0.6	134.65	2.7612	1.017
68.00	1008.4	0.6	134.65	2.7353	1.017
69.00	1008.4	0.6	134.65	2.7101	1.017
70.00	1008.4	0.6	134.66	2.6857	1.017
71.00	1008.4	0.6	134.65	2.6620	1.017

ORIGINAL

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 11246 DST #1 Hibbert #23XA Ricks Exploration

DATE: 04/24/98 TIME: 19:33:15

Time	Pressure PSig	delta P PSig	Temp. DEG F	(T+dT)/dT	P^2/10^6
72.00	1008.4	0.6	134.65	2.6389	1.017
73.00	1008.4	0.6	134.65	2.6164	1.017
74.00	1008.4	0.6	134.65	2.5946	1.017
75.00	1008.4	0.6	134.65	2.5733	1.017
76.00	1008.4	0.6	134.66	2.5526	1.017
77.00	1008.4	0.6	134.65	2.5325	1.017
78.00	1008.4	0.6	134.64	2.5128	1.017
79.00	1008.5	0.7	134.65	2.4937	1.017
80.00	1008.5	0.7	134.65	2.4750	1.017
81.00	1008.5	0.6	134.64	2.4568	1.017
82.00	1008.5	0.7	134.64	2.4390	1.017
83.00	1008.5	0.7	134.64	2.4217	1.017
84.00	1008.5	0.7	134.63	2.4048	1.017
85.00	1008.5	0.7	134.64	2.3882	1.017
86.00	1008.5	0.7	134.65	2.3721	1.017
87.00	1008.5	0.7	134.64	2.3563	1.017
88.00	1008.5	0.7	134.65	2.3409	1.017
89.00	1008.5	0.7	134.64	2.3258	1.017
90.00	1008.5	0.7	134.65	2.3111	1.017
91.00	1008.5	0.7	134.64	2.2967	1.017
92.00	1008.5	0.7	134.64	2.2826	1.017
93.00	1008.5	0.7	134.65	2.2688	1.017
94.00	1008.6	0.7	134.65	2.2553	1.017
95.00	1008.5	0.7	134.65	2.2421	1.017
96.00	1008.6	0.8	134.65	2.2292	1.017
97.00	1008.6	0.8	134.65	2.2165	1.017
98.00	1008.6	0.8	134.64	2.2041	1.017
99.00	1008.6	0.8	134.65	2.1919	1.017
100.00	1008.6	0.8	134.64	2.1800	1.017
101.00	1008.6	0.7	134.65	2.1683	1.017
102.00	1008.6	0.7	134.65	2.1569	1.017
103.00	1008.6	0.8	134.66	2.1456	1.017
104.00	1008.6	0.8	134.66	2.1346	1.017
105.00	1008.6	0.8	134.66	2.1238	1.017
106.00	1008.6	0.8	134.66	2.1132	1.017
107.00	1008.6	0.8	134.65	2.1028	1.017
108.00	1008.6	0.8	134.66	2.0926	1.017
109.00	1008.6	0.8	134.66	2.0826	1.017
110.00	1008.6	0.8	134.66	2.0727	1.017
111.00	1008.6	0.8	134.67	2.0631	1.017
112.00	1008.6	0.8	134.67	2.0536	1.017
113.00	1008.6	0.8	134.67	2.0442	1.017
114.00	1008.6	0.8	134.66	2.0351	1.017
115.00	1008.6	0.8	134.68	2.0261	1.017
116.00	1008.6	0.8	134.67	2.0172	1.017
117.00	1008.7	0.8	134.67	2.0085	1.017
118.00	1008.7	0.8	134.67	2.0000	1.017
119.00	1008.7	0.8	134.68	1.9916	1.017
120.00	1008.7	0.9	134.68	1.9833	1.017
121.00	1008.7	0.9	134.68	1.9752	1.017

***** End Shut-in 2

ALPINE SUBSURFACE ELECTRONICS PROBE INCREMENTS LISTING

TEST: 11246 DST #1 Hibbert #23XA Ricks Exploration

DATE: 04/24/98 TIME: 19:33:15

	Time	Pressure	delta P	Temp.	(T+dT)/dT	P ² /10 ⁶
		PSig	PSig	DEG F		
***** Final Hydro.	452.00	2339.8	0.0	134.72		

ORIGINAL

