


SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Temperature - Pressure Data



1	Initial Hydrostatic Pressure	1655
2	Initial Flow Pressure	55
3	Final Initial Flow Pressure	58
4	Initial Shut-In Pressure	376
5	Initial Final Flow Pressure	59
6	Final Flow Pressure	63
7	Final Shut-In Pressure	374
8	Final Hydrostatic Pressure	1581

Maximum Temperature 100

GENERAL INFORMATION

COMPANY NAME L.B EXPLORATION INC

TEST DATE 1/11/08

LEASE AND WELL NUMBER JANSEN #1

SECTION-TOWN-RANGE 29-17-10W

FORMATION TESTED ARBUCKLE

STATE KANSAS

DRILL STEM TEST NUMBER 1

COUNTY ELLSWORTH

REPORT NUMBER 15551

ELEVATION GROUND LEVEL 1795

ELEVATION KELLY BUSHINGS 1781

COMPANY REPRESENTATIVE JIM MUSGROVE

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3231

TOP PACKER DEPTH 3226

TEST INTERVAL (to) 3295

BOTTOM PACKER DEPTH 3231

ANCHOR LENGTH 64

NUMBER OF PACKERS 2

TOTAL DEPTH (ft) 3295

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

FINAL OPEN

TOOL OPEN (from) 9:53P

TOOL OPEN (from) 10:53

TOOL OPEN (to) 10:23

TOOL OPEN (to) 11:13

DURATION (min.) 30

DURATION (min.) 20

INITIAL SHUT-IN

FINAL SHUT-IN

TOOL CLOSED (from) 10:23

TOOL CLOSED (from) 11:13

TOOL CLOSED (to) 10:53

TOOL CLOSED (to) 11:43

DURATION (min.) 30

DURATION (min.) 30

INITIAL FLOW

WEAK BLOW DID NOT BUILD STAYED STEADY THROUGHOUT OPEN
NO BLOW BACK

FINAL FLOW

NO BLOW FLUSHED TOOL 10 MIN INTO OPEN NO BLOW
NO BLOW BACK

10 Company: L.B EXPLORATION INC Lease & Well No. JANSEN #1 Test #: 1 Date: 1-11-08 SEC 29 TWP. 17 RCH.

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	L.B EXPLORATION INC	LEASE AND WELL NUMBER	JANSEN #1
TEST DATE	1/11/08	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	29-17-10W	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	15551
COUNTY	ELLSWORTH	ELEVATION KELLY BUSHINGS	1781
ELEVATION GROUND LEVEL	1795	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JIM MUSGROVE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	62 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	3291	BOTTOM RECORDER DEPTH	3292
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	ROYAL DRILLING		
DRILL PIPE LENGTH	3182	DRILL COLLAR LENGTH	30
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.
CHLORIDES-PITS	5,000	MUD WEIGHT #/GAL	8.9
CHLORIDES-DST		VISCOSITY	48
		WATER LOSS	11.2

COMMENTS

Temperature / Pressure Data



Tool serial number: 50005
Test report: 01-12-2008 11:00:23

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company LB Exploration Inc
 Address 2135 2nd Road Holyrood KS 67450
 Lease & # Jansen #1 Sec. 29 Twp 17 Rng 10W
 Date 1-12-2008 County Ellsworth Elevation 1795 G.L. 1801 K.B.
 Drilling Contractor Royal Drilling
 Drill Pipe Length 3183 I.D. of Drill Pipe 3.8 Tool Joint Size 4 1/2 XH
 Drill Collar Length 30 I.D. of Drill Collars 2.25 Tool Joint Size 4 1/2 XH
 Mud Weight 9.3 Viscosity 46 Filtrate 11.8 Chlorides-Pits 6,000 DST _____
 Top Packer Depth 3227 Bottom Packer Depth 3232 Number of Packers 2
 Tested From 3232 to 3300 Total Depth 3300 Anchor Length 68
 Test # 2 Formation Tested Arkuckle Hole Size 7 7/8
 Initial Blow Weak But Building Blow Built 2 inches in 45 min

Blow back on the 1st Shut-in NO Blow Back

Final Blow Weak Surface Blow Built 2 inch in 30 min

Blow back on the 2nd Shut-in NO Blow Back

Initial Hydrostatic 16.48 P.S.I. Final Hydrostatic 15.49 P.S.I. Maximum Temp. 101 F

Initial Opening <u>60</u> P.S.I. to <u>65</u> P.S.I.	from <u>7:59 AM</u> to <u>8:44 AM</u> <u>45</u> minutes
Initial Shut-in <u>562</u> P.S.I.	from <u>8:44 AM</u> to <u>9:14 AM</u> <u>30</u> minutes
Final Opening <u>67</u> P.S.I. to <u>69</u> P.S.I.	from <u>9:14 AM</u> to <u>9:49 AM</u> <u>30</u> minutes
Final Shut-in <u>668</u> P.S.I.	from <u>9:49 AM</u> to <u>10:29 AM</u> <u>45</u> minutes

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
<u>20</u>	<u>Slightly oil cut mud</u>		<u>10</u>	<u>90</u>	

Total Feet Recovered 20 Recovery Chlorides _____ Rw. _____ ohms @ _____ Degrees
 Gravity of oil _____ Corrected Gas to Surface in _____ minutes into the _____
 Max. Gas Gauged _____ MCF/day See Gas Flow Report Was a gas sample taken _____
 Comments _____


Extra Equipment-Jars _____ Safety Joint _____ Circulating Sub _____ Straddle _____
 Electronic Recorder No. 49441 Depth 3296 Extra Packer (3rd) _____ Hook Wall _____
 Bottom Recorder No. 13214 Depth 3292 Extra Packer (4th) _____ Sampler _____
 Tool Operator [Signature] Approved By _____
 Ticket No. 15552

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	1648
2	Initial Flow Pressure	60
3	Final Initial Flow Pressure	65
4	Initial Shut-In Pressure	562
5	Initial Final Flow Pressure	67
6	Final Flow Pressure	69
7	Final Shut-In Pressure	668
8	Final Hydrostatic Pressure	1549

Maximum Temperature 101

GENERAL INFORMATION

COMPANY NAME L.B EXPLORATION INC	
TEST DATE 1/12/08	LEASE AND WELL NUMBER JANSEN #1
SECTION-TOWN-RANGE 29-17-10W	FORMATION TESTED ARBUCKLE
STATE KANSAS	DRILL STEM TEST NUMBER 2
COUNTY ELLSWORTH	REPORT NUMBER 15552
ELEVATION GROUND LEVEL 1795	ELEVATION KELLY BUSHINGS 1801
COMPANY REPRESENTATIVE JIM MUSGROVE	TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3232	TOP PACKER DEPTH 3227
TEST INTERVAL (to) 3300	BOTTOM PACKER DEPTH 3232
ANCHOR LENGTH 68	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3300	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

<p><i>INITIAL OPEN</i></p> <p>TOOL OPEN (from) 7:59A</p> <p>TOOL OPEN (to) 8:44</p> <p>DURATION (min.) 45</p> <p><i>INITIAL SHUT-IN</i></p> <p>TOOL CLOSED (from) 8:44</p> <p>TOOL CLOSED (to) 9:14</p> <p>DURATION (min.) 30</p>	<p><i>FINAL OPEN</i></p> <p>TOOL OPEN (from) 9:14</p> <p>TOOL OPEN (to) 9:44</p> <p>DURATION (min.) 30</p> <p><i>FINAL SHUT-IN</i></p> <p>TOOL CLOSED (from) 9:44</p> <p>TOOL CLOSED (to) 10:29</p> <p>DURATION (min.) 45</p>
---	---

**INITIAL FLOW WEAK BUT BUILDING BLOW BUILT 2 INCHES INTO BUCKET IN 45 MIN
NO BLOW BACK**

**FINAL FLOW WEAK SURFACE BLOW BUILT 1/2 INCH INTO BUCKET IN 30 IN
NO BLOW BACK**

Company: L.B EXPLORATION INC Lease & Well No. JANSEN # 1 Test #: 2 Date: 1-12-08 SEC. 29 TWP. 17 RGE. 10

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT
GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	L.B EXPLORATION INC	LEASE AND WELL NUMBER	JANSEN #1
TEST DATE	1/12/08	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	29-17-10W	DRILL STEM TEST NUMBER	2
STATE	KANSAS	REPORT NUMBER	15552
COUNTY	ELLSWORTH	ELEVATION KELLY BUSHINGS	1801
ELEVATION GROUND LEVEL	1795	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JIM MUSGROVE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	62 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	3296	BOTTOM RECORDER DEPTH	3297
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	ROYAL DRILLING	DRILL COLLAR LENGTH	30
DRILL PIPE LENGTH	3183	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	6,000	MUD WEIGHT #/GAL	9.3
CHLORIDES-DST		VISCOSITY	46
		WATER LOSS	11.8

COMMENTS

Temperature / Pressure Data



Tool serial number: 80000
Test serial: 01/12/2008 14:58:58

SUPERIOR TESTERS ENTERPRISES L.L.C.


1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: L.B EXPLORATION INC
 RGE. 10
 Lease & Well No. JANSEN # 1
 Test #: 3
 Date: 1-12-08
 SEC. 29
 TWP. 17

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	1656
2	Initial Flow Pressure	66
3	Final Initial Flow Pressure	75
4	Initial Shut-In Pressure	733
5	Initial Final Flow Pressure	76
6	Final Flow Pressure	78
7	Final Shut-In Pressure	771
8	Final Hydrostatic Pressure	1613

Maximum Temperature 101

GENERAL INFORMATION

COMPANY NAME L.B EXPLORATION INC

TEST DATE 1/12/08

LEASE AND WELL NUMBER JANSEN #1

SECTION-TOWN-RANGE 29-17-10W

FORMATION TESTED ARBUCKLE

STATE KANSAS

DRILL STEM TEST NUMBER 3

COUNTY ELLSWORTH

REPORT NUMBER 15553

ELEVATION GROUND LEVEL 1795

ELEVATION KELLY BUSHINGS 1801

COMPANY REPRESENTATIVE JIM MUSGROVE

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3232

TOP PACKER DEPTH 3227

TEST INTERVAL (to) 3306

BOTTOM PACKER DEPTH 3232

ANCHOR LENGTH 74

NUMBER OF PACKERS 2

TOTAL DEPTH (ft) 3306

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

FINAL OPEN

TOOL OPEN (from) 6:52P

TOOL OPEN (from) 8:07

TOOL OPEN (to) 7:37

TOOL OPEN (to) 8:52

DURATION (min.) 45

DURATION (min.) 45

INITIAL SHUT-IN

FINAL SHUT-IN

TOOL CLOSED (from) 7:37

TOOL CLOSED (from) 8:52

TOOL CLOSED (to) 8:07

TOOL CLOSED (to) 9:37

DURATION (min.) 30

DURATION (min.) 45

INITIAL FLOW

**WEAK BUT BUILDING BLOW BUILT 3 INCHES IN TO BUCKET IN 45 MIN
NO BLOW BACK**

FINAL FLOW

**WEAK SURFACE BLOW BUILT 1 INCH IN 45 MIN
NO BLOW BACK**

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	L.B EXPLORATION INC	LEASE AND WELL NUMBER	JANSEN #1
TEST DATE	1/12/08	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	29-17-10W	DRILL STEM TEST NUMBER	3
STATE	KANSAS	REPORT NUMBER	15553
COUNTY	ELLSWORTH	ELEVATION KELLY BUSHINGS	1801
ELEVATION GROUND LEVEL	1795	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JIM MUSGROVE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	62 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3302	BOTTOM RECORDER DEPTH	3303
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	ROYAL DRILLING	DRILL COLLAR LENGTH	30
DRILL PIPE LENGTH	3183	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	6,000	MUD WEIGHT #/GAL	9.3
CHLORIDES-DST		VISCOSITY	46
		WATER LOSS	11.8

COMMENTS

Temperature / Pressure Data



Tool serial number: 53335

Test start: 01/12/2008 20:29:02