

5-17s- 11w

(800) 792-6902

Ticket No. 15175

SUPERIOR TESTERS ENTERPRISES L.L.C.


1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: R.J.M COMPANY INC
RGE. 11

Lease & Well No. SCHNEWIES B #2 Test #: 1 Date: 6-26-07 SEC. 5 TWP. 17



1	Initial Hydrostatic Pressure	1583
2	Initial Flow Pressure	26
3	Final Initial Flow Pressure	32
4	Initial Shut-In Pressure	408
5	Initial Final Flow Pressure	23
6	Final Flow Pressure	32
7	Final Shut-In Pressure	340
8	Final Hydrostatic Pressure	1597

Maximum Temperature 106

GENERAL INFORMATION

COMPANY NAME R.J.M COMPANY INC

TEST DATE 6/26/07

SECTION-TOWN-RANGE 5-17-11W

STATE KANSAS

COUNTY BARTON

ELEVATION GROUND LEVEL

COMPANY REPRESENTATIVE

LEASE AND WELL NUMBER SCHNEWIES B #2

FORMATION TESTED ARBUCKLE

DRILL STEM TEST NUMBER 1

REPORT NUMBER ####

ELEVATION KELLY BUSHINGS 1901

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3304

TEST INTERVAL (to) 3378

ANCHOR LENGTH 74

TOTAL DEPTH (ft) 3378

TOP PACKER DEPTH 3299

BOTTOM PACKER DEPTH 3304

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 9:43A

TOOL OPEN (to) 10:13

DURATION (min.) 30

INITIAL SHUT-IN

TOOL CLOSED (from) 10:13

TOOL CLOSED (to) 10:43

DURATION (min.) 30

FINAL OPEN

TOOL OPEN (from) 10:43

TOOL OPEN (to) 11:13

DURATION (min.) 30

FINAL SHUT-IN

TOOL CLOSED (from) 11:13

TOOL CLOSED (to) 11:43A

DURATION (min.) 30

INITIAL FLOW

WEAK SURFACE BLOW BUILT 1/2 INCH INTO BUCKET AND STAYED THROUGHOUT
NO BLOW BACK

FINAL FLOW

OPEN TOOL NO BLOW FLUSHED TOOL 5 MIN IN VERY WEAK SURFACE BLOW
DIED OFF 25 MIN

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	R.J.M COMPANY INC	LEASE AND WELL NUMBER	SCHNEWIES B #2
TEST DATE	6/26/07	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	5-17-11W	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	15175
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1901
ELEVATION GROUND LEVEL	1896	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JIM MUSGROVE		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	60 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3374	BOTTOM RECORDER DEPTH	3375
RECORDER NUMBER	91986	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	ROYAL DRILLING	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3318	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		

COMMENTS

Drill Stem Test Report


Recovery Sample Description

1-800-792-6902

Great Bend, Kansas 67530

Drill Pipe	I.D.	Feet	Recovery Description For Drill Pipe	Gas	Oil	Mud	Water	Total bbls.
4 1/2	3.82	25	SLIGHTLEY OIL CUT MUD		30%	70%		0.3550
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
Drill Collars	I.D.		Recovery Description For Drill Collars	0.0000	0.1065	0.2485	0.0000	
	2.25							0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
								0.0000
Total Recovery		25 Feet	Total bbls. Recovered From Drill Pipe	0.0000	0.1065	0.2485	0.0000	Total
			Total bbls. Recovered From Drill Collars	0.0000	0.0000	0.0000	0.0000	bbls
			Total bbls Recovered	0.0000	0.1065	0.2485	0.0000	0.3550
				Gas	Oil	Mud	Water	
MUD WEIGHT #/GAL	9.0		Resistivity	ohms @			Degrees	
VISCOSITY	50		Recovery Chlorides	ppm				
WATER LOSS	10.8		Pit Chlorides	ppm				
			4 1/2 inch Drill Pipe 3.83 I.D. Drill Collars 2.25 I.D					
			SCHNEIEWIES B #2	5-17-11W	6-26-07	DST #1		
			R.J.M COMPANY INC					

Temperature / Pressure Data



Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company RTM Company Inc
 Address PO Box 260 Claflin KS 67525
 Lease & # Schnewas B#2 Sec. 5 Twp 17 Rng 11
 Date 6-26-2007 County Barton Elevation 1896 G.L. 1901 K.B.
 Drilling Contractor Royal Drilling
 Drill Pipe Length 3319 I.D. of Drill Pipe 3.8 Tool Joint Size 4 1/2 XH
 Drill Collar Length I.D. of Drill Collars Tool Joint Size
 Mud Weight 9.5 Viscosity 47 Filtrate 10.2 Chlorides-Pits 4,000 DST
 Top Packer Depth 3300 Bottom Packer Depth 3305 Number of Packers 2
 Tested From 3305 to 3383 Total Depth 3383 Anchor Length 78
 Test # 2 Formation Tested Airbuckle Hole Size 7 7/8
 Initial Blow Fair to Strong Blow Bottom at Bucket in 30 min
 Final Blow Fair to Strong Blow Bottom at Bucket in 30 min

Blow back on the 1st Shut-in NDBlow
 Blow back on the 2nd Shut-in NDBlow
 Initial Hydrostatic 1588 P.S.I. Final Hydrostatic 1559 P.S.I. Maximum Temp. 105 F

Initial Opening <u>30</u>	P.S.I. to <u>79</u>	P.S.I. from <u>7:53 p m</u> to <u>8:23 p m</u>	<u>30</u> minutes
Initial Shut-in <u>1010</u>	P.S.I. from <u>8:23 p m</u> to <u>8:53 p m</u>	<u>30</u> minutes	
Final Opening <u>84</u>	P.S.I. to <u>120</u>	P.S.I. from <u>8:53 p m</u> to <u>9:38 p m</u>	<u>45</u> minutes
Final Shut-in <u>1008</u>	P.S.I. from <u>9:38 p m</u> to <u>10:23 p m</u>	<u>45</u> minutes	

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
60	<u>Slightly Gassy oil cut mud</u>	<u>5</u>	<u>50</u>	<u>45</u>	
60	<u>oil cut mud</u>		<u>50</u>	<u>50</u>	
60	<u>oil cut mud</u>		<u>50</u>	<u>50</u>	
60	<u>oil cut mud</u>		<u>40</u>	<u>60</u>	

Total Feet Recovered 240 Recovery Chlorides Rw. ohms @ Degrees
 Gravity of oil Corrected Gas to Surface in minutes into the
 Max. Gas Gauged MCF/day See Gas Flow Report Was a gas sample taken
 Comments

Extra Equipment-Jars Safety Joint Circulating Sub Straddle
 Electronic Recorder No. 3088 Depth 3379 Extra Packer (3rd) Hook Wall
 Bottom Recorder No. 47441 Depth 3380 Extra Packer (4th) Sampler
 Tool Operator Approved By

Ticket No. 15076

SUPERIOR TESTERS ENTERPRISES L.L.C.


1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: R.J.M COMPANY INC
RGE. 11
Lease & Well No. SCHNEWEIES B#2 Test #: 2 Date: 6-26-07 SEC. 5 TWP. 17

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	1588
2	Initial Flow Pressure	38
3	Final Initial Flow Pressure	79
4	Initial Shut-In Pressure	1010
5	Initial Final Flow Pressure	89
6	Final Flow Pressure	120
7	Final Shut-In Pressure	1008
8	Final Hydrostatic Pressure	1557

Maximum Temperature 105

GENERAL INFORMATION

COMPANY NAME	 R.J.M COMPANY INC	LEASE AND WELL NUMBER	 SCHNEWEIES B#2
TEST DATE	 6/26/07	FORMATION TESTED	 ARBUCKLE
SECTION-TOWN-RANGE	 5-17-11W	DRILL STEM TEST NUMBER	 2
STATE	 KANSAS	REPORT NUMBER	 #####
COUNTY	 BARTON	ELEVATION KELLY BUSHINGS	 1901
ELEVATION GROUND LEVEL		TESTING ENGINEER	 JARED SCHECK
COMPANY REPRESENTATIVE			

TOOL SETTING INFORMATION

TEST INTERVAL (From)	 3305	TOP PACKER DEPTH	 3300
TEST INTERVAL (to)	 3383	BOTTOM PACKER DEPTH	 3305
ANCHOR LENGTH	 78	NUMBER OF PACKERS	 2
TOTAL DEPTH (ft)	 3383	PACKER SIZE	 6 3/4
		HOLE SIZE	 7 7/8

FLOW TIMES

INITIAL OPEN		FINAL OPEN	
TOOL OPEN (from)	 7:53P	TOOL OPEN (from)	 8:53
TOOL OPEN (to)	 8:23	TOOL OPEN (to)	 9:38
DURATION (min.)	 30	DURATION (min.)	 45
INITIAL SHUT-IN		FINAL SHUT-IN	
TOOL CLOSED (from)	 8:23	TOOL CLOSED (from)	 9:38
TOOL CLOSED (to)	 8:53	TOOL CLOSED (to)	 10:23
DURATION (min.)	 30	DURATION (min.)	 45

INITIAL FLOW FAIR TO STRONG BLOW BUILT BOTTOM OF BUCKET IN 31 MIN
NO BLOW BACK

FINAL FLOW FAIR TO STRONG BLOW BUILT BOTTOM OF BUCKET IN 34 MIN
NO BLOW BACK

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	R.J.M COMPANY INC	LEASE AND WELL NUMBER	SCHNEWEIES B#2
TEST DATE	6/26/07	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	5-17-11W	DRILL STEM TEST NUMBER	2
STATE	KANSAS	REPORT NUMBER	15076
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1901
ELEVATION GROUND LEVEL	1896	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	JIM MUSGROVE		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	60 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3379	BOTTOM RECORDER DEPTH	3380
RECORDER NUMBER	91986	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	ROYAL DRILLING INC	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3319	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		

COMMENTS

Recovery Sample Description

1-800-792-6902

Great Bend, Kansas 67530

[illegible]

Temperature / Pressure Data

