

KANSAS GEOLOGICAL SURVEY
 KANSAS WELL LOG BUREAU - KANSAS WELL SAMPLE BUREAU
 KANSAS GEOLOGICAL SOCIETY BUILDING
 508 EAST MURDOCK - WICHITA, KANSAS

OCT 22 1971

COMPANY Glen Rupe

SEC. 5 T. 17S R. 12W
 LOC. 50' W of NE NE NE

FARM Schiller

NO. 1

COUNTY Barton

TOTAL DEPTH 3,455'

COMM. October 6, 1971


COMP. October 17, 1971

SHOT OR TREATED

CONTRACTOR H-30, Inc.

ISSUED

KANSAS



CASING

20	10		ELEVATION	1932 KB
15	8-5/8"	332'	cemented w/225 sxs cement	
12	6			
13	5			
	4 1/2"	3445'	cemented w/125 sxs cement	

PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

Post Rock, Sand and Shale	332'
Shale and Red Bed	825'
Anhydrite	855'
Shale	960'
Shale and Lime Stringers	1,365'
Shale and Lime	1,750'
Lime and Shale	2,260'
Shale and Lime	2,645'
Lime and Shale	2,875'
Lime	3,095'
Lime and Shale	3,160'
Lime	3,455'
Rotary Total Depth	3,455'

I hereby certify the above and foregoing to be a true and correct log of the above described well as shown by the drilling reports.

H-30, INC.

Dean Britting

 Dean Britting

State of Kansas


County of Sedgwick

} SS:

Subscribed and Sworn to before me a Notary Public in and for said county and state this 22nd. day of October, 1971.

Elsie Willison

 Elsie Willison -Notary Public



Commission Expires:
 June 30, 1974

SCHILLER #1 - Log Tops

ANHYDRITE	828'
BASE OF ANHYDRITE	853'
TARKIO	2714'
TOPEKA	2752'
HEEBNER	3036'
BROWN LIME	3126'
LANSING	3140'
ARBUCKLE	3400'
Logged TD	3456'

as per Carroll Mahoney 10/28/71

*same info
to Independent
Pet Dept*

Shiller laid down rods & they

4

(perforated interval)

5302-06

3297-99

(and Engineer says 3296-3299)
70%

3146-50

jump into hole to acidize