



COMPANY Grand Mesa Oper. Corp. FARM Elmore

WELL NO. 113

SEC. 17 TWP. 17 RGE. 24 LOC.

COUNTY Ness

STATE Kansas

CONTRACTOR Duke Drilg. Co. Inc. Rig #4 SIZE HOLE 7 7/8" DRILL PIPE 4 1/2" X.H.

REMARKS:

SIZE PUMP LINERS 6" LENGTH STROKE 14"

DATE 6-5-93 AM.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3500</del>	<del>143</del>		
01	44	1	
	46	2	
	48	2	
	49	1	
05	50	1	
	51	1	
	51 1/2	1/2	
	52	1/2	
	53	1	
3510	54 1/2	1 1/2	
	55	1/2	
	57	2	conn
	<del>2 00</del>	1	
	02	1	
15	04	2	
	04 1/2	1/2	
	05	1/2	
	06	1	
	07	1	
3520	09	1	
	11	2	
	11 1/2	1/2	
	13	1 1/2	
	14 1/2	1 1/2	
25	17 1/2	3	
	20	2 1/2	
	22	2	
	24	2	
	26	2	
3530	28	2	
	30	2	
	32	2	
	34	2	
	36	2	
35	38	2	
	40	2	
	42 1/2	2 1/2	
	45	2 1/2	
	47	2	
3540	50	3	
	52	2	
	54 1/2	2 1/2	
	56	1 1/2	conn
	<del>30</del>	2	
45	03	2	
	06	3	
	09	3	
	12	3	
	13	1	
	14	1	
3550	15	1	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3550</del>	<del>15</del>		
51	15 1/2	1/2	
	16	1/2	
	17 1/2	1 1/2	
	20	2 1/2	
55	22	2	
	24	2	
	26	2	
	29	3	
	31	2	
3560	32	1	
	33	1	
	34	1	
	35	1	
	35 1/2	1/2	
65	36	1/2	
	38	2	
	40	2	
	41	1	
	43	2	
3570	44	1	
	45	1	
	46	1	
	46 1/2	1/2	
	47 1/2	1	
75	49	1 1/2	conn
	<del>35</del>	3	
	59	2	
	401	2	
	02	1	
3580	03	1	
	03 1/2	1/2	
	05	1 1/2	
	06	1	
	07	1	
85	08	1	
	09	1	
	09 1/2	1/2	
	10	1/2	
	11	1	
3590	12	1	
	13	1	
	15	2	
	18 1/2	3 1/2	
	21	2 1/2	
95	23	2	
	24	1	
	25	1	
	26	1	
	28	2	
3600	32	4	

COMPANY Grand Mesa Oper. Corp. FARM Elmore WELL NO. #3  
 SEC. 17 TWP. 17 RGE. 24 LOC. COUNTY Ness STATE Kansas  
 CONTRACTOR Duke Drlg. Co. Inc. Rig #4 SIZE HOLE 7 7/8" DRILL PIPE 4 1/2" XH  
 REMARKS: SIZE PUMP LINERS 6" LENGTH STROKE 14"

DATE 6-5-93 AM.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3600</del> 01	<del>4:40</del> 42	2	Jet # 2
	43	1	
	45	2	
	48	3	
05	50	2	
	52	2	Jet # 1 & Conn
	<del>52</del> 04	2	
	06	2	
	09	3	
3610	<del>51</del> 48	2	Jet # 1
	20	2	
	22	2	
	25	3	
	27	2	
15	29	2	Jet # 1
	<del>53</del> 35	2	
	37	2	
	40	3	
	42 1/2	2 1/2	
3620	45	2 1/2	Jet # 1
	<del>55</del> 53	2	
	54	1	
	56	2	
	58	2	
25	6:00	2	Jet # 1
	<del>6:00</del> 06	1	
	07 1/2	1 1/2	
	09	1 1/2	
	10	1	
3630	12 1/2	2 1/2	
	15	2 1/2	
	17	2	
	19	2 1/2	
	22	2 1/2	
35	24	2	
	26	2 1/2	
	27	1	
	28	1	CONN
	<del>33</del> 34	1 1/2	
3640	36	2	
	39	3	
	43	3 1/2	
	46	3	
	48	2	
45	49	1 1/2	
	51	2	
	53	2	
	56	2 1/2	
	58	2	
3650	7:00	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3650</del> 51	<del>7:00</del> 01	1 1/2	
	03	1 1/2	
	04	1 1/2	
	05	1	
55	07	2	
	10	3	
	13	2 1/2	
	15	2	
	17	2 1/2	
3660	20	2 1/2	
	23	3	
	26	3	
	27	1	
	28	1	
65	31	3	
	34	3	
	37	3	
	40	3	
	42	2 1/2	CONN & Rig ✓
3670	<del>41</del> 51	2	
	53	1 1/2	
	54	1	
	55	1	
	<del>00</del> 01	1	Set Clock
75	02	1/2	
	03	1	
	03	1 1/2	
	04	1	
	05	1 1/2	
3680	06	1 1/2	
	07	1	
	08	1	
	10	2	
	12	2	
85	14	1 1/2	
	15	1	
	15	1 1/2	
	16	1	
	17	1 1/2	
3690	18	1	
	19	1	
	20	1	
	21	1 1/2	Vis 34 wt 8.87
	23	1 1/2	WL 13.2 Chl. 350
95	25	2	PH 11.0
	27	2	
	29	2	
	31	2	
	32	1	
3700	33	1	

COMPANY Grand Mesa Operating FARM Elmore WELL NO. #3  
 SEC. 17 TWP. 17 RGE. 24 LOC. C-SW-SW COUNTY Ness STATE Kansas  
 CONTRACTOR Duke Drilling Company SIZE HOLE 7 7/8" DRILL PIPE 4 1/2" X-Hole  
 REMARKS: SIZE PUMP LINERS 6" LENGTH STROKE 14"

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3700</del>	<del>8:37</del>	<del>37</del>	
	38	1/2	
	38-	1/2	
	39	1/2	
05	39-	1/2	
	40-	1	
	41-	1	
	42-	1	
	44	1 1/2	
10	46	2	
	46-	1/2	
	47-	1	
	48-	1	
	49	1/2	
15	50	1	
	51	1	
	52	1	
	53	1	
	54	1	
20	56	2	
	57-	1 1/2	
	59-	2	
	9:01-	2	
	03	1 1/2	
25	05	2	
	07	2	
	08-	1 1/2	
	10	1 1/2	
	11-	1 1/2	
30	13	1 1/2	
	15	2	CONN
	<del>18-</del>	<del>20</del>	1 1/2
	21-	1 1/2	
	23-	2	
35	25-	2	
	27	1 1/2	
	29	2	
	30	1	
	31	1	
40	32-	1 1/2	
	34	1 1/2	
	35-	1 1/2	
	37	1 1/2	
	39	2	
45	40-	1 1/2	
	41-	1	
	42-	1	
	44	1 1/2	
	45-	1 1/2	
3750	47-	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3700</del>	<del>47-</del>	<del>49-</del>	2 Mud Man's ✓
	51-	2	Vis 36 Wt 8.8
	53-	2	Wk. 10.6 Chl. 2000
	55	1 1/2	PH 11.5 Solids 3.3%
55	56-	1 1/2	
	58	1 1/2	
	59-	1 1/2	
	10:01	1 1/2	
	02-	1 1/2	
60	04	1 1/2	
	05-	1 1/2	
	07	1 1/2	CONN
	<del>10-</del>	<del>12-</del>	2
	15	2 1/2	
65	17	2	
	19-	2 1/2	
	21	1 1/2	
	22-	1 1/2	
	23-	1	
70	24-	1	
	26	1 1/2	
	28-	2 1/2	
	30-	2	
	33	2 1/2	
75	35-	2 1/2	
	38	2 1/2	
	40-	2 1/2	
	43	2 1/2	
	45-	2 1/2	
80	48-	3	
	50	1 1/2	
	51-	1 1/2	
	53-	2	
	55	1 1/2	
85	56-	1 1/2	
	58	1 1/2	
	59-	1 1/2	
	11:02-	3	
	05-	3	
90	08	2 1/2	
	10-	2 1/2	
	13	2 1/2	
	15-	2 1/2	CONN
	<del>19-</del>	<del>21-</del>	2
95	23-	2	
	25	1 1/2	
	26	1 1/2	
	28-	2	
	30-	2	
3800	32-	2	

COMPANY Grand Mesa Operating Co. FARM Elmore

WELL NO. #3

SEC. 17 TWP. 17 RGE. 24 LOC. C-SW-SW

COUNTY Ness

STATE Kansas

CONTRACTOR Duke Drilling Company

SIZE HOLE 7 7/8"

DRILL PIPE 4 1/2" X-Hole

REMARKS:

SIZE PUMP LINERS 6"

LENGTH STROKE 14"

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3850</del>	<del>11:32</del>	2 1/2	
	35	2	
	37	2	
	39	2	
	41-	2 1/2	
05	43-	2	
	46	2 1/2	
	48-	2 1/2	
	50-	2	
	53	2 1/2	
10	55	2	
	58	3	
	12:00	2	
	02-	2 1/2	
	05	2 1/2	
15	07	2	
	10	3	
	12	2	
	14	2	
	17	3	
20	20-	3 1/2	
	23-	3	
	24-	1	
	25-	1	CONN
	<del>29</del> 31-	2	
25	34	2 1/2	
	36-	2 1/2	
	38-	2	
	40	1 1/2	
	42	2	
30	44	2	
	46	2	
	48	2	
	50	2	
	52-	2 1/2	
35	55	2 1/2	
	58	3	
	1:00-	2 1/2	
	03-	3	
	06-	3	
40	08-	2	
	10	1 1/2	
	11-	1 1/2	
	13-	2	
	15-	2	
45	17-	2	
	19-	2	
	21	1 1/2	
	22-	1 1/2	
	24-		
3850	26-		

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3850</del>	<del>1:26</del>	2 1/2	
	29	2 1/2	
	31-	2 1/2	
	34	2 1/2	
	37	3	CONN
55	<del>40</del> 43-	3	
	46-	3	
	49	2 1/2	
	51-	2 1/2	
	54	2 1/2	
60	57	3	
	2:00-	3 1/2	
	03-	3	Vis 38 wt 9.0
	05-	2	WL. 11.2
	08-	3	
65	11-	3	
	14-	3	
	16-	2	
	18	1 1/2	
	20	2	
70	22-	2 1/2	
	25	2 1/2	
	27	2	
	29	2	
	31-	2 1/2	
75	34	2 1/2	
	36-	2 1/2	
	39	2 1/2	
	41	2	
	42	1	
80	43	1	
	45	2	
	47	2	
	49-	2 1/2	
	52-	3	CONN & RIG
85	<del>3:00</del> 02	2	
	04	2	
	06	2	
	07-	1 1/2	
	09	1 1/2	
90	11-	2 1/2	
	14-	3	
	16-	2	
	19	2 1/2	
	21-	2 1/2	
95	23-	2	
	26	2 1/2	
	28	2	
	28-	1 1/2	
	29	1 1/2	
3900	29-	1 1/3	

COMPANY Grand Mesa Operating Co. FARM Elmore

WELL NO. #3

SEC. 17 TWP. 17 RGE. 24 LOC. C-SW-SW COUNTY Ness

STATE Kansas

CONTRACTOR Duke Drilling Company

SIZE HOLE 7 7/8"

DRILL PIPE 4 1/2" X-Hole

REMARKS:

SIZE PUMP LINERS 6"

LENGTH STROKE 14"

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3900</del>	<del>29<sup>27</sup></del> 29 <sup>27</sup>	1/3	
	30	1/3	
	30-	1/2	
	31	1/2	
05	31-	1/2	
	32-	1	
	33-	1	
	34-	1	
	36-	2	
10	39	2 1/2	
	41-	2 1/2	
	44-	3	
	47	2 1/2	
	50	3	
15	53	3	CONN
	<del>57</del> 59	2 1/2	
	4:02	2 1/2	
	04-	2 1/2	
	07	2 1/2	
20	10	3	
	13	3	
	15-	2 1/2	
	18	2 1/2	
	21	3	
25	24	3	
	27-	3 1/2	
	30	2 1/2	
	31-	1 1/2	
	34	2 1/2	
30	36	2	
	38	2	
	40	2	
	42-	2 1/2	
	44-	2	
35	47	2 1/2	
	50	3	
	52-	2 1/2	
	55	2 1/2	
	56-	1 1/2	
40	59	2 1/2	
	5:01-	2 1/2	
	03-	2	Vis 39 wt 9.2
	06	2 1/2	Wk. 10.6 chl.
	08-	2 1/2	PH. 11.5
45	11	2 1/2	
	13-	2 1/2	
	16	2 1/2	CONN
	<del>21</del> 23	2	
	25	2	
3950	27	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3950</del>	<del>5:27</del> 29-	2 1/2	
	31-	2	
	34-	3	
	38	3 1/2	
55	40-	2 1/2	
	44	3 1/2	
	46-	2 1/2	
	49-	3	
	52-	3	
60	55	2 1/2	
	57-	2 1/2	
	6:00	2 1/2	
	02-	2 1/2	
	05-	3	
65	08-	3	
	11	2 1/2	
	14	3	
	17	3	
	20	3	
70	23	3	Call Geo. ✓
	25	2	
	26-	1 1/2	
	28	1 1/2	
	30	2	
75	31-	1 1/2	
	32-	1	
	34	1 1/2	
	35	1	CONN
	<del>38-</del> 40	1 1/2	
80	42	2	
	44-	2 1/2	
	47	2 1/2	
	50	3	
	52-	2 1/2	
85	55	2 1/2	
	57-	2 1/2	
	7:00-	3	
	03	2 1/2	
	06	3	
90	09	3	
	12	3	
	15	3	
	18	3	
	21	3	
95	24	3	
	27-	3 1/2	
	30	2 1/2	
	33	3	
	35-	2 1/2	
4000	37-	2	

COMPANY Grand Mesa Operating Co. FARM Elmore

WELL NO. #:

SEC. 17 TWP. 17 RGE. 24 LOC. C-SW-SW COUNTY Ness

STATE Kansas

CONTRACTOR Duke Drilling Company

SIZE HOLE 7 7/8"

DRILL PIPE 4 1/2" X-Hole

REMARKS:

SIZE PUMP LINERS 6"

LENGTH STROKE 14'

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>4000</del>	<del>7:37</del>	<del>39-</del>	
	41	1 1/2	
	43	2	
	46	3	
05	49	3	
	52	3	
	54-	2 1/2	
	<del>7:59</del> 8:02	2 1/2	Set Clock
	04-	2 1/2	
10	<del>07</del> 09	2	
	11	2	
	12	1	
	13	1	
	14	1	
15	14-	1 1/2	
	17	2 1/2	
	20	3	
	23	3	
	26	3	
20	29	3	
	32-	3 1/2	
	35	2 1/2	
	38	3	
	41-	3 1/2	
25	44-	3	
	47-	3	
	50	2 1/2	
	52-	2 1/2	
	54	1 1/2	
30	56	2	
	59	3	
	9:02	3	
	05	3	
	08	3	
35	10-	2 1/2	
	12-	2	
	15	2 1/2	
	18	3	
	21	3	
40	24-	3 1/2	
	27-	3	Conn
	<del>32</del> 35	3	
	38	3	
	41	3	
45	43-	2 1/2	
	46-	3	
	48-	2	
	50	1 1/2	
	52-	2 1/2	
4050	54	1 1/2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>4050</del>	<del>54</del>	<del>36</del>	
	58	2	
	1:00-	3 1/2	
	05-	4	
55	09	3 1/2	
	11	2	
	14-	3 1/2	
	18	3 1/2	
	21	3	
60	<del>28</del>	4 1/2	
	30	4 1/2	
	32-	2 1/2	
	35	2 1/2	
	37-	2 1/2	
65	41	3 1/2	
	44	3	
	46	2	
	49	3	
	51	2	
70	53	2	
	55	2	
	57	2	Rig ck & Conn
	<del>11:03</del> 05	2	
	08	3	
75	11 1/2	3 1/2	
	15 1/2	4	
	20 1/2	5	
	24 1/2	4	
	28,	3 1/2	
80	32 1/2	4 1/2	
	36	3 1/2	
	41	5	
	45	4	
	49	4	correct time
85	<del>1:51</del> 58	4	vis 40 wt. 9.4
	01	3	
	05	4	
	09	4	
	12	3	
90	15	3	
	18	3	
	22	4	
	25	3	
	29	4	
95	33	4	
	36	3	
	40	4	
	43	3	
	47	4	
4100	50	3	

COMPANY Grand Mesa Operating Co FARM Elmore

WELL NO. #3

SEC. 17 TWP. 17 RGE. 24 LOC. C-SW-SW COUNTY Ness

STATE Kansas

CONTRACTOR Duke Drilling Company

SIZE HOLE 7 7/8"

DRILL PIPE 4 1/2" X-Hole

REMARKS:

SIZE PUMP LINERS 6"

LENGTH STROKE 14"

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>4100</del>	<del>12:50</del>	<del>3</del>	
	53	3	
	56	3	
	1:00	4	
	03	3	CONN
05	<del>1:05</del>	<del>3</del>	
	12	4	
	15	3	
	19	4	
	23	4	
10	27	4	
	30	3	
	33	3	
	36	3	
	39	3	
15	42	3	
	45	3	
	48	3	
	51	3	
	53	2	
20	56	3	
	2:00	4	Vis, 42
	04	4	WT, 9.5
	08	4	Ph, 11.0
	12	4	WL, 10.8
25	15	3	CHL, 2000
	20	5	
	24	4	
	27	3	
	31	4	
30	35	4	
	38	3	
	41	3	
	44	3	
	47	3	
35	50	3	CONN
	<del>2:59</del>	<del>4</del>	
	3:03	4	
	08	5	
	13 1/2	4 1/2	
40	17	4 1/2	
	23	6	
	27	4	
	31 1/2	4 1/2	
	35	3 1/2	
45	38	3	
	41	3	
	45	4	
	50	5	
	52	2	
4150	54	4	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>4150</del>	<del>3:54</del>	<del>4</del>	
	4:02	4	
	07	5	
	12 1/2	5 1/2	
55	18	6 1/2	
	23	5	
	27	4	
	32	5	
	35 1/2	3 1/2	
60	39 1/2	4	
	44	4 1/2	
	47	3	
	50	3	
	53	3	
65	57	4	CONN
	<del>5:03</del>	<del>3</del>	
	08	3	
	12	4	
	16	4	
70	20	4	Vis 43
	23 1/2	3 1/2	WT, 9.5
	27	3 1/2	WL, 10.6
	30	3	Ph, 11
	33 1/2	3 1/2	CHL, 3000
75	37 1/2	4	
	42	5 1/2	
	47	5	
	53	6	
	57	4	WAKE GEO @ 6:3
80	6:00	3	
	04	4	
	07	3	
	11	4	
	16	5	
85	20	4	
	24	4	
	28	4	
	32	4	
	36	4	
90	40	4 1/2	
	45	4 1/2	
	49	4	
	53	4	
	57	4	
95	7:01	4	
	05	4	
	09	4	
	<del>15-19-</del>	<del>4</del>	
	24	4 1/2	
4200	<del>25</del>	<del>4 1/2</del>	Clock Stopped

COMPANY Grand Mesa Operating Co FARM Elmore

WELL NO. #3

SEC. 17 TWP. 17 RGE. 24 LOC. C-SW-SW COUNTY Ness

STATE Kansas

CONTRACTOR Duke Drilling Company

SIZE HOLE 7 7/8"

DRILL PIPE 4 1/2" X-Hole

REMARKS:

SIZE PUMP LINERS 6"

LENGTH STROKE 14"

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>4200</del>	<del>25</del>	<del>29</del>	<del>4 1/2</del>
	33-	4	
	37	3 1/2	
	41-	4 1/2	
05	45-	4	
	48	2 1/2	
	51	3	
	54-	3 1/2	
	<del>8:05</del> 08-	3 1/2	Set Clock
10	12	3 1/2	
	15	3	
	18-	3 1/2	
	21-	3	
	25	3 1/2	
15	28-	3 1/2	
	32-	4	
	36	3 1/2	
	39-	3 1/2	
	43	3 1/2	
20	47	4	
	50-	3 1/2	
	54-	4	
	59	4 1/2	
	9:03	4	
25	08	5	
	12	4	
	16	4	
	20-	4 1/2	CONN
	<del>26</del> 30-	4 1/2	
30	35	4 1/2	
	39	4	Mud Man's ✓
	43-	4 1/2	Vis 49 wt 9.4+
	48	4 1/2	WL 10.4 chl. 1700
	52-	4 1/2	PH 11.0 Solids 8.0
35	57	4 1/2	
	10:02	5	
	06-	4 1/2	
	11	4 1/2	
	15-	4 1/2	
40	20	4 1/2	
	24-	4 1/2	
	28-	4	
	33-	5	
	38-	5	
45	43	4 1/2	
	47-	4 1/2	
	52	4 1/2	
	56-	4 1/2	
	11:00-	4	
4250	05	4 1/2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>4250</del>	<del>11:05</del>	<del>09</del>	<del>4</del>
	13-	4 1/2	
	17	3 1/2	
	21-	4 1/2	
55	25	3 1/2	
	29-	4 1/2	
	33-	4	
	37	3 1/2	CONN
	<del>43</del> 47	4	
60	51	4	
	55-	4 1/2	
	59-	4	
	12:04	4 1/2	
	07-	3 1/2	
65	<del>10</del> 14	3 1/2	Dry Out Brakes
	17-	3 1/2	
	21	3 1/2	
	24-	3 1/2	
	28	3 1/2	
70	31-	3 1/2	
	35	3 1/2	
	38-	3 1/2	
	42	3 1/2	
	45	3	
75	48	3 1/2	
	51-	3	
	54-	3	
	57-	3	
	1:00-	3	
80	03	2 1/2	WAKE UP GEO
	06	2	
	08	2	
	09-	1 1/2	
	10-	1	
85	11-	1	
	13	1 1/2	
	15-	2 1/2	
	19	3 1/2	
	22	3	
90	25-	3 1/2	CONN
	<del>32</del> 36	3 1/2	
	39-	3 1/2	
	43-	4	
	47-	4	
95	51	3 1/2	
	55	4	
	59	4	
	2:03	4	
	07	4	
4300	10-	3 1/2	CFS 20", 40", 60"

COMPANY Grand Mesa Operating

FARM Elmore

WELL NO. # 3

SEC. 17 TWP. 17 RGE. 24 LOC. C-SW-SW

COUNTY Ness

STATE Kansas

CONTRACTOR Duke Drilling Company

SIZE HOLE 7 7/8"

DRILL PIPE 4 1/2" X-Hole

REMARKS:

SIZE PUMP LINERS 6"

LENGTH STROKE 14"

20  
15  
43

DATE

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>4300</del>	<del>1:56</del> 2:00	4	Vis-48 wt-9.4
	03	3	PH-11.0 WL-10.4
	05	2	Chl-2000
	09	4	
05	13	4	
	17	4	
	20	3	CLEAN BOX AT 07.
	23	3	
	25	2	
10	28	3	NO SAMPLE HERE.
	31	3	Vis 48 wt. 9.6
	35	4	PH. 11. WL. 12.2
	40	5	ChL. 5000
	46	6	CFS 0", 30", 60"
15	<del>4:03</del> 06	3	
	08	2	
	11	3	
	14	3	
	17	3	
20	21	4	
	23 1/2	2 1/2	
	26	2 1/2	CONN
	<del>4:30</del> 33 1/2	3 1/2	
	37 1/2	4	
25	41 1/2	4	Vis 48 wt. 9.5
	46	4 1/2	PH. 11 WL 10.4
	50 1/2	4 1/2	ChL. 5000
	54	3 1/2	
	58	4	
30	5:03	5	
	07	4	
	11 1/2	4 1/2	
	15 1/2	4	
	21	5 1/2	
35	26	5	
	32	6	
	38	6	
	44	6	
	50	6	
40	55	5	
	59	4	
	6:05	6	
	10	5	
	14	4	
45	21	6	- WAKE GEO. BRING
	25	4	OUT SAMPLES + DRILL
	28-	3 1/2	TIME
	33	4 1/2	
	37	4	
4350	41	4	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>4350</del>	<del>6:41</del> 45-	4 1/2	
	49	3 1/2	
	52	3	CONN
	<del>7:00</del> 03-	3 1/2	
55	07-	4	
	10-	3	
	14-	4	
	17	2 1/2	
	20-	3 1/2	
60	23-	3	
	27	3 1/2	
	31-	4 1/2	
	36-	5	
	40-	4	
65	44-	4	
	48-	4	
	53	4 1/2	
	58-	5 1/2	
	<del>04</del> 01-	5 1/2	Set Clock
70	16	6 1/2	
	21	5	
	26	5	
	30-	4 1/2	
	37	6 1/2	
75	43	6	
	47-	4 1/2	
	52	4 1/2	
	57	5	
	9:02-	5 1/2	
80	08-	6	
	14	5 1/2	
	19-	5 1/2	
	24-	5	
	29-	5	CONN
85	<del>34</del> 39	5	
	44	5	
	50	6	
	55-	5 1/2	
	10:00-	5	
90	05-	5	
	11-	6	
	17	5 1/2	
	22	5	
	27	5	
95	32	5	
	37	5	
	41	4	
	45-	4	
	49	4	
4400	53-	4 1/2	

41