

ANY *Waller's Dug - et al*

FARM *Tilley*

WELL NO. *3*

TWP. RGE. LOC.

COUNTY *Neosho*

STATE *Kan*

CONTRACTOR *C. O. Jones*

SIZE HOLE

DRILL PIPE

REMARKS: *PT Retip @ 53'*

SIZE PUMP LINERS

LENGTH STROKE

DATE *10-10-62 P.M.*

DEPTH	TIME O'CLOCK	MIN.	REMARKS
1050 55	10.20 10.25	4	
60	10.29	4	<i>Conn & Luv</i>
65	10.36 10.40	4	
70	10.45	5	
75	10.50	5	
80	10.54	4	
85	10.58	4	
90	11.03	5	<i>Conn</i>
95	11.08 11.13	5	
1100	11.20	7	<i>Start 1st Time</i>
01	11.21	1	
02	11.22	1	
03	11.23	1	
04	11.24	1	
05	11.25	1	
06	11.26	1	
07	11.27	1	
08	11.28	1	
09	11.29	1	
1110	11.30	1	
11	11.31	1	
12	11.32	1	
13	11.33	1	
14	11.34	1	
1115	11.35	1	
16	11.36	1	
17	11.37	1	
18	11.38	1	
19	11.39	1	
1120	11.40	1	<i>Conn.</i>
21	11.46 11.47	1	
22	11.48	1	
23	11.49	1	
24	11.50	1	
1125	11.51	1	
26	11.52	1	
27	11.53	1	
28	11.54	1	
29	11.55	1	
1130	11.56	1	
31		1/2	
32	11.57	1/2	
33		1/2	
34	11.58	1/2	
1135		1/2	
36	11.59	1/2	
37		1/3	
38		1/3	
39	12.00	1/3	
1140		1/3	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
1140 41		1/3	<i>10-11-62 A.</i>
42	12.01	1/3	
43	12.02	1	
44	12.03	1	
1145	12.04	1	
46	12.05	1	
47	12.06	1	
48	12.08	2	<i>Blaine</i>
49	12.11	3	
1150	12.14	3	
51	12.18	4	
52	12.21	3	
53	12.25	4	
54	12.29	4	
1155	12.33	4	<i>Conn & Luv</i>
56	12.34 12.41	2	
57	12.42	1	
58	12.43	1	
59	12.44	1	
1160	12.46	2	
61	12.48	2	
62	12.50	2	
63	12.52	2	
64	12.54	2	
1165	12.58	4	
66	1.02	4	
67	1.06	4	
68	1.10	4	
69	1.14	4	
1170	1.18	4	
71	1.19	1	
72	1.20	1	
73	1.21	1	
74	1.22	1	
1175	1.23	1	
76	1.24	1	
77	1.25	1/2	
78	1.26	1/2	
79	1.27	1/2	
1180	1.28	1/2	
81	1.29	1/2	
82	1.27	1/2	
83		1/2	
84	1.28	1/2	
1185	1.29	1	<i>Conn & Luv</i>
90	1.30 1.38	5	
95	1.53	5	
1200	1.58	5	<i>Start 5th Time</i>

ROTARY DRILLING TIME SHEET # 503
KANSAS BLUE PRINT CO., WICHITA, KAN.

KANSAS BLUE PRINT CO., WICHITA, KAN.

ANY *Walter S. Co.*

FARM *Tilley*

WELL NO. *2*

TWP. . RGE. . LOC.

COUNTY *Neosho*

STATE *Kansas*

CONTRACTOR *Co. Tools*

SIZE HOLE *7 7/8* DRILL PIPE *4 1/2*

REMARKS:

SIZE PUMP LINERS *6 3/4* LENGTH STROKE *12'*

DATE *10-10-62 P.M.*

DEPTH	TIME O'CLOCK	MIN.	REMARKS
550	5:07		
55	5:09	2	
60	5:11	2	
65	5:13	2	
70	5:14	1	
75	5:15	1	
80	5:18	2	CONTIN
85	5:22	2	
90	5:24	2	
95	5:26	2	
600	5:28	2	
5	5:30	2	
10	5:33	2	CONTIN
15	5:36	1	
20	5:38	2	
25	5:40	2	
30	5:42	2	
35	5:44	2	
40	5:47	2	CONTIN
45	5:52	3	
650	5:54	2	
55	5:56	2	
60	5:58	2	
65	6:00	2	
70	6:03	3	CONTIN
75	6:08	2	
80	6:10	2	
85	6:13	3	
90	6:15	2	
95	6:16	1	
700	6:19	1	CONTIN
5	6:21	1	
10	6:22	1	
15	6:23	1	
20	6:24	1	
25	6:25	1	
30	6:28	2	CONTIN
35	6:31	1	
40	6:32	1	
45	6:33	1	
750	6:34	1	
55	6:35	1	
60	6:38	1	CONTIN
65	6:41	2	
70	6:45	4	
75	6:48	3	
80	6:51	3	
85	6:53	2	
90	6:56	3	CONTIN
95	7:02	3	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
800	7:04		
5	7:06	2	
10	7:08	2	
15	7:11	3	
20	7:14	3	CONTIN
25	7:19	2	P.P. 250-275
30	7:21	2	
35	7:25	4	
40	7:33	8	
45	7:45	12	
850	7:48	3	CONTIN
55	7:54	3	
60	7:56	2	
65	7:58	2	
70	8:00	2	
75	8:05	5	
80	8:08	3	CONTIN
85	8:14	2	
90	8:18	4	
95	8:22	4	
900	8:24	2	
5	8:28	4	
10	8:32	3	CONTIN
15	8:38	3	
20	8:39	1	
25		1/3	
30		1/3	
35	8:40	1/3	P.W.T. 34,000
40	8:43	4	CONTIN
45	8:50	3	
950	8:54	4	
55	8:57	3	
60	9:01	4	
65	9:06	5	
70	9:09	5	CONTIN
75	9:24	9	P.P. 275-31
80	9:28	4	
85	9:29	1	
90	9:30	1/2	
95	9:30	1/2	
1000	9:34	1	CONTIN
5	9:36	2	
10	9:39	3	
15	9:42	3	
20	9:46	4	
25	9:51	5	
30	9:58	7	
35	10:00	7	CONTIN
40	10:15	6	
45	10:17	2	
1050	10:21	4	

Walters Drilling - etal

FARM Tiller

WELL NO. 2

TWP. RGE. LOC.

COUNTY Ness

STATE KS

CONTRACTOR Walters Drilling Co

SIZE HOLE 7 7/8

DRILL PIPE 4 1/2 F.

REMARKS: Smith D.T. Retip @ 53 ft.

SIZE PUMP LINERS 6 3/4 LENGTH STROKE 12

DATE 10-10-62 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
53	2:00	2	Hook
55	2:01	2	Back FT
60	2:04	2	
65	2:06	2	
70	2:11	1	down 5 min
75	2:12	1	
80	2:12	1	
85	2:13	1	
90	2:14	1	
95	2:15	1	
100	2:21	1	down 5 min
105	2:22	1	
110	2:23	1	Blue Shale
115	2:25	2	
120	2:27	2	
125	2:29	2	
130	2:34	2	down
135	2:37	1	
140	2:38	1	
145	2:39	1	
150	2:40	1	
155	2:47	2	CONTIN
160	2:50	1	
165	2:51	1	
170	2:53	2	
175	2:54	1	
180	2:55	1	
185	3:00	1	CONTIN
190	3:03	2	
195	3:04	1	
200	3:05	1	
205	3:06	1	
210	3:07	1	
215	3:10	1	CONTIN
220	3:12	1	
225	3:13	1	
230	3:14	1	
235	3:15	1	
240	3:16	1	
245	3:19	2	CONTIN
250	3:22	1	
255	3:23	1	
260	3:24	1	
265	3:25	1	
270	3:26	1	
275	3:30	1	CONTIN
280	3:32	2	
285	3:33	1	
290	3:34	1	
295	3:35	1	
300	3:36	1	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
300	3:40	1	CONTIN
305	3:41	1	
310	3:43	2	
315	3:44	1	
320	3:46	2	
325	3:47	1	
330	3:48	1	
335	3:53	2	CONTIN
340	3:54	1	
345	3:55	1	
350	3:57	2	
355	3:58	1	
360	3:59	1	
365	4:03	1	CONTIN
370	4:05	2	
375	4:07	2	
380	4:08	1	
385	4:09	1	
390	4:10	1	
395	4:15	2	CONTIN
400	4:16	1	
405	4:17	1	
410	4:18	1	
415	4:19	1	
420	4:20	1	
425	4:25	2	CONTIN
430	4:26	1	
435	4:27	1	
440	4:28	1	
445	4:29	1	
450	4:30	1	
455	4:33	1	CONTIN
460	4:35	1	
465	4:36	1	
470	4:37	1	
475	4:38	1	
480	4:39	1	
485	4:40	1	
490	4:45	2	CONTIN
495	4:46	1	
500	4:48	2	
505	4:49	1	
510	4:50	1	
515	4:51	1	
520	4:55	1	CONTIN
525	4:57	2	
530	4:59	2	
535	5:01	2	
540	5:02	1	
545	5:03	1	
550	5:06	1	CONTIN

Walters & Deardmore FARM
 TWP. 17. RGE. 24 LOC. C 8 E-SW COUNTY Ness STATE KS
 CONTRACTOR Walters & Deardmore Co. SIZE HOLE 7 7/8" DRILL PIPE 4 1/2" PH
 REMARKS: SIZE PUMP LINERS 6 3/4" LENGTH STROKE 12"

DATE 10-11-62-AM

DEPTH	TIME O'CLOCK	MIN.	REMARKS
1800	1033		
5	1037	5	
10	1042	5	
15	1045	6	Conn 1st rig
20	1059	6	
25	1104	5	
30	1109	5	
35	1114	5	
40	1120	6	
45	1140	17	Conn 3 min
1850	1200	5	Set for 1st
53	1254	4	
60	1258	4	Pwt 44,000
65	102	4	PP 425
70	106	4	
75	114	4	Conn 4 min
80	118	4	
85	122	4	
90	126	4	
95	131	5	
1900	135	4	
5	140	5	
10	144	5	Conn
15	153	4	
20	159	6	
25	204	5	
30	208	4	
35	212	4	
40	215	5	Conn
45	231	6	Change watches
1950	237	6	
53	244	7	
60	249	5	
65	255	6	
70	259	6	Conn
75	311	6	
80	317	6	
85	323	6	
90	332	7	
95	337	5	
2000	341	4	
5	344	6	Conn
10	355	5	
15	404	9	
20	416	12	
25	425	9	
30	432	7	
35	437	10	Conn
40	453	6	
45	500	7	
2050	505	5	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2050	5:05		
5	5:30	18	Settled shale Pit 7 min
60	5:42	12	
65	7:30	4	Trip + conn
70	7:33	3	OWN R.T.
75	7:38	5	
80	7:42	4	P.W.T. 44,000
85	7:46	4	P.P. 450
90	7:50	4	
95	7:54	5	Conn
9100	8:03	4	
25	8:09	6	
10	8:14	5	
15	8:20	6	
20	8:26	6	
25	8:32	6	
30	8:40	4	Conn
35	8:45	5	
40	8:50	5	
45	8:56	6	
2150	9:01	5	
53	9:02	6	
60	9:17	5	Conn
65	9:22	5	
70	9:27	5	
75	9:33	6	
80	9:39	6	
85	9:44	5	
90	9:48	7	Conn
95	9:58	5	
2200	10:01	3	
5	10:05	4	
10	10:09	4	
15	10:10	1	
20	10:18	3	Conn
25	10:22	4	
30	10:29	7	
35	10:29	5	Change watches
40	10:33	4	
45	10:37	4	
2250	10:45	3	Conn & Rig 4 min 30
55	10:48	2	
60	10:52	4	
65	10:57	5	
70	11:01	4	
75	11:04	3	
80	11:07	3	Conn 4 min
85	11:16	5	
90	11:20	4	
95	11:24	4	
2300	11:28	4	

KANSAS BLUE PRINT CO. WICHITA, KAN.

Walters drlg. - etal

FARM *Jilley #*

WELL NO. *2*

TWP. RGE. LOC.

COUNTY *Neos*

STATE *Ks*

CONTRACTOR *Co. Tools*

SIZE HOLE *7 3/8*

DRILL PIPE *4 1/2 FH*

REMARKS: *OW Retip @ 2060*

SIZE PUMP LINERS *6 5/8* LENGTH STROKE *42"*

6 3/4

DATE *10-11-62 P.M.*

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2300 05	11:28 11:31	3	
10	11:34	3	<i>con.</i>
15	11:38 11:41	3	
20	11:44	3	
2325	11:47	3	
30	11:50	3	
35	11:53	3	
40	11:57	4	<i>con</i>
45	12:02 12:05	4	<i>10-12-62 A.M.</i>
2350	12:14	6	
55	12:19	5	
60	12:24	5	
65	12:28	4	
70	12:33	5	
2375	12:43	6	<i>con 4 min.</i>
80	12:51	8	
85	12:59	8	
90	1:04	5	
95	1:09	5	
2400	1:16	7	<i>Start 10 ft. S.S.</i>
05	1:26	10	<i>con & flow time.</i>
10	2:10 2:17	7	<i>& surface pipe.</i>
15	2:26	9	
20	2:34	8	
2425	2:38	4	
30	2:53	15	<i>Trip for Retip Bit.</i>
35	4:30 4:39	9	<i>con.</i>
40	4:41 4:51	7	
45	4:59	8	
2450	5:07	8	
55	5:17	10	
60	5:29	12	
65	5:44	15	<i>con</i>
70	5:48 6:02	13	<i>N.W. 50000 #</i>
2475	7:14	12	<i>R.P. 500 #</i>
80	7:26	12	
85	6:40	14	
90	6:54	14	
95	7:04 7:16	12	<i>Grass up. j.t</i>
2500	7:28	8	<i>con 4 min</i>
05	7:40	12	
10	7:52	12	
15	8:02	10	
20	8:12	19	
2525	8:30	8	
30	8:27	7	
35	8:31 8:40	9	<i>con</i>
40	8:45	5	
45	8:51	6	
2550	9-	9	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2550 55	9-09 9:09	9	
60	9:21	12	
65	9:35	10	<i>con 4 min</i>
70	9:43	8	<i>P.W. 52,000 #</i>
75	9:52	9	<i>R.P. 450 #</i>
80	10-	8	
85	10:05	5	<i>S.R.</i>
90	10-12	7	
95	10:21	5	<i>con 4 min</i>
2600	10:28	7	
05	10:31	3	
10	10:34	3	
15	10:41	7	
20	10:51	10	
25	11:06	11	<i>con 4 min</i>
30	11-15	9	
35	11:27	12	
40	11:37	10	
45	11:44	7	
2650	11:53	9	
55	12-	7	<i>con</i>
60	12:07 12:07	3	<i>S.R.</i>
65	12-11	4	
70	12-15	4	
75	12-19	4	<i>-V.R.</i>
80	12-23	4	<i>VR</i>
85	12-27	4	<i>P.P. 400 #</i>
90	12-43	12	<i>con 4 min</i>
95	12:47	4	
2700	12:54	7	
05	1:07 1:35	14	<i>Trip for Ret. &</i>
10	1:43	8	
15	4:50	7	<i>P.P. 500 #</i>
20	4:59 5:08	2	<i>con 4 min</i>
25	5:08	9	
30	5:19	11	
35	5:30	11	
40	5:41	11	
45	5:51	10	
2750	6:01	10	
55	6:09 6:19	13	<i>con</i>
60	6:39	20	
65	6:58	19	
70	8:02 8:02	20	<i>Head Gaskets on</i>
75	8:42	20	
80	8:56	14	
85	9:01 9:14	13	<i>con</i>
90	9:31	17	
95	9:46	15	
2800	9:59	13	

ANY *Walters Drilling - elaf*

FARM *Lilley*

WELL NO. *43*

TWP. *RGE.* LOC.

COUNTY *Neos*

STATE *Ks*

CONTRACTOR *Controls*

SIZE HOLE *7 7/8* DRILL PIPE *4 1/2*

REMARKS: *OWC @ 2705*

SIZE PUMP LINERS *6 3/4* LENGTH STROKE *15"*

DATE *10-12-62 P.M.*

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2800	9:59		
5	10:23	24	
10	10:48	25	<i>& Rig</i>
15	11:14	18	<i>Conn. 8 min.</i>
20	11:29	15	
2825	11:46	17	
30	12:01	15	<i>10-13-62 A.M.</i>
35	12:17	16	
40	12:30	13	
45	12:47	12	<i>low 6 min</i>
2850	1:13	26	
55	1:48	35	
60	2:28	40	<i>Loosing mud.</i>
65	2:55	27	<i>add 4 sack Halls.</i>
70	3:30	35	<i>add 3 sack Halls.</i>
2875	5:30	22	<i>Trip for Bit.</i>
80	6:00	15	<i>Conn & Pump Cap</i>
85	6:34	14	<i>Wash bit in Pump.</i>
90	6:50	16	<i>PP. 450 #</i>
95	7:10	20	<i>VIS 33 wt 10.4</i>
2900	7:28	18	<i>PAT 58,000</i>
05	7:48	20	
10	8:12	14	<i>Conn. Break up 10 min.</i>
15	8:23	11	
20	8:37	14	
2925	8:53	16	
30	9:05	12	
35	9:15	10	
40	9:23	10	<i>Set 5' pit</i>
45	9:53	14	<i>Conn 4 min @ 2888</i>
2950	10:05	12	
55	10:13	8	
60	10:27	14	<i>Mix pit & low gear</i>
65	10:43	16	
70	10:55	12	
2975	10:58	10	<i>Conn</i>
80	11:17	8	
85	11:20	3	
90	11:24	4	
95	11:28	4	
3000	11:37	9	
05	11:53	12	<i>Conn</i>
10	12:08	15	
15	12:21	13	
20	12:24	13	
3025	12:45	17	
30	12:58	13	
35	1:00	18	<i>Conn 4 min</i>
40	1:30	10	
45	1:45	15	
3050	2-	15	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3050	2-13	13	<i>VIS-32 wt 10</i>
55	2-19	6	
60	2-28	5	<i>Conn. 4 min</i>
65	2:40	12	
70	2:49	9	
3075	2:49	9	
80	3:01	12	
85	3:15	14	
90	3:30	15	
95	3:47	11	<i>Conn</i>
3100	3:55	8	
05	4:18	13	
10	4:18	10	
15	4:27	9	
20	4:41	14	
3125	4:59	18	
30	5:04	12	<i>Conn</i>
35	5:25	9	<i>VIS 33 wt 10.1</i>
40	5:39	25	<i>Set Int Pit</i>
45	6:26	27	<i>Mixing STA</i>
3150	6:54	28	
55	7:19	25	<i>VIS 38 wt 9.8</i>
60	7:41	17	<i>Conn PWT. 69,000</i>
65	8:02	21	<i>P.R 400-425 #</i>
70	8:24	22	
3175	8:43	19	
80	9:02	19	
85	9:24	22	<i>Conn</i>
90	9:39	22	<i>VIS 34 wt 10</i>
95	10:20	28	<i>wt. 41.00</i>
3200	10:48	28	
05	11:02	14	
10	11:25	23	
15	11:35	10	
20	11:50	15	<i>Conn & Rig</i>
3225	12:00	28	<i>10-14-62 A.M.</i>
30	12:50	25	
35	1:15	25	
40	1:50	35	<i>Trip for bit. Into</i>
45	4:00	8	<i>Run BT 2 G.T.</i>
3250	4:16	8	<i>Conn.</i>
55	4:31	10	<i>Add 5 starch</i>
60	4:40	9	
65	4:49	9	
70	4:56	7	
3275	5:03	7	
80	5:10	7	<i>Conn</i>
85	5:12	7	
90	5:29	7	
95	5:36	7	
3300	5:43	7	

COMPANY Walter Duly Co.

SEC. TWP. RGE. LOC.

CONTRACTOR Co Tools

REMARKS:

FARM

COUNTY

SIZE HOLE

SIZE PUMP LINERS

WELL NO. 2

STATE

DRILL PIPE

LENGTH STROKE

DATE 10-14-62 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3600	5:38		
1	5:41	3	
2	5:45	4	
3	5:50	5	
4	5:55	5	
5	6:01	6	
6	6:07	6	
7	6:11	4	
8	6:17	6	
9	6:22	5	
3610	6:26	4	
11	6:29	3	
12	6:30	1	
13	6:31	1	
14	6:33	2	
15	6:36	3	
16	6:39	3	
17	6:45	6	
18	6:50	5	
19	6:54	4	
3620	6:58	4	Vis 34 wt. 10.1
21	7:04	6	
22	7:08	4	P.P. 400-425 ⁺
23	7:11	3	
24	7:15	4	
25	7:17	2	
26	7:20	3	
27	7:22	1	COTT
28	7:27	1	
29	7:28	1	
3630	7:30	2	
31	7:32	2	
32	7:33	1	
33	7:34	1	
34	7:35	1	
35	7:36	1	
36	7:37	1	
37	7:38	1	
38	7:42	4	
39	7:46	4	
3640	7:50	4	
41	7:53	3	
42	7:55	2	
43	8:00	5	
44	8:02	2	
45	8:05	3	
46	8:08	3	
47	8:10	2	
48	8:12	2	
49	8:15	3	
3650	8:17	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3650	8:17		
51	8:20	3	
52	8:22	2	
53	8:25	3	
54	8:27	2	
55	8:31	4	
56	8:38	3	COTT
57	8:40	2	
58	8:43	3	
59	8:46	3	
3660	8:49	3	
61	8:51	2	
62	8:55	4	
63	8:59	4	
64	9:01	2	
65	9:05	4	
66	9:10	5	
67	9:13	3	
68	9:17	4	
69	9:21	4	
3670	9:25	4	
71	9:29	4	
72	9:32	3	
73	9:35	3	
74	9:39	4	
75	9:43	4	
76	9:48	5	
77	9:53	5	Vis 35 wt. 10.2
78	9:58	5	wt. 22.4cc
79	10:04	6	
3680	10:10	6	
81	10:16	6	
82	10:21	5	
83	10:26	5	P.P. 400 ⁺
84	10:30	4	
85	10:34	4	
86	10:38	4	
87	10:42	4	
88	10:46	4	Conv & Rig.
89	10:51	4	
3690	10:55	5	
91	11:05	5	Vis 25, wt 10.1
92	11:10	5	wt. 18cc
93	11:16	6	
94	11:23	7	
95	11:30	7	
96	11:38	8	
97	11:46	8	Lost Cir.
98	12:22	8	Run 300 ⁺ P.P.
99	12:27	5	mix 10th Halls
3700	12:31	4	

Walters Dily - et al

FARM Tilley

WELL NO. 2

TWP. RGE. LOC.

COUNTY Ness

STATE Ks

TRACTOR Co. Tools

SIZE HOLE 7 7/8

DRILL PIPE 4 1/2 in

MARKS: DT 2 & 3 @ 3240

SIZE PUMP LINERS 6 3/4" LENGTH STROKE 12"

DATE 10-15-62 AM.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3700	12.31		
01	12.36	5	add 5 starch
02	12.43	7	3000 Year
03	12.58	15	
04	1.06	8	
3705	1.13	7	
06	1.19	6	
07	1.25	6	
08	1.31	6	
09	1.38	7	
3710	1.46	8	
11	1.56	10	
12	2.01	5	
13	2.06	5	
14	2.11	5	
3715	2.17	6	
16	2.25	8	
17	2.36	11	
18	2.48	12	
19	3.00	12	
3720	3.15	15	Trip for bit, take 3/4
21	6.09	9	Rem SV 2 J.
22	6.18	9	
23	6.24	6	
24	6.27	3	
3725	6.29	2	
26	6.33	4	
27	6.38	5	
28	6.42	4	
29	6.47	5	
3730	6.52	5	
31	6.56	4	
32	6.58	2	
33	7-	2	
34	7-2	2	
3735	7.03	1	PP 425-50
36	7.05	2	PP 68, 100
37	7.06	1	
38	7.07	1	
39	7.09	2	
3740	7.11	2	
41	7.13	2	
42	7.14	1	
43	7.16	2	
44	7.17	1	
3745	7.20	3	
46	7.23	3	
47	7.27	4	
48	7.31	4	
49	7.33	2	
3750	7.35	2	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3750	7.44		
51	7.46	2	Conn. Pump up
52	7.48	2	
53	7.50	2	
54	7.52	2	
55	7.56	4	
56	8-	4	
57	8.05	5	
58	8.09	4	
59	8.12	3	
3760	8.16	4	U/S 37 WT 1000 L
61	8.19	3	
62	8.21	2	
63	8.23	2	
64	8.24	1	
65	8.25	1	
66	8.27	2	
67	8.28	1	
68	8.30	2	
69	8.32	2	
3770	8.33	1	
71	8.34	1	
72	8.35	1	
73	8.38	3	
74	8.40	2	
75	8.41	1	
76	8.43	2	
77	8.45	2	
78	8.48	3	
79	8.50	2	
3780	8.53	3	
81	8.58	5	
82	9.07	5	Conn. 1
83	9.11	4	Mix. Sta.
84	9.14	3	
85	9.19	5	
86	9.25	6	
87	9.30	5	
88	9.34	4	
89	9.39	5	
3790	9.43	4	
91	9.50	7	
92	9.56	6	
93	10.03	7	
94	10.08	5	
95	10.13	5	
96	10.18	5	
97	10.22	4	
98	10.26	4	
99	10.29	3	
3800	10.32	3	

Walter Deardorff FARM

Silly

WELL NO. 2

TWP. RGE. LOC.

COUNTY

STATE

TRACTOR

SIZE HOLE

DRILL PIPE

MARKS:

SIZE PUMP LINERS

LENGTH STROKE

DATE 10-15-62 -AM

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3800	10:32	4	Vis 40 wt 10.2 WL 14.8"
01	10:36	6	by frog
2	10:42	6	
3	10:48	6	
4	10:51	3	Pwt 68,000 #
5	10:53	2	R.P. 450 #
6	10:58	5	
7	11:05	7	
8	11:10	5	
9	11:18	8	
3810	11:27	9	
11	11:33	6	
12	11:37	4	
13	11:41	4	CONTIN
14	11:49	4	
15	11:54	5	
16	12:01	7	
17	12:06	5	
18	12:11	5	
19	12:16	5	
3820	12:20	4	Vis 35 wt 10.4
21	12:25	5	
22	12:32	7	
23	12:42	10	
24	12:49	7	
25	12:55	6	
26	12:59	4	
27	1:02	3	
28	1:06	4	
29	1:12	6	
3830	1:18	6	
31	1:24	6	
32	1:31	7	
33	1:40	9	PP 405-50 #
34	1:49	9	
35	1:56	7	Vis 35 wt 10.4 WL 18.8"
36	2:05	9	
37	2:14	9	
38	2:22	8	
39	2:28	6	
3840	2:35	7	
41	2:39	4	
42	2:43	4	
43	2:47	4	P.W.T 79000
44	2:52	7	CONTIN & SWIVE /
45	3:08	9	P.P. 450 #
46	3:15	7	
47	3:20	5	
48	3:33	13	
49	3:43	9	
3850	3:52	9	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3850	3:52	9	
51	4:01	9	
52	4:07	6	
53	4:15	8	
54	4:23	8	
55	4:33	10	
56	4:45	12	Mixing 5 touch
57	4:57	12	
58	5:06	9	
59	5:16	10	Vis 35 wt 10.4
3860	5:26	10	
61	5:36	10	
62	5:45	9	
63	5:54	9	
64	6:01	7	
65	6:08	7	
66	6:15	7	
67	6:25	10	
68	6:35	10	
69	6:45	10	
3870	6:55	10	513347
71	7:10	15	Trip for New Bit
72	7:31	4	Sec M4L
73	9:55	4	
74	10:00	5	
75	10:05	5	
76	10:10	3	CONTIN
77	10:17	4	
78	10:22	5	
79	10:27	5	
3880	10:31	4	
81	10:35	4	
82	10:40	5	
83	10:44	4	
84	10:48	4	
85	10:52	4	
86	10:56	4	
87	11:01	5	
88	11:06	5	
89	11:12	6	
3890	11:19	7	
91	11:24	5	Vis 35 wt 10.4
92	11:29	5	WL 21"
93	11:35	6	
94	11:43	8	Mix 5 starch
95	11:51	8	
96	11:58	7	
97	12:05	7	10-16-62 A.M.
98	12:12	7	
99	12:17	5	
3900	12:20	3	

Walters Dig - etal

FARM *Tilley*

WELL NO. 2

TWP. RGE. LOC.

COUNTY *Neos*STATE *Ks.*TRACTOR *Co. Tools*

SIZE HOLE

DRILL PIPE

MARKS: *M42 @ 3871*

SIZE PUMP LINERS

LENGTH STROKE

DATE *10-16-62 A.M.*

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3900	12.20		
01	12.23	3	<i>P.P. 375-400</i>
02	12.26	3	
03	12.29	3	
04	12.33	4	
3905	12.37	4	
06	12.41	4	
07	12.44	6	<i>Con. & Rig</i>
08	12.47	6	<i>P.W. 71000th</i>
09	1.07	6	
3910	1.13	6	
11	1.19	6	
12	1.25	6	
13	1.31	6	
14	1.37	6	
3915	1.43	6	
16	1.49	6	
17	1.55	6	
18	2.00	5	
19	2.08	8	
3920	2.15	6	
21	2.24	9	
22	2.31	7	
23	2.36	5	
24	2.40	4	
3925	2.44	4	
26	2.49	6	
27	2.55	6	
28	3.00	5	<i>Vis. 35</i>
29	3.08	8	<i>375</i>
3930	3.15	7	<i>P.P. 400th</i>
31	3.22	7	
32	3.29	7	
33	3.36	7	
34	3.39	3	
3935	3.42	3	
36	3.45	3	
37	3.49	4	
38	3.53	4	<i>Con.</i>
39	3.58	4	
3940	4.07	5	
41	4.13	6	
42	4.19	6	
43	4.23	4	
44	4.27	4	
3945	4.30	3	
46	4.37	7	
47	4.41	4	
48	4.45	4	
49	4.48	3	
3950	4.52	4	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3950	4.52		
51	4.56	4	
52	5.00	4	
53	5.04	4	
54	5.05	1	
3955	5.06	1	
56	5.07	1	
57	5.08	1	
58	5.09	1	
59	5.10	1	
3960	5.11	1	
61	5.12	1	
62	5.13	1	
63	5.15	2	
64	5.19	4	
3965	5.23	4	
66	5.27	4	
67	5.31	4	
68	5.36	5	
69	5.41	5	<i>Con.</i>
3970	5.48	6	<i>P.W. 72000th</i>
71	5.59	6	<i>Vis. 36. wt 10.3</i>
72	6.07	8	<i>W.V. 15th</i>
73	6.15	8	
74	6.21	6	<i>P.P. 400th</i>
3975	6.27	6	
76	6.33	6	
77	6.40	7	
78	6.46	6	
79	6.53	7	
3980	6.59	6	
81	7.05	6	
82	7.11	6	
83	7.17	6	
84	7.21	4	
85	7.27	6	
86	7.32	5	
87	7.40	8	
88	7.46	6	
89	7.51	5	<i>Vis 36 wt 10.3 W.</i>
3990	7.58	7	<i>PP 400th</i>
91	8.05	7	
92	8.11	6	
93	8.19	8	
94	8.27	8	
95	8.34	7	
96	8.38	4	
97	8.44	6	
98	8.51	7	
99	8.58	7	<i>Some Grease up</i>
4000	9.14	6	

Walters & Deardorff FARM Jolley
 TWP. . RGE. . LOC. COUNTY Resd STATE OKS-
 FACTOR Walters Delgo SIZE HOLE 7 7/8 DRILL PIPE 4 1/2 IN
 MARKS: SIZE PUMP LINERS 6 3/4 LENGTH STROKE 12"

DATE 10-16-62-AM

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4000	9:14	5	PP 400#
2	9:26	7	Put 72,000#
3	9:34	8	
4	9:39	5	
5	9:43	4	
6	9:48	5	
7	9:55	7	
8	10-	5	
9	10:04	4	PP 375# 10-01 10-30
4010	10:32	5	new AV insert
11	10:42	5	11 in. pump
12	10:52	5	PP 400# 11
13	11-	8	
14	11:08	8	
15	11:17	9	
16	11:24	7	Vis 36 wt 10.3 WL
17	11:33	9	WL 18.4
18	11:42	9	
19	11:51	9	
4020	11:59	8	
21	12:08	9	4030 38 7 1 3/4 1 39
22	12:15	7	
23	12:24	9	
24	12:31	7	
25	12:39	8	
26	12:50	11	
27	12:59	9	
28	1:09	10	PP 375#
29	1-14	5	gravel bit
4030	1-20	6	New M4N
31	3:55	3	Comm
32	4:01	5	Jetted shale pit
33	4:20	8	Adding oil
34	4:27	7	33 BBL.
35	4:31	4	
36	4:35	4	
37	4:39	4	
38	4:44	5	
39	4:49	5	
4040	4:54	5	
41	4:59	5	
42	5:04	5	
43	5:10	6	
44	5:15	5	
45	5:20	5	
46	5:26	6	
47	5:33	7	
48	5:38	5	
49	5:44	6	
4050	5:51	7	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4050	5:51	7	P.P. 425-450
52	6:05	7	
53	6:12	7	
54	6:20	8	} Mixing starch
55	6:26	6	
56	6:30	4	
57	6:34	4	
58	6:41	7	
59	6:48	7	
4060	6:53	5	
61	6:59	3	
62	7:02	3	
63	7:05	3	
64	7:10	3	Comm
65	7:15	2	
66	7:17	2	
67	7:18	1	
68		1/3	S.R.
69		1/3	
4070	7:19	1/3	
71	7:25	6	
72	7:31	6	
73	7:39	8	
74	7:47	8	
75	7:54	7	Vis 37 wt. 16.3
76	8:01	7	WL. 15.2
77	8:05	4	
78	8:12	7	
79	8:19	7	
4080	8:23	4	
81	8:26	3	
82	8:29	3	
83	8:33	4	
84	8:36	3	
85	8:39	3	
86	8:43	4	
87	8:46	3	
88	8:49	3	
89	8:51	2	
4090	8:54	3	
91	8:58	4	
92	9:03	5	
93	9:10	7	
94	9:12	6	Comm
95	9:29	7	
96	9:37	8	
97	9:45	8	Vis 37 wt. 16.3
98	9:53	8	
99	10:00	7	
4100	10:06	6	CALL

Walters Sulp-etal

FARM Tilley
COUNTY ness

WELL NO. 2

TWP. . RGE. . LOC.
TRACTOR Co. Tools
MARKS: M4N@4030

SIZE HOLE DRILL PIPE
SIZE PUMP LINERS LENGTH STROKE
3068 3284
216 2835
3284 4.49 28.35

DATE 10-16-62 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4100	10:06		
1	10:14	8	P.W.T. 72,000
2	10:21	7	P.P. 400 P.P.
3	10:27	6	
4	10:35	8	
4105	10:43	8	
06	10:49	8	Change Watches
07	10:56	8	
08	11:02	11	
09	11:04	7	
4110	11:19	5	
11	11:22	3	
12	11:27	5	
13	11:39	12	
14	11:50	11	
4115	11:53	3	
16	11:57	4	
17	12:01	4	10-17-62 A.M.
18	12:05	4	
19	12:09	4	
4120	12:19	10	
21	12:29	10	
22	12:39	10	
23	12:49	10	
24	12:53	4	
4125	12:58	5	Can & Rig.
26	1:03	7	mix 3 starch
27	1:20	7	vis. 36 wt 10.1
28	1:31	11	w.L. 13.00
29	1:39	8	P.W. 74000 #
4130	1:49	10	P.P. 400 #
31	1:58	9	
32	2:07	9	
33	2:15	8	
34	2:25	10	
4135	2:30	5	
36	2:35	5	
37	2:42	7	
38	2:49	7	
39	2:55	6	
4140	3:01	6	
41	3:06	5	
42	3:10	4	
43	3:17	4	
44	3:22	8	
4445	3:30	8	
46	3:38	8	
47	3:46	8	
48	3:55	9	
49	4:04	9	
4150	4:13	9	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4150	4:13		
51	4:22	9	
52	4:30	8	
53	4:37	7	B 40 ?
54	4:41	4	
4155	4:45	4	
56	4:49	4	can
57	4:57	4	
58	5:02	4	
59	5:07	5	P.P. 400 #
4160	5:12	5	
61	5:17	5	
62	5:21	4	
63	5:25	4	vis. 36 wt 10.1
64	5:29	4	w.L. 16.00
4165	5:39	10	trip for bit, 10 WL
66	9:07	5	
67	9-12	5	
68	9-17	5	
69	9-20	3	vis 43. wt 10.2 WL
4170	9-24	4	
71	9-28	4	
72	9-31	3	
73	9-34	3	
74	9-39	5	
4175	9-42	3	
76	9-45	3	
77	9-46	1	
78	9-48	2	
79	9-50	2	
4180	9-53	3	
81	9-57	4	PW 74,000 #
82	10:01	4	PP 300 # no jet
83	10:06	5	
84	10-11	5	
4185	10-15	4	
86	10-20	5	
87	10-24	4	
88	10-29	5	
89	10-33	4	
4190	10-38	5	
91	10-42	4	
92	10-46	4	
93	10-59	6	comp. starch
94	11-05	6	MIX STARCH
4195	11-10	5	
96	11-13	3	
97	11-18	5	
98	11-21	3	
99	11-25	4	
4200	11-30	5	

KANSAS BLUE PRINT CO. WICHITA, KAN.

Walter & Beardsmore FARM

Talley

WELL NO. 2

TWP. RGE. LOC.

COUNTY

STATE

TRACTOR

Walter Sulger

SIZE HOLE

7 3/8

DRILL PIPE

4 1/2 FH

MARKS:

SIZE PUMP LINERS

6 3/4

LENGTH STROKE 12"

DATE 10-17-62-AM

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4200	11:30		
01	11:34	4	PP300 th no jets
2	11:38	4	PWT 74,000 th
3	11:41	3	
4	11:45	4	
5	11:49	4	
6	11:53	4	
7	11:56	3	
8	12:01	5	
9	12:05	4	
4210	12:08	3	
11	12:16	2	
12	12:13	3	
13	12:14	3	S.R.
14	12:19	3	
15	12:23	4	
16	12:27	4	
17	12:32	5	
18	12:35	3	
19	12:40	5	
4220	12:44	4	
21	12:49	5	
22	12:54	5	
23	12:59	5	
24	1:04	5	
25	1:08	5	Conn
26	1:17	4	
27	1:20	3	
28	1:24	4	VIS 37 WT 10.2 WL 15.2"
29	1:28	4	
4230	1:32	4	
31	1:34	4	
32	1:40	4	
33	1:44	4	
34	1:48	4	
35	1:51	3	
36	1:56	5	S.R.
37	2:01	5	
38	2:06	5	
39	2:11	5	
4240	2:17	6	
41	2:24	7	
42	2:31	7	
43	2:37	6	
44	2:43	6	
45	2:50	7	
46	2:57	7	
47	3:02	5	
48	3:08	6	
49	3:16	8	
4250	3:23	7	Maxine 6 1/2 inch

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4250	3:23		
51	3:29	6	
52	3:35	6	
53	3:40	5	
54	3:45	5	
55	3:50	5	5' spb C01777
56	3:54	4	PWT 75,000
57	4:03	4	P.P. 300 th
58	4:07	4	
59	4:11	4	
4260	4:16	5	Conn
61	4:20	4	
62	4:27	7	
63	4:35	8	
64	4:44	9	VIS 38 WT 10.1
65	4:52	8	WL 14.8"
66	5:02	10	
67	5:10	8	
68	5:16	6	
69	5:24	8	
4270	5:31	7	
71	5:38	7	
72	5:46	9	
73	5:53	7	
74	6:01	8	
75	6:09	8	
76	6:16	7	
77	6:24	8	
78	6:32	8	
79	6:40	8	
4280	6:48	8	
81	6:55	7	
82	7:03	8	
83	7:11	8	
84	7:19	8	
85	7:25	6	
86	7:33	8	
87	7:40	7	Conn
88	7:48	6	VIS 38 WT 10.2
89	8:00	8	
4290	8:08	8	
91	8:17	9	
92	8:25	8	
93	8:33	8	
94	8:42	9	
95	8:49	7	
96	8:56	7	
97	9:05	9	
98	9:13	8	
99	9:20	7	
11300	9:27	7	

Walter Saly Co.

FARM

TWP. RGE. LOC.

TRACTOR

Co. Tool

MARKS: OWR@ 4165

FARM

WELL NO. 2

COUNTY

STATE

SIZE HOLE

7 7/8

DRILL PIPE

4 1/2

SIZE PUMP LINERS

6 3/4

LENGTH STROKE

12'

12 6 40

DATE 10-17-62 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4300	9:27	8	
1	9:35	7	
2	9:42	7	
3	9:49	7	Vis 36 wt. 10.1
4	9:58	9	WL. 13.6 cc
5	10:05	7	
6	10:12	7	
7	10:20	8	
8	10:28	8	
9	10:36	8	
4310	10:44	8	
11	10:54	10	
12	11:04	10	
13	11:14	10	
14	11:23	9	Vis 36 wt. 10.2
15	11:32	9	W.L. 17.5 cc
16	11:40	8	
17	11:48	8	Con. R Rig
18	11:58	6	10-18-62 A.M.
19	12:10	6	add 3 Starch
4320	12:16	6	R.W. 76000 #
21	12:23	7	R.P. 300 #
22	12:30	7	
23	12:37	7	
24	12:43	6	
25	12:49	6	
26	12:56	7	
27	1:02	6	
28	1:09	7	
29	1:15	6	
4330	1:20	5	
31	1:25	5	
32	1:31	6	
33	1:36	5	
34	1:40	4	
35	1:45	5	
36	1:50	5	
37	1:55	5	
38	1:59	4	
39	2:02	3	
4340	2:05	3	Stop Core
41	2:05	33	Vis 42 wt. 10 - WL 12.8
42	8:14	16	
43	8:28	14	
44	8:48	20	
45	9:05	17	
46	9:16	11	
47	9:34	18	
48	9:48	22	
49	10:22	20	
4350	10:50	28	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4350	11:15	25	
51	11:41	26	Stop Coring
52	9:45	5	10-18-62 P.M.
53	9:48	3	
4353	9:53	5	
56	9:57	4	
57	10:00	3	
58	10:05	5	
59	10:11	6	
4360	10:16	5	sft wet damp
61	10:21	5	
62	10:25	4	
63	10:30	5	
64	10:35	5	
4365	10:40	5	
66	10:48	8	
67	10:54	6	
68	10:59	5	dis. 40 wt 10
69	11:05	6	W.L. 16.6
4370	11:09	4	
71	11:15	6	add 6 sack sl
72	11:23	8	Low Head
73	11:33	10	
74	11:42	9	
4375	11:49	7	
76	11:55	6	
77	12:01	6	10-19-62 A.M.
78	12:07	6	
79	12:13	6	Con & Rig
4380	12:25	5	R.W. 76000 #
81	12:29	4	R.P. 350 #
82	12:34	5	
83	12:39	5	
84	12:45	6	
4385	12:52	7	
86	12:59	7	
87	1:06	7	
88	1:12	7	
89	1:19	6	
4390	1:25	6	
91	1:31	6	
92	1:37	6	
93	1:43	6	
94	1:49	6	
95	1:55	6	
96	2:00	5	
97	2:06	6	
98	2:12	6	
99	2:17	5	
4400	2:23	6	

KANSAS BLUE PRINT CO. WICHITA, KAN.

TWP. . RGE. LOC.

FARM

COUNTY

STATE

WELL NO.

TRACTOR

SIZE HOLE

DRILL PIPE

MARKS: SV2 @ 4340

SIZE PUMP LINERS

LENGTH STROKE

DATE 10-19-62 AM.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4400	2:27		
01	2:28	5	
02	2:33	5	
03	2:39	6	
04	2:45	6	
4405	2:51	6	
06	2:58	7	
07	3:04	6	
08	3:10	6	
09	3:16	6	
4410	3:22	6	
11	3:28	6	
12	3:40	6	
13	3:46	6	
14	3:52	6	
4415	4:00	8	
16	4:07	7	Vis 42 wt 10.3
17	4:10	3	W.L. 1500
18	4:13	3	at 4:45 AM
19	4:17	4	Min
4420	4:21	4	STOP
21	4:25	4	Run mud @ 6.0
22	4:31	6	Vis 42 W.L. 1500
23	4:35	4	air blbls.
24	9:50	39	Core 20 feet
4425	11:05	36	Vis 43 W.L. 10.4 W.L. 12
26	11:35	30	Core #2
27	12:00	25	
28	12:19	19	
29	12:50	31	
4430	1:16	26	Vis 42 W.L. 1200 P.M.
31	1:50	34	W.L. @ 11:00 P.M.
32	2:21	31	
33	3:00	39	
34	3:42	42	Run 4:20 mud
4435	9:58	5	ROW L. R.R.
36	10:17	14	R.
37	7:45	30	Core #3
38	8:35	20	
39	8:48	13	
4440	8:59	11	
41	9:08	9	
42	9:22	14	Vis 49 W.L. 10.4 W.L. 10.6
43	9:36	14	STOP
44	9:50	14	
4445	10:06	16	
46	10:12	13	
47	10:29	10	
48	11:03	20	
49	11:26	21	
4450	11:45	19	

[illegible]

Walters Drilling - et al FARM Tilly WELL NO. 2
 TWP. RGE. LOC. COUNTY Ness STATE KS
 TRACTOR Co. Tools SIZE HOLE 7 7/8 DRILL PIPE 4 1/2 F 1/2
 REMARKS: DT 2 G 5 @ 3240' SIZE PUMP LINERS 6 3/4 LENGTH STROKE 12"

DATE 10-14-62 A.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3300	5:43	7	
05	5:50	7	
10	5:56	6	
15	6:06	6	Conn 4 min
20	6:12	6	vis 32 wt 9.8
3325	6:18	6	W.L. 12 ⁰⁰
30	6:25	7	
35	6:32	7	
40	6:37	5	
45	6:42	5	
3350	6:51	6	Conn 4 min
55	7:04	7	
60	7:10	6	
65	7:19	9	
70	7:29	10	
3375	7:38	9	
80	7:53	11	Conn Mix 3 starch
85	8:02	9	vis 34 wt 10.1 W.L. 12 ⁰⁰
90	8:10	8	
95	8:19	9	
3400	8:26	7	PP 425-50 [#]
05	8:35	9	Pat 64,000 [#]
10	8:51	12	Conn 4 min
15	9-	9	
20	9:12	12	
3425	9:23	11	
30	9:33	10	
35	9:43	10	
40	9:58	11	Conn 4 min
45	10-11	13	
3450	10:22	11	
55	10:32	10	
60	10:49	17	
65	11:05	16	
70	11:21	16	
3475	11:33	12	Conn
80	11:53	18	vis 35 wt 10.1 W.L. 24 ⁰⁰
85	12-10	15	
90	12:20	10	PP 400-25 [#]
95	12:33	13	
3500	12:58	13	new root valve insert in p.p. PP 425-50 [#]

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3500	12:58	15	Conn 4 min
05	1:17	15	
10	1:32	15	
15	1:43	11	
20	1:53	10	
3525	2:05	12	vis 34 wt 10.1 W.L.
30	2:21	16	
35	2:42	17	Conn
40	2:58	16	vis 38 wt 10.1
45	3:16	18	W.L. 21.2 ⁰⁰
3530	3:38	22	M. starch 4009
55	3:55	17	
60	4:00	5	
65	4:12	6	Conn 4 min
70	4:24	12	
3575	4:27	3	
80	4:30	3	
85	4:45	15	
90	5:00	15	
95	5:19	19	all Conn
3600	5:38	14	Start 1st time

Walters Dily - et al

FARM *Talley*

WELL NO. *2*

TWP. . RGE. LOC.

COUNTY *Neosho*

STATE *Ks*

CONTRACTOR *Controls*

SIZE HOLE

DRILL PIPE

REMARKS: *D.T. Relife @ 53*

SIZE PUMP LINERS

LENGTH STROKE

DATE *10-11-62 A.M.*

DEPTH	TIME O'CLOCK	MIN.	REMARKS
1200	1:58		
05	2:03	5	
10	2:08	5	
15	2:13	5	Con - 5 min
20	2:18	5	
1225	2:29	6	
30	2:33	4	<i>land</i>
35	2:36	3	
40	2:38	2	
45	2:40	2	
1250	2:47	2	Con 5 min
55	2:49	2	
60	2:51	2	
65	2:53	2	
70	2:55	2	
1275	2:57	2	
80	2:59	2	Con 4 min
85	3:03	2	
90	3:07	2	
95	3:09	2	
1300	3:11	2	
05	3:12	1	
10	3:13	1	Con - 4 min
15	3:17	1	
20	3:19	1	
1325	3:20	1	
30	3:22	2	
35	3:24	2	
40	3:26	2	
45	3:32	2	4 min Con
1350	3:34	2	
55	3:35	1	
60	3:36	1	
65	3:37	1	
70	3:38	1	
1375	3:43	1	Con 4 min
80	3:44	1	
85	3:45	1	
90	3:46	1	
95	3:47	1	
1400	3:48	1	
05	3:49	1	Con - 5 min
10	3:51	1	
15	3:56	1	
20	3:57	1	
1425	3:58	1	
30	3:59	1	
35	4:00	1	Con & Chute 42 min
40	4:03	1	
45	4:04	1	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
1450	4:45		
55	4:46	1	
60	4:47	1	
65	4:48	1	Con 4 min
70	4:54	2	
1475	4:56	2	
80	4:58	2	
85	5:00	2	
90	5:02	2	
95	5:04	2	
1500	5:10	2	Con 4 min
05	5:17	7	Dip for bit
10	6:03	3	<i>12 P. R.T.</i>
15	6:45	2	
20	6:47	2	
1525	6:48	1	
30	6:49	1	
35	6:53	2	Con
40	6:58	3	PP 300 #
45	7-	2	Put 40,000 #
1550	7:02	2	
55	7:04	2	
60	7:06	2	
65	7:16	2	Con & Dressup
70	7:18	2	- two stage
1575	7:21	3	
80	7:23	2	
85	7:25	2	
90	7:27	2	
95	7:34	3	Con 4 min
1600	7:37	3	
05	7:40	3	
10	7:43	3	
15	7:45	2	
20	7:47	2	
1625	7:53	3	Con 3 min
30	7:55	2	
35	7:58	3	
40	8-	2	
1645	8:02	2	
1650	8:04	2	
55	8:07	3	
60	8:12	2	Con
65	8:15	3	
70	8:18	3	
1675	8:19	1	
80	8:20	1	
85	8:22	2	
90	8:27	2	Con 3 min
95	8:29	2	
1700	8:35	2	

Walter Beardmore FARM
TWP. 17. RGE. 24. LOC. 2-8 E. SW COUNTY Ness STATE KS.
CONTRACTOR Walter Duglo. SIZE HOLE 7 7/8 DRILL PIPE 4 1/2"
REMARKS: SIZE PUMP LINERS 6 3/4 LENGTH STROKE 12"

DATE 10-11-62-AM

DEPTH	TIME O'CLOCK	MIN.	REMARKS
1100	832	2	
05	834	2	
10	836	2	
15	838	2	
20	843	2	corn 3 min
25	846	3	
1726	846	1/2	1' time
27	847	1/2	
28	848	1	
29	848 1/2	1/2	
1730	849	1/2	
31	849 1/2	1/2	
32	850	1/2	
33	850 1/2	1/2	
34	851	1/2	
35	851 1/2	1/2	
36	852	1/2	
37	852 1/2	1/2	
38	853	1/2	
39	854	1	
1740	854 1/2	1/2	
41	855	1/2	
42	855 1/2	1/2	
43	856	1/2	
44	856 1/2	1/2	
45	857	1/2	
46	857 1/2	1/2	
47	858	1/2	
48	858 1/2	1/2	
49	900	1/2	corn
1750	903 1/2	1/2	
51	904	1/2	
52	904 1/2	1/2	
53	905	1/2	
54	905 1/2	1/2	
55	906	1/2	
56	906 1/2	1/2	
57	907	1/2	
58	907 1/2	1/2	
59	908	1/2	
1760	908 1/2	1/2	
61	909	1/2	
62	910	1	
63	911	1	
64	912	1	
65	913	1	
66	914	1	
67	915	1	
68	916	1	
69	917	1	
1770	918	1	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
1770	918	1	
71	919	1	
72	920	1	A
73	922	2	
74	923	1	
75	925	2	
76	927	2	
77	928	1	
78	929	1	
79	931	2	
1780	934	2	corn
81	938	2	
82	940	2	
83	942	2	
84	944	2	
85	946	2	
86	948	2	
87	951	3	
88	953	2	
89	956	3	
1790	958	2	
91	1001	3	
92	1004	3	
93	1007	3	
94	1010	3	
95	1013	3	
96	1017	4	
97	1021	4	
98	1025	4	
99	1029	4	
1800	1032	3	B.A
01	1033	4	
2	1034	1	
3	1034 1/2	1/2	
4	1035 1/2	1	
5	1037	1 1/2	

Jeff Bas

114 South Topeka
Ness City, Kansas 676

INV. NO.

ADDRESS

MILES

OPERATOR

