


15-135-24474

26-17s-25w



TRILOBITE
TESTING, INC.

KCC
JUN 06 2006
CONFIDENTIAL

DRILL STEM TEST REPORT

Prepared For: **Berexco Inc**

PO Box 20380
Wichita KS 67208

ATTN: Bruce Reed

26 17 25w Ness

Ross Potter #5

Start Date: 2006.04.06 @ 17:20:34

End Date: 2006.04.07 @ 03:44:04

Job Ticket #: 23647

DST #: 1

RECEIVED


JUN 08 2006

KCC WICHITA

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Berexco Inc

PO Box 20380
Wichita KS 67208

ATTN: Bruce Reed

Ross Potter #5

26 17 25w Ness

Job Ticket: 23647

DST#: 1

Test Start: 2006.04.06 @ 17:20:34

GENERAL INFORMATION:

Formation: **Fort Scott**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 20:19:04

Time Test Ended: 03:44:04

Test Type: Conventional Bottom Hole

Tester: Michael Armbrister

Unit No:

Interval: **4305.00 ft (KB) To 4358.00 ft (KB) (TVD)**

Total Depth: 4358.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2513.00 ft (KB)

2502.00 ft (CF)

KB to GR/CF: 11.00 ft

Serial #: 8018

Inside

Press@RunDepth: 64.97 psig @ 4308.00 ft (KB)

Start Date: 2006.04.06

End Date:

2006.04.07

Start Time: 17:20:39

End Time:

03:44:04

Capacity: 7000.00 psig


Last Calib.: 2006.04.07

Time On Btm: 2006.04.06 @ 20:18:34

Time Off Btm: 2006.04.07 @ 00:05:33

TEST COMMENT: IF B of B 15m
ISI no blow
FF B of B 10m
FSI no blow

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2140.06	109.35	Initial Hydro-static
1	17.40	108.31	Open To Flow (1)
31	36.33	113.25	Shut-In(1)
77	412.50	114.18	End Shut-In(1)
78	38.37	114.05	Open To Flow (2)
136	64.97	115.74	Shut-In(2)
227	422.72	116.88	End Shut-In(2)
227	2070.40	117.89	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
120.00	GOCM 15%G 20%O 65%M	0.59
0.00	400 GIP	0.00

Gas Rates

	Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Berexco Inc

Ross Potter #5

PO Box 20380
Wichita KS 67208

26 17 25w Ness

Job Ticket: 23647

DST#: 1

ATTN: Bruce Reed

Test Start: 2006.04.06 @ 17:20:34


Tool Information

Drill Pipe:	Length: 3797.00 ft	Diameter: 3.00 inches	Volume: 33.20 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 498.00 ft	Diameter: 2.25 inches	Volume: 2.45 bbl	Weight to Pull Loose: 65000.00 lb
		Total Volume: 35.65 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	10.00 ft			String Weight: Initial 65000.00 lb
Depth to Top Packer:	4305.00 ft			Final 65000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	53.00 ft			
Tool Length:	73.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

KCC
JUN 06 2006
CONFIDENTIAL

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4286.00	
Shut In Tool	5.00			4291.00	
Hydraulic tool	5.00			4296.00	
Packer	4.00			4300.00	20.00 Bottom Of Top Packer
Packer	5.00			4305.00	
Stubb	1.00			4306.00	
Perforations	1.00			4307.00	
Change Over Sub	1.00			4308.00	
Recorder	0.00	8018	Inside	4308.00	
Blank Spacing	30.00			4338.00	
Change Over Sub	1.00			4339.00	
Recorder	0.00	11084	Outside	4339.00	
Perforations	16.00			4355.00	
Bullnose	3.00			4358.00	53.00 Bottom Packers & Anchor

Total Tool Length: 73.00



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco Inc

Ross Potter #5

PO Box 20380
Wichita KS 67208

26 17 25w Ness

Job Ticket: 23647

DST#: 1

ATTN: Bruce Reed

Test Start: 2006.04.06 @ 17:20:34

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 47.00 sec/qt

Cushion Volume:

bbl

Water Loss: 9.58 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
120.00	GOCM 15%G 20%O 65%M	0.590
0.00	400 GIP	0.000

Total Length: 120.00 ft

Total Volume: 0.590 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 8018

Inside

Berexco Inc

26 17 25w Ness

DST Test Number: 1




KCC
JUN 06 2006
CONFIDENTIAL

Trilobite Testing, Inc

Ref. No: 23647

Printed: 2006.04.10 @ 09:54:09 Page 5



**TRILOBITE
TESTING, INC.**

KCC
JUN 06 2006
CONFIDENTIAL

DRILL STEM TEST REPORT

Prepared For: **Berexco Inc**

PO Box 20380
Wichita KS 67208

ATTN: Bruce Reed

26 17 25w Ness

Ross Potter #5

Start Date: 2006.04.08 @ 02:14:00

End Date: 2006.04.08 @ 13:36:00

Job Ticket #: 24232 DST #: 2

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Berexco Inc

PO Box 20380
Wichita KS 67208

ATTN: Bruce Reed

Ross Potter #5

26 17 25w Ness

Job Ticket: 24232

DST#: 2

Test Start: 2006.04.08 @ 02:14:00

GENERAL INFORMATION:

Formation: **Miss.**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 06:08:00

Time Test Ended: 13:36:00

Interval: **4396.00 ft (KB) To 4434.00 ft (KB) (TVD)**

Total Depth: **4434.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: **Fair**

Test Type: **Conventional Bottom Hole**

Tester: **John Schmidt**

Unit No: **31**

Reference Elevations: **2513.00 ft (KB)**

2502.00 ft (CF)

KB to GR/CF: **11.00 ft**

Serial #: 8018

Inside

Press@RunDepth: **110.90 psig @ 4403.00 ft (KB)**

Start Date: **2006.04.08**

End Date: **2006.04.08**

Start Time: **02:14:05**

End Time: **13:36:00**


Capacity: **7000.00 psig**

Last Calib.: **2006.04.08**

Time On Btm: **2006.04.08 @ 06:07:30**

Time Off Btm: **2006.04.08 @ 09:53:00**

TEST COMMENT: IF Fair built to 5" in
ISI Dead
FF Good built to 8" in
FSI Weak surf blow back



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2203.21	108.55	Initial Hydro-static
1	25.16	108.12	Open To Flow (1)
31	62.67	110.70	Shut-In(1)
75	689.33	111.17	End Shut-In(1)
76	67.94	110.97	Open To Flow (2)
134	110.90	113.17	Shut-In(2)
225	700.05	114.84	End Shut-In(2)
226	2084.99	115.32	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
160.00	MDY O 40%M-60%O	0.79
80.00	Clean Oil	0.39
0.00	240 gas in pipe	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Berexco Inc

Ross Potter #5

PO Box 20380
Wichita KS 67208

26 17 25w Ness

Job Ticket: 24232

DST#: 2

ATTN: Bruce Reed

Test Start: 2006.04.08 @ 02:14:00


Tool Information

Drill Pipe:	Length: 3884.00 ft	Diameter: 3.00 inches	Volume: 33.96 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 498.00 ft	Diameter: 2.25 inches	Volume: 2.45 bbl	Weight to Pull Loose: 74000.00 lb
		Total Volume:	36.41 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	11.00 ft			String Weight: Initial 65000.00 lb
Depth to Top Packer:	4396.00 ft			Final 66000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	38.00 ft			
Tool Length:	63.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

KCC
JUN 06 2006
CONFIDENTIAL

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4372.00	
Shut In Tool	5.00			4377.00	
Hydraulic tool	5.00			4382.00	
Jars	5.00			4387.00	
Packer	4.00			4391.00	25.00 Bottom Of Top Packer
Packer	5.00			4396.00	
Stubb	1.00			4397.00	
Perforations	6.00			4403.00	
Recorder	0.00	8018	Inside	4403.00	
Perforations	28.00			4431.00	
Recorder	0.00	11084	Outside	4431.00	
Bullnose	3.00			4434.00	38.00 Bottom Packers & Anchor

Total Tool Length: 63.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco Inc

Ross Potter #5

PO Box 20380
Wichita KS 67208

26 17 25w Ness

Job Ticket: 24232

DST#: 2

ATTN: Bruce Reed

Test Start: 2006.04.08 @ 02:14:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

39 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 47.00 sec/qt

Cushion Volume:

bbl

Water Loss: 9.58 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
160.00	MDY O 40%M-60%O	0.787
80.00	Clean Oil	0.393
0.00	240 gas in pipe	0.000

Total Length: 240.00 ft

Total Volume: 1.180 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 8018

Inside

Berexco Inc

26 17 25w Ness

DST Test Number: 2



KCC
JUN 06 2006
CONFIDENTIAL

Trilobite Testing, Inc

Ref. No: 24232

Printed: 2006.04.10 @ 09:57:27 Page 5