

Company Mull Drilling Company, Inc. Lease & Well No. Terwillger #2
 Elevation 2777 Kelly Bushing Kansas City Formation Effective Pay --- Ft. Ticket No. 4995
 Date 2/18/80 Sec. 8 Twp. 17S Range 28W County Lane State Kansas
 Test Approved by Michael R. Kidwell Western Representative John Criser

Formation Test No. 1 Interval Tested from 4144' ft. to 4214' ft. Total Depth 4214 ft.
 Packer Depth 4149 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Packer Depth 4144 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.

Depth of Selective Zone Set -
 Top Recorder Depth (Inside) 4211 ft. Recorder Number 4331 Cap. 4150
 Bottom Recorder Depth (Outside) 4214 ft. Recorder Number 13240 Cap. 4500
 Below Straddle Recorder Depth - ft. Recorder Number - Cap. -

Drilling Contractor Blue Goose Drilling Drill Collar Length 560 I. D. 2.25 in.
 Mud Type premix-gel-driscac Viscosity 45 Weight Pipe Length - I. D. - in.
 Weight 9.3 Water Loss - cc. Drill Pipe Length 3614 I. D. 3.8 in.
 Chlorides 8,000 P.P.M. Test Tool Length 21 ft. Tool Size 4 1/2 FH in.
 Jars: Make - Serial Number - Anchor Length 70 ft. Size 4 1/2 FH in.
 Did Well Flow? - Reversed Out - Surface Choke Size 1/2 in. Bottom Choke Size 1 1/2 in.
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 FH in.

Blow: First flow fair blow; four inches in bucket. Second flow six inches in bucket.

Recovered 183 ft. of gas
 Recovered 8 ft. of oil cut mud 22% oil and 78% mud
 Recovered 60 ft. of oil cut mud 23% oil and 77% mud
 Recovered 60 ft. of oil cut mud 25% oil and 75% mud
 Recovered ft. of

Remarks:

Time Set Packer(s) 12:30 A.M. P.M. Time Started Off Bottom 3:45 A.M. P.M. Maximum Temperature 112°
 Initial Hydrostatic Pressure (A) 2097 P.S.I.
 Initial Flow Period Minutes 30 (B) 76 P.S.I. to (C) 76 P.S.I.
 Initial Closed In Period Minutes 48 (D) 1089 P.S.I.
 Final Flow Period Minutes 60 (E) 108 P.S.I. to (F) 117 P.S.I.
 Final Closed In Period Minutes 60 (G) 1030 P.S.I.
 Final Hydrostatic Pressure (H) 2069 P.S.I.

WESTERN TESTING CO., INC.
Pressure Data

Date 2-18-80 Test Ticket No. 4995
 Recorder No. 4331 Capacity 4150 Location 4211 Ft.
 Clock No. - Elevation 2777 Kelly Bushing Well Temperature 112 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	<u>2097</u> P.S.I.	Open Tool	<u>12:30</u> M	
B First Initial Flow Pressure	<u>76</u> P.S.I.	First Flow Pressure	<u>30</u> Mins.	<u>30</u> Mins.
C First Final Flow Pressure	<u>76</u> P.S.I.	Initial Closed-in Pressure	<u>45</u> Mins.	<u>48</u> Mins.
D Initial Closed-in Pressure	<u>1089</u> P.S.I.	Second Flow Pressure	<u>60</u> Mins.	<u>60</u> Mins.
E Second Initial Flow Pressure	<u>108</u> P.S.I.	Final Closed-in Pressure	<u>60</u> Mins.	<u>60</u> Mins.
F Second Final Flow Pressure	<u>117</u> P.S.I.			
G Final Closed-in Pressure	<u>1030</u> P.S.I.			
H Final Hydrostatic Mud	<u>2069</u> P.S.I.			


PRESSURE BREAKDOWN

Point Mins.	First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
	Breakdown:	Inc.	Breakdown:	Inc.	Breakdown:	Inc.	Breakdown:	Inc.
	of <u>5</u> mins. and a final inc. of <u>0</u> Min.		of <u>3</u> mins. and a final inc. of <u>0</u> Min.		of <u>5</u> mins. and a final inc. of <u>0</u> Min.		of <u>3</u> mins. and a final inc. of <u>0</u> Min.	
Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.	
P 1 <u>0</u>	<u>76</u>	<u>0</u>	<u>76</u>	<u>0</u>	<u>108</u>	<u>0</u>	<u>117</u>	
P 2 <u>5</u>	<u>76</u>	<u>3</u>	<u>85</u>	<u>5</u>	<u>103</u>	<u>3</u>	<u>120</u>	
P 3 <u>10</u>	<u>76</u>	<u>6</u>	<u>98</u>	<u>10</u>	<u>104</u>	<u>6</u>	<u>131</u>	
P 4 <u>15</u>	<u>76</u>	<u>9</u>	<u>124</u>	<u>15</u>	<u>104</u>	<u>9</u>	<u>151</u>	
P 5 <u>20</u>	<u>76</u>	<u>12</u>	<u>157</u>	<u>20</u>	<u>105</u>	<u>12</u>	<u>172</u>	
P 6 <u>25</u>	<u>76</u>	<u>15</u>	<u>225</u>	<u>25</u>	<u>106</u>	<u>15</u>	<u>205</u>	
P 7 <u>30</u>	<u>76</u>	<u>18</u>	<u>314</u>	<u>30</u>	<u>107</u>	<u>18</u>	<u>237</u>	
P 8		<u>21</u>	<u>432</u>	<u>35</u>	<u>109</u>	<u>21</u>	<u>289</u>	
P 9		<u>24</u>	<u>556</u>	<u>40</u>	<u>111</u>	<u>24</u>	<u>356</u>	
P10		<u>27</u>	<u>679</u>	<u>45</u>	<u>114</u>	<u>27</u>	<u>437</u>	
P11		<u>30</u>	<u>793</u>	<u>50</u>	<u>115</u>	<u>30</u>	<u>517</u>	
P12		<u>33</u>	<u>877</u>	<u>55</u>	<u>116</u>	<u>33</u>	<u>606</u>	
P13		<u>36</u>	<u>950</u>	<u>60</u>	<u>117</u>	<u>36</u>	<u>694</u>	
P14		<u>39</u>	<u>1002</u>			<u>39</u>	<u>778</u>	
P15		<u>42</u>	<u>1040</u>			<u>42</u>	<u>841</u>	
P16		<u>45</u>	<u>1068</u>			<u>45</u>	<u>892</u>	
P17		<u>48</u>	<u>1089</u>			<u>48</u>	<u>933</u>	
P18						<u>51</u>	<u>967</u>	
P19						<u>54</u>	<u>989</u>	
P20						<u>57</u>	<u>1010</u>	
						<u>60</u>	<u>1030</u>	

DST.1

Read 4331

TKL # 4995
I



Company Mull Drilling Company, Inc. Lease & Well No. Terwilliger #2
 Elevation 2777 Kelly Bushing Marmaton Formation Effective Pay --- Ft. Ticket No. 4996
 Date 2/19/80 Sec. 8 Twp. 17S Range 28W County Lane State Kansas
 Test Approved by Michael R. Kidwell Western Representative John Critser

Formation Test No. 2 Interval Tested from 4363 ft. to 4405 ft. Total Depth 4405 ft.
 Packer Depth 4358 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Packer Depth 4363 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.

Depth of Selective Zone Set -
 Top Recorder Depth (Inside) 4402 ft. Recorder Number 4331 Cap. 4150
 Bottom Recorder Depth (Outside) 4405 ft. Recorder Number 13240 Cap. 4500
 Below Straddle Recorder Depth - ft. Recorder Number - Cap. -

Drilling Contractor Blue Goose Drlg. Drill Collar Length 560 I. D. 2.25 in.
 Mud Type premix-gel-driscac 41 Weight Pipe Length - I. D. - in.
 Weight 9.3 Water Loss 9.0 cc. Drill Pipe Length 3623 I. D. 3.8 in.
 Chlorides 9,000 P.P.M. Test Tool Length 21 ft. Tool Size 4 1/2 FH in.
 Jars: Make - Serial Number - Anchor Length 42 ft. Size 4 1/2 FH in.
 Did Well Flow? - Reversed Out - Surface Choke Size 1/2 in. Bottom Choke Size 1/2 in.
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 in.

Blow: First flow very weak blow for nine minutes then died. Second flow no blow; flushed tool, good surge, no blow.

Recovered 2 ft. of mud
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of

Remarks:

Time Set Packer(s) 6:05 A.M. P.M. Time Started Off Bottom 8:05 A.M. P.M. Maximum Temperature 110°
 Initial Hydrostatic Pressure (A) 2189 P.S.I.
 Initial Flow Period Minutes 30 (B) 50 P.S.I. to (C) 50 P.S.I.
 Initial Closed In Period Minutes 30 (D) 50 P.S.I.
 Final Flow Period Minutes 30 (E) 50 P.S.I. to (F) 50 P.S.I.
 Final Closed In Period Minutes 30 (G) 51 P.S.I.
 Final Hydrostatic Pressure (H) 2126 P.S.I.

WESTERN TESTING CO., INC.
Pressure Data

Date 2-19-80

Test Ticket No. 4996

Recorder No. 4331 Capacity 4150

Location 4402 Ft.

Clock No. _____ Elevation 2777 Kelly Bushing

Well Temperature 110 °F

Point	Pressure		Time Given	Time Computed
A. Initial Hydrostatic Mud	<u>2189</u> P.S.I.	Open Tool	<u>6:05</u> M	
B. First Initial Flow Pressure	<u>50</u> P.S.I.	First Flow Pressure	<u>30</u> Mins.	<u>30</u> Mins.
C. First Final Flow Pressure	<u>50</u> P.S.I.	Initial Closed-in Pressure	<u>30</u> Mins.	<u>30</u> Mins.
D. Initial Closed-in Pressure	<u>50</u> P.S.I.	Second Flow Pressure	<u>30</u> Mins.	<u>30</u> Mins.
E. Second Initial Flow Pressure	<u>50</u> P.S.I.	Final Closed-in Pressure	<u>30</u> Mins.	<u>30</u> Mins.
F. Second Final Flow Pressure	<u>50</u> P.S.I.			
G. Final Closed-in Pressure	<u>51</u> P.S.I.			
H. Final Hydrostatic Mud	<u>2126</u> P.S.I.			

PRESSURE BREAKDOWN

First Flow Pressure
Breakdown: 6 Inc.
of 5 mins. and a
final inc. of 0 Min.

Initial Shut-In
Breakdown: 10 Inc.
of 3 mins. and a
final inc. of 0 Min.

Second Flow Pressure
Breakdown: 6 Inc.
of 5 mins. and a
final inc. of 0 Min.

Final Shut-In
Breakdown: 10 Inc.
of 3 mins. and a
final inc. of 0 Min.


Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1 <u>0</u>	<u>50</u>	<u>0</u>	<u>50</u>	<u>0</u>	<u>50</u>	<u>0</u>	<u>51</u>
P 2 <u>5</u>	<u>50</u>	<u>3</u>	<u>50</u>	<u>5</u>	<u>51</u>	<u>3</u>	<u>51</u>
P 3 <u>10</u>	<u>50</u>	<u>6</u>	<u>50</u>	<u>10</u>	<u>51</u>	<u>6</u>	<u>51</u>
P 4 <u>15</u>	<u>50</u>	<u>9</u>	<u>50</u>	<u>15</u>	<u>51</u>	<u>9</u>	<u>51</u>
P 5 <u>20</u>	<u>50</u>	<u>12</u>	<u>50</u>	<u>20</u>	<u>51</u>	<u>12</u>	<u>51</u>
P 6 <u>25</u>	<u>50</u>	<u>15</u>	<u>50</u>	<u>25</u>	<u>51</u>	<u>25</u>	<u>51</u>
P 7 <u>30</u>	<u>50</u>	<u>18</u>	<u>50</u>	<u>30</u>	<u>51</u>	<u>28</u>	<u>51</u>
P 8 _____		<u>21</u>	<u>50</u>			<u>21</u>	<u>51</u>
P 9 _____		<u>24</u>	<u>50</u>			<u>24</u>	<u>51</u>
P10 _____		<u>27</u>	<u>50</u>			<u>27</u>	<u>51</u>
P11 _____		<u>30</u>	<u>50</u>			<u>30</u>	<u>51</u>
P12 _____							
P13 _____							
P14 _____							
P15 _____							
P16 _____							
P17 _____							
P18 _____							
P19 _____							
P20 _____							

Flushed Tool

D.S.T.2

Read 4551

TKL # 4996
I



Company Mull Drilling Company, Inc. Lease & Well No. Terwilliger #2
 Elevation 2777 Kelly Bushing Formation ----- Effective Pay ----- Ft. Ticket No. 4997
 Date 2/20/80 Sec. 8 Twp. 17S Range 28W County Lane State Kansas
 Test Approved by Michael R. Kidwell Western Representative John Critser

Formation Test No. 3 Interval Tested from 4484 ft. to 4532 ft. Total Depth 4532 ft.
 Packer Depth 4479 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Packer Depth 4484 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Depth of Selective Zone Set -

Top Recorder Depth (Inside) 4529 ft. Recorder Number 4331 Cap. 4150
 Bottom Recorder Depth (Outside) 4532 ft. Recorder Number 13240 Cap. 4500
 Below Straddle Recorder Depth - ft. Recorder Number - Cap. -

Drilling Contractor Blue Goose Drilling Drill Collar Length 560 I. D. 2.25 in.
 Mud Type premix-gel-driscopac 44 Viscosity 44 Weight Pipe Length - I. D. - in.
 Weight 9.3 Water Loss 10.5 cc. Drill Pipe Length 3945 I. D. 3.8 in.
 Chlorides 8,000 P.P.M. Test Tool Length 21 ft. Tool Size 4 1/2 FH in.
 Jars: Make -- Serial Number - Anchor Length 48 ft. Size 4 1/2 FH
 Did Well Flow? - Reversed Out - Surface Choke Size 1/2 in. Bottom Choke Size 1/2 in.
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 FH in.

Blow: Fair blow throughout test.

Recovered 181 ft. of gas
 Recovered 1 ft. of free oil
 Recovered 9 ft. of oil cut mud
 Recovered ft. of
 Recovered ft. of

Remarks: READ OUTSIDE CHART

Time Set Packer(s) 8:55 ^{A.M.} P.M. Time Started Off Bottom 12:10 ^{A.M.} P.M. Maximum Temperature 109°
 Initial Hydrostatic Pressure (A) 2183 P.S.I.
 Initial Flow Period Minutes 30 (B) 72 P.S.I. to (C) 66 P.S.I.
 Initial Closed In Period Minutes 48 (D) 177 P.S.I.
 Final Flow Period Minutes 60 (E) 74 P.S.I. to (F) 74 P.S.I.
 Final Closed In Period Minutes 60 (G) 470 P.S.I.
 Final Hydrostatic Pressure (H) 2177 P.S.I.

WESTERN TESTING CO., INC.

Pressure Data

Date 2/20/80 Test Ticket No. 4997
 Recorder No. 13240 Capacity 4500 Location 4532 Ft.
 Clock No. ----- Elevation 2777 Kelly Bushing Well Temperature 109 °F

Point	Pressure		Time Given	Time Computed
A. Initial Hydrostatic Mud	2183	P.S.I.	8:55	M
B. First Initial Flow Pressure	72	P.S.I.	30	Mins. 30 Mins.
C. First Final Flow Pressure	66	P.S.I.	45	Mins. 48 Mins.
D. Initial Closed-in Pressure	177	P.S.I.	60	Mins. 60 Mins.
E. Second Initial Flow Pressure	74	P.S.I.	60	Mins. 60 Mins.
F. Second Final Flow Pressure	74	P.S.I.		
G. Final Closed-in Pressure	470	P.S.I.		
H. Final Hydrostatic Mud	2177	P.S.I.		


PRESSURE BREAKDOWN

Point Mins.	First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In					
	Breakdown:	Inc.	Breakdown:	Inc.	Breakdown:	Inc.	Breakdown:	Inc.				
	of	5	mins. and a	final inc. of	0	Min.	of	3	mins. and a	final inc. of	0	Min.
	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.			
P 1	72	0	66	0	74	0	74	0	74			
P 2	66	3	66	3	74	3	74	3	74			
P 3	66	6	66	6	74	6	74	6	74			
P 4	66	9	66	9	74	9	74	9	74			
P 5	66	12	68	12	74	12	74	12	74			
P 6	66	15	70	15	74	15	74	15	78			
P 7	66	18	75	18	74	18	74	18	82			
P 8		21	80	21	74	21	74	21	84			
P 9		24	81	24	74	24	74	24	95			
P10		27	84	27	74	27	74	27	108			
P11		30	91	30	74	30	74	30	123			
P12		33	102	33	74	33	74	33	139			
P13		36	114	36	74	36	74	36	161			
P14		39	130	39		39		39	184			
P15		42	143	42		42		42	209			
P16		45	164	45		45		45	234			
P17		48	177	48		48		48	273			
P18						51		51	316			
P19						54		54	361			
P20						57		57	407			
						60		60	470			

D.S. 13.

Read 13240

TK# 4997
○



Company Mull Drilling Company, Inc. Lease & Well No. Terwilliger #2
 Elevation 2777 Kelly Bushing Formation ----- Effective Pay ----- Ft. Ticket No. 4998
 Date 2/21/80 Sec. 8 Twp. 17S Range 28W County Lane State Kansas
 Test Approved by Michael R. Kidwell Western Representative John Critser

Formation Test No. 4 Interval Tested from 4526 ft. to 4560 ft. Total Depth 4560 ft.
 Packer Depth 4521 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Packer Depth 4526 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.

Depth of Selective Zone Set -
 Top Recorder Depth (Inside) 4557 ft. Recorder Number 4331 Cap. 4150
 Bottom Recorder Depth (Outside) 4560 ft. Recorder Number 13240 Cap. 4500
 Below Straddle Recorder Depth - ft. Recorder Number - Cap. -

Drilling Contractor Blue Goose Drilling Drill Collar Length 560 I. D. 2.25 in.
 Mud Type premix-gel-driscopac Viscosity 51 Weight Pipe Length - I. D. - in.
 Weight 9.3 Water Loss 10.0 cc. Drill Pipe Length 3977 I. D. 3.8 in.
 Chlorides 7,000 P.P.M. Test Tool Length 21 ft. Tool Size 4 1/2 FH in.
 Jars: Make - Serial Number - Anchor Length 34 ft. Size 4 1/2 FH in.
 Did Well Flow? - Reversed Out - Surface Choke Size 1/2 in. Bottom Choke Size 1/2 in.
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 FH in.

Blow: Very weak blow thorough first flow period. Second flow period no blow; flushed tool, good surge, blowed very weak four minutes, then died.

Recovered 1 ft. of very slightly oil cut gassy mud
 Recovered 60 ft. of very slightly oil spotted gassy mud
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of

Remarks:

Time Set Packer(s) 4:35 A.M. P.M. Time Started Off Bottom 6.50 A.M. P.M. Maximum Temperature 111°
 Initial Hydrostatic Pressure (A) 2342 P.S.I.
 Initial Flow Period Minutes 30 (B) 24 P.S.I. to (C) 17 P.S.I.
 Initial Closed In Period Minutes 45 (D) 11:46 P.S.I.
 Final Flow Period Minutes 30 (E) 33 P.S.I. to (F) 33 P.S.I.
 Final Closed In Period Minutes 30 (G) 1070 P.S.I.
 Final Hydrostatic Pressure (H) 2309 P.S.I.

WESTERN TESTING CO., INC.
Pressure Data

Date 2-21-80 Test Ticket No. 4998
 Recorder No. 4331 Capacity 4150 Location 4557 Ft.
 Clock No. _____ Elevation 2777 Kelly Bushing Well Temperature 111 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	<u>2342</u> P.S.I.	Open Tool	<u>4:35</u> M	
B First Initial Flow Pressure	<u>24</u> P.S.I.	First Flow Pressure	<u>30</u> Mins.	<u>30</u> Mins.
C First Final Flow Pressure	<u>17</u> P.S.I.	Initial Closed-in Pressure	<u>45</u> Mins.	<u>45</u> Mins.
D Initial Closed-in Pressure	<u>1146</u> P.S.I.	Second Flow Pressure	<u>30</u> Mins.	<u>30</u> Mins.
E Second Initial Flow Pressure	<u>33</u> P.S.I.	Final Closed-in Pressure	<u>30</u> Mins.	<u>30</u> Mins.
F Second Final Flow Pressure	<u>33</u> P.S.I.			
G Final Closed-in Pressure	<u>1070</u> P.S.I.			
H Final Hydrostatic Mud	<u>2309</u> P.S.I.			

PRESSURE BREAKDOWN

Point Mins.	First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
	Breakdown:	Inc.	Breakdown:	Inc.	Breakdown:	Inc.	Breakdown:	Inc.
	of <u>5</u> mins. and a final inc. of <u>0</u> Min.		of <u>3</u> mins. and a final inc. of <u>0</u> Min.		of <u>5</u> mins. and a final inc. of <u>0</u> Min.		of <u>3</u> mins. and a final inc. of <u>0</u> Min.	
Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.	
P 1 <u>0</u>	<u>24</u>	<u>0</u>	<u>17</u>	<u>0</u>	<u>33</u>	<u>0</u>	<u>33</u>	
P 2 <u>5</u>	<u>19</u>	<u>3</u>	<u>22</u>	<u>5</u>	<u>39</u>	<u>3</u>	<u>111</u>	
P 3 <u>10</u>	<u>17</u>	<u>6</u>	<u>109</u>	<u>10</u>	<u>33</u>	<u>6</u>	<u>376</u>	
P 4 <u>15</u>	<u>17</u>	<u>9</u>	<u>474</u>	<u>15</u>	<u>33</u>	<u>9</u>	<u>685</u>	
P 5 <u>20</u>	<u>17</u>	<u>12</u>	<u>782</u>	<u>20</u>	<u>33</u>	<u>12</u>	<u>847</u>	
P 6 <u>25</u>	<u>17</u>	<u>15</u>	<u>914</u>	<u>25</u>	<u>33</u>	<u>15</u>	<u>931</u>	
P 7 <u>30</u>	<u>17</u>	<u>18</u>	<u>985</u>	<u>30</u>	<u>33</u>	<u>18</u>	<u>983</u>	
P 8 _____		<u>21</u>	<u>1023</u>			<u>21</u>	<u>1015</u>	
P 9 _____		<u>24</u>	<u>1051</u>			<u>24</u>	<u>1038</u>	
P10 _____		<u>27</u>	<u>1074</u>			<u>27</u>	<u>1057</u>	
P11 _____		<u>30</u>	<u>1091</u>			<u>30</u>	<u>1070</u>	
P12 _____		<u>33</u>	<u>1102</u>					
P13 _____		<u>36</u>	<u>1114</u>					
P14 _____		<u>39</u>	<u>1125</u>					
P15 _____		<u>42</u>	<u>1136</u>					
P16 _____		<u>45</u>	<u>1146</u>					
P17 _____								
P18 _____								
P19 _____								
P20 _____								

TKT # 4998
I

