


15-009-25247

18-18s-1lw

IND



DRILL STEM TEST REPORT

Prepared For: **Sam Gary**

1560 Broadway suite 2100
Denver, CO 80202

CONFIDENTIAL
ATTN: Jason Bland
SEP 17 2008

1848 11

Krier 1-18

Start Date: 2008.09.12 @ 14:35:45

End Date: 2008.09.12 @ 23:17:45

Job Ticket #: 33683 DST #: 1

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Sam Gary

Krier 1-18

18 18 11

DST # 1

LKC "A-F"

2008.09.12



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Sam Gary

1560 Broadway suite 2100
Denver, CO 80202

ATTN: Jason Brand

Krier 1-18

18 18 11

Job Ticket: 33683

DST#: 1

Test Start: 2008.09.12 @ 14:35:45

GENERAL INFORMATION:

Formation: **LKC "A-F"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 16:21:15

Time Test Ended: 23:17:45

Interval: **3132.00 ft (KB) To 3225.00 ft (KB) (TVD)**

Total Depth: 3225.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition:

Test Type: Conventional Bottom Hole

Tester: Brett Dickinson

Unit No: #42

Reference Elevations: 1839.00 ft (KB)

1829.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6625

Outside

Press@RunDepth: 56.83 psig @ 3139.00 ft (KB)

Start Date: 2008.09.12

End Date: 2008.09.12

Capacity: 7000.00 psig

Last Calib.: 2008.09.12

Start Time: 14:35:50


End Time: 23:17:45

Time On Btm: 2008.09.12 @ 16:20:45

Time Off Btm: 2008.09.12 @ 21:44:44

TEST COMMENT: IF- Surface blow built to 2in
IS- No blow
FF- Surface blow built to 1in
FS- No blow

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1559.84	102.92	Initial Hydro-static
1	21.54	102.42	Open To Flow (1)
22	33.55	103.26	Shut-In(1)
80	787.88	104.36	End Shut-In(1)
81	33.84	104.19	Open To Flow (2)
141	56.83	105.68	Shut-In(2)
324	744.16	106.74	End Shut-In(2)
324	1523.91	106.97	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
75.00	Mud	1.05

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (MMcf/d)
----------------	-----------------	-------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 33683

DST#: 1

ATTN: Jason Brand


Test Start: 2008.09.12 @ 14:35:45

Tool Information

Drill Pipe:	Length: 3125.00 ft	Diameter: 3.80 inches	Volume: 43.84 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 40000.00 lb
		Total Volume: 43.84 bbl		Tool Chased ft
Drill Pipe Above KB:	22.00 ft			String Weight: Initial 35000.00 lb
Depth to Top Packer:	3132.00 ft			Final 35000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	93.00 ft			
Tool Length:	122.00 ft			
Number of Packers:	2	Diameter: 7.88 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3104.00	
Shut In Tool	5.00			3109.00	
Hydraulic tool	5.00			3114.00	
Jars	5.00			3119.00	
Safety Joint	3.00			3122.00	
Packer	5.00			3127.00	29.00 Bottom Of Top Packer
Packer	5.00			3132.00	
Stubb	1.00			3133.00	
Perforations	5.00			3138.00	
Change Over Sub	1.00			3139.00	
Recorder	0.00	8365	Inside	3139.00	
Recorder	0.00	6625	Outside	3139.00	
Drill Pipe	62.00			3201.00	
Change Over Sub	1.00			3202.00	
Perforations	20.00			3222.00	
Bullnose	3.00			3225.00	93.00 Bottom Packers & Anchor
Total Tool Length:	122.00				



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 33683

DST#: 1

ATTN: Jason Brand

Test Start: 2008.09.12 @ 14:35:45

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 50.00 sec/qt

Cushion Volume:

bbl

Water Loss: 10.38 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5300.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
75.00	Mud	1.052

Total Length: 75.00 ft

Total Volume: 1.052 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Sam Gary**

1560 Broadway suite 2100
Denver, CO 80202

ATTN: Jason Brand

18 18 11


Krier 1-18

Start Date: 2008.09.13 @ 17:33:29

End Date: 2008.09.13 @ 22:53:29

Job Ticket #: 33684 DST #: 2

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 33684

DST#: 2

ATTN: Jason Brand

Test Start: 2008.09.13 @ 17:33:29

GENERAL INFORMATION:

Formation: **Arb.**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 19:25:29

Time Test Ended: 22:53:29

Test Type: Conventional Bottom Hole

Tester: Brett Dickinson

Unit No: #42

Interval: **3414.00 ft (KB) To 3430.00 ft (KB) (TVD)**

Total Depth: 3430.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition:

Reference Elevations: 1839.00 ft (KB)

1829.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6625 **Outside**

Press@RunDepth: 21.03 psig @ 3427.00 ft (KB)

Start Date: 2008.09.13

End Date:

2008.09.13

Start Time: 17:33:34

End Time:

22:53:28

Capacity: 7000.00 psig

Last Calib.: 2008.09.13

Time On Btm: 2008.09.13 @ 19:24:59

Time Off Btm: 2008.09.13 @ 21:27:29


TEST COMMENT: IF Surface blow died in 6min

ISI No blow

FF No blow

FSI No blow

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1718.69	106.62	Initial Hydro-static
1	19.95	106.47	Open To Flow (1)
17	19.63	106.35	Shut-In(1)
61	206.22	107.23	End Shut-In(1)
62	20.26	107.19	Open To Flow(2)
77	21.03	107.55	Shut-In(2)
122	184.65	108.63	End Shut-In(2)
123	1650.21	109.64	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
2.00	Mud	0.03

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (MMcf/d)
----------------	-----------------	-------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 33684

DST#: 2

ATTN: Jason Brand


Test Start: 2008.09.13 @ 17:33:29

Tool Information

Drill Pipe:	Length:	3405.00 ft	Diameter:	3.80 inches	Volume:	47.76 bbl	Tool Weight:	2500.00 lb		
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	2.70 inches	Volume:	0.00 bbl	Weight set on Packer:	25000.00 lb		
Drill Collar:	Length:	0.00 ft	Diameter:	2.25 inches	Volume:	0.00 bbl	Weight to Pull Loose:	40000.00 lb		
						Total Volume:	47.76 bbl	Tool Chased	ft	
Drill Pipe Above KB:	20.00 ft								String Weight: Initial	36000.00 lb
Depth to Top Packer:	3414.00 ft								Final	36000.00 lb
Depth to Bottom Packer:	ft									
Interval between Packers:	16.00 ft									
Tool Length:	45.00 ft									
Number of Packers:	2		Diameter:	7.88 inches						
Tool Comments:										

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3386.00	
Shut In Tool	5.00			3391.00	
Hydraulic tool	5.00			3396.00	
Jars	5.00			3401.00	
Safety Joint	3.00			3404.00	
Packer	5.00			3409.00	29.00 Bottom Of Top Packer
Packer	5.00			3414.00	
Stubb	1.00			3415.00	
Perforations	12.00			3427.00	
Recorder	0.00	8365	Inside	3427.00	
Recorder	0.00	6625	Outside	3427.00	
Bullnose	3.00			3430.00	16.00 Bottom Packers & Anchor

Total Tool Length: 45.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 33684

DST#: 2

ATTN: Jason Brand

Test Start: 2008.09.13 @ 17:33:29

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 58.00 sec/qt

Water Loss: 11.97 in³

Resistivity: ohm.m

Salinity: 7100.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
2.00	Mud	0.028

Total Length: 2.00 ft

Total Volume: 0.028 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


DST Test Number: 2

18 18 11

Outside Sam Gary

Serial #: 6625

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Sam Gary**

1560 Broadway suite 2100
Denver, CO 80202

ATTN: Jason Brand

18 18 11


Krier 1-18

Start Date: 2008.09.14 @ 19:02:57

End Date: 2008.09.15 @ 00:38:57

Job Ticket #: 32763 DST #: 3

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Sam Gary

1560 Broadway suite 2100
Denver, CO 80202

ATTN: Jason Brand

Krier 1-18

18 18 11

Job Ticket: 32763

DST#: 3

Test Start: 2008.09.14 @ 19:02:57

GENERAL INFORMATION:

Formation: **LKC**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 20:29:27

Time Test Ended: 00:38:57

Interval: **3288.00 ft (KB) To 3330.00 ft (KB) (TVD)**

Total Depth: **3513.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition:

Test Type: **Conventional Straddle**

Tester: **Kyle Kinderknecht**

Unit No: **31**

Reference Elevations: **1839.00 ft (KB)**

1829.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 8319

Inside

Press@RunDepth: **21.50 psig @ 3292.00 ft (KB)**

Start Date: **2008.09.14**

End Date:

2008.09.15

Start Time: **19:03:02**

End Time:

00:38:56

Capacity: **7000.00 psig**


Last Calib.: **2008.09.15**

Time On Btm: **2008.09.14 @ 20:28:57**

Time Off Btm: **2008.09.14 @ 22:49:27**

TEST COMMENT: IF Blow to 1" died 15 min

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1730.42	103.55	Initial Hydro-static
1	21.57	103.07	Open To Flow (1)
20	23.12	103.51	Shut-In (1)
80	23.35	105.87	End Shut-In (1)
81	21.52	105.88	Open To Flow (2)
97	21.50	106.22	Shut-In (2)
139	22.00	106.90	End Shut-In (2)
141	1601.35	107.50	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
15.00	Mud w/scum of oil in tool	0.21

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (MMcf/d)
----------------	-----------------	-------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 32763

DST#: 3

ATTN: Jason Brand


Test Start: 2008.09.14 @ 19:02:57

Tool Information

Drill Pipe:	Length: 3286.00 ft	Diameter: 3.80 inches	Volume: 46.09 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 40000.00 lb
		Total Volume: 46.09 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	18.00 ft			String Weight: Initial 37000.00 lb
Depth to Top Packer:	3288.00 ft			Final 37000.00 lb
Depth to Bottom Packer:	3330.00 ft			
Interval between Packers:	42.00 ft			
Tool Length:	245.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3269.00	
Shut In Tool	5.00			3274.00	
Hydraulic tool	5.00			3279.00	
Packer	4.00			3283.00	20.00 Bottom Of Top Packer
Packer	5.00			3288.00	
Stubb	1.00			3289.00	
Perforations	2.00			3291.00	
Change Over Sub	1.00			3292.00	
Recorder	0.00	8319	Inside	3292.00	
Blank Spacing	31.00			3323.00	
Change Over Sub	1.00			3324.00	
Perforations	2.00			3326.00	
Recorder	0.00	13308	Outside	3326.00	
Blank Off Sub	1.00			3327.00	
Blank Spacing	3.00			3330.00	42.00 Tool Interval
Packer	0.00			3330.00	
Stubb	1.00			3331.00	
Recorder	0.00	8369	Below	3331.00	
Perforations	20.00			3351.00	
Change Over Sub	1.00			3352.00	
Blank Spacing	157.00			3509.00	
Change Over Sub	1.00			3510.00	
Bullnose	3.00			3513.00	183.00 Bottom Packers & Anchor
Total Tool Length:		245.00			



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 32763

DST#: 3

ATTN: Jason Brand

Test Start: 2008.09.14 @ 19:02:57

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 50.00 sec/qt

Cushion Volume:

bbl

Water Loss: 10.37 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5300.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
15.00	Mud w/scum of oil in tool	0.210

Total Length: 15.00 ft

Total Volume: 0.210 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 8319

Inside

Sam Gary

DST Test Number: 3


Pressure vs. Time



Ref. No: 32763

Trilobite Testing, Inc

Printed: 2008.09.22 @ 13:10:42 Page 5



DRILL STEM TEST REPORT

Prepared For: **Sam Gary**

1560 Broadway suite 2100
Denver, CO 80202

ATTN: Jason Brand

18 18 11

Krier 1-18

Start Date: 2008.09.15 @ 00:43:42

End Date: 2008.09.15 @ 06:02:12

Job Ticket #: 32764 DST #: 4

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 32764

DST#: 4

ATTN: Jason Brand

Test Start: 2008.09.15 @ 00:43:42

GENERAL INFORMATION:

Formation: **Arb**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 02:12:12

Time Test Ended: 06:02:12

Test Type: Conventional Straddle

Tester: Kyle Kinderknecht

Unit No: 31

Interval: **3432.00 ft (KB) To 3445.00 ft (KB) (TVD)**

Total Depth: 3513.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 1839.00 ft (KB)

1829.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 8319 Inside

Press@RunDepth: 21.98 psig @ 3435.00 ft (KB)

Start Date: 2008.09.15 End Date: 2008.09.15

Start Time: 00:43:47 End Time: 06:02:11

Capacity: 7000.00 psig


Last Calib.: 2008.09.15

Time On Btm: 2008.09.15 @ 02:11:42

Time Off Btm: 2008.09.15 @ 04:11:42

TEST COMMENT: IF Surface blow died 7 min

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1791.03	110.90	Initial Hydro-static
1	21.02	110.57	Open To Flow (1)
16	22.17	110.99	Shut-In (1)
62	57.98	111.63	End Shut-In (1)
63	21.96	111.62	Open To Flow (2)
78	21.98	111.79	Shut-In (2)
119	39.77	112.19	End Shut-In (2)
120	1711.43	112.69	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	Mud	0.07

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (MMcf/d)
----------------	-----------------	-------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 32764

DST#: 4


ATTN: Jason Brand

Test Start: 2008.09.15 @ 00:43:42

Tool Information

Drill Pipe:	Length: 3443.00 ft	Diameter: 3.80 inches	Volume: 48.30 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 40000.00 lb
			Total Volume: 48.30 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	31.00 ft			String Weight: Initial 38000.00 lb
Depth to Top Packer:	3432.00 ft			Final 38000.00 lb
Depth to Bottom Packer:	3445.00 ft			
Interval between Packers:	13.00 ft			
Tool Length:	101.00 ft			
Number of Packers:	2	Diameter: 7.88 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3413.00	
Shut In Tool	5.00			3418.00	
Hydraulic tool	5.00			3423.00	
Packer	4.00			3427.00	20.00 Bottom Of Top Packer
Packer	5.00			3432.00	
Stubb	1.00			3433.00	
Perforations	2.00			3435.00	
Recorder	0.00	8319	Inside	3435.00	
Perforations	6.00			3441.00	
Blank Off Sub	1.00			3442.00	
Blank Spacing	3.00			3445.00	13.00 Tool Interval
Packer	0.00			3445.00	
Stubb	1.00			3446.00	
Recorder	0.00	8369	Below	3446.00	
Change Over Sub	1.00			3447.00	
Blank Spacing	62.00			3509.00	
Change Over Sub	1.00			3510.00	
Bullnose	3.00			3513.00	68.00 Bottom Packers & Anchor
Total Tool Length:		101.00			



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Sam Gary

Krier 1-18

1560 Broadway suite 2100
Denver, CO 80202

18 18 11

Job Ticket: 32764

DST#: 4

ATTN: Jason Brand

Test Start: 2008.09.15 @ 00:43:42

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 50.00 sec/qt

Water Loss: 10.37 in³

Resistivity: ohm.m

Salinity: 5300.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	Mud	0.070

Total Length: 5.00 ft

Total Volume: 0.070 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time

