

# ACID ENGINEERS, Inc.

## TREATMENT REPORT

Invoice No. 16783 Station Great Bend Date April 10, 1970  
 Owner Glen Rupe Lease KLEIN Well No. 1  
 Pool Bailey Ext. County Barton State Kansas  
 Loc. 25-18-12 C N/2 NE SE Formation \_\_\_\_\_

|                      |                    |                          |                |                            |             |
|----------------------|--------------------|--------------------------|----------------|----------------------------|-------------|
| <b>Pipe Data—</b>    |                    | <b>Perforating Data—</b> |                | <b>Production—</b>         |             |
| T.D. _____           | P.B. <u>3330</u>   | Shots/Ft. _____          |                | Oil _____                  | Water _____ |
| Csg. Size <u>5½"</u> | Wt. <u>14#</u>     | From <u>3182</u>         | To <u>3185</u> | Present <u>0</u>           | <u>0</u>    |
| Csg. Depth _____     | Sks. Cement _____  | From _____               | To _____       | <b>Previous Treatments</b> |             |
| Tbg. Size _____      | Depth _____        | From _____               | To _____       | <b>New Perfs.</b>          |             |
| Packer Type _____    | Annulus Vol. _____ | From _____               | To _____       |                            |             |
| Csg. Vol. <u>81</u>  | Tbg. Vol. _____    | From _____               | To _____       |                            |             |

### Detailed Record of Treatment

#### Materials Used

| Quan.      | Type           | Quan. | Type |
|------------|----------------|-------|------|
| <u>250</u> | <u>SME 15%</u> |       |      |
|            |                |       |      |
|            |                |       |      |

#### Fluids Used:

|                 |           |
|-----------------|-----------|
| Acid _____      | <u>6</u>  |
| Breakdown _____ |           |
| Frac _____      |           |
| Flush _____     | <u>85</u> |

| Time | Csg.        | Pressure Tbg. | Bbbs. of Fluid Out of Tanks | In Form.  | Inj. Rate  | Remarks                          |
|------|-------------|---------------|-----------------------------|-----------|------------|----------------------------------|
|      |             |               |                             |           |            | Pump 2 bbl water to fill rathole |
| 7:04 | <u>0</u>    |               | <u>0</u>                    | <u>0</u>  |            | Start acid down casing           |
| 7:05 | <u>0</u>    |               | <u>6</u>                    |           |            | Start flush                      |
| 7:18 | <u>300</u>  |               | <u>81</u>                   |           |            | Acid on perfs. Stop pump         |
| 7:19 | <u>300</u>  |               |                             |           |            | Start pump                       |
| 7:23 | <u>825</u>  |               | <u>82½</u>                  | <u>1½</u> |            | Formation feeding                |
| 7:28 | <u>800</u>  |               | <u>83½</u>                  | <u>2½</u> | <u>1/5</u> | Speed pump                       |
| 7:30 | <u>1850</u> |               |                             |           |            |                                  |
| 7:32 | <u>1800</u> |               | <u>87</u>                   | <u>6</u>  | <u>.9</u>  | Speed pump                       |
| 7:33 | <u>1800</u> |               | <u>91</u>                   | <u>10</u> | <u>3</u>   | Flush in Stop pump               |
| 7:33 | <u>1650</u> |               |                             |           |            | ISIP                             |
| 7:34 | <u>1450</u> |               |                             |           |            | 1 min press drop                 |
| 7:36 | <u>950</u>  |               |                             |           |            | 3 min press drop                 |
| 7:38 | <u>600</u>  |               |                             |           |            | 5 min press drop                 |
| 7:47 | <u>175</u>  |               |                             |           |            | 14 min press drop Bleed pressure |

Arrival Date 4-10 Time 4:45 PM Left Location: Date 4-10 Time 8:15 PM Round Trip Miles 30

(See Reverse Side for Additional Treatment Remarks)

### Equipment Used

| Name   | Unit No.   | Name | Unit No. |
|--------|------------|------|----------|
| Bob A. | <u>151</u> |      |          |
| Bon    | <u>398</u> |      |          |
|        |            |      |          |
|        |            |      |          |
|        |            |      |          |

### Treatment Resume

|                    |               |     |
|--------------------|---------------|-----|
| Avg. Inj. Rate     | <u>Mag 3</u>  | BPM |
| Avg. Trt. Press.   | <u>1600</u>   | psi |
| Hydraulic HP Used  |               |     |
| Total Fluid Pumped | <u>91 bbl</u> |     |
| Maximum Pressure   | <u>1850</u>   | psi |
| Minimum Pressure   | <u>300</u>    | psi |
| I. S. I. P.        | <u>1650</u>   | psi |

Glen Rupe

Owner's Representative

J. D. Strunk

Station Manager

Don Aumiller

Service Engineer

[illegible]



# ACID ENGINEERS, Inc.

## TREATMENT REPORT

Invoice No. 16780 Station Great Bend Date April 9, 19 70  
 Owner Glen Rupe Lease Klein Well No. 1  
 Pool Bailey Ext. County Barton State Kansas  
 Loc. 25-18-12 C N/2 NE SE Formation Arbuckle

| Pipe Data—              |                    | Perforating Data—   |  | Production—                |             |
|-------------------------|--------------------|---------------------|--|----------------------------|-------------|
| T.D. <u>3403</u>        | P.B. _____         | Shots/Ft. _____     |  | Oil _____                  | Water _____ |
| Csg. Size <u>5½"</u>    | Wt. <u>14#</u>     | From _____ To _____ |  | Present <u>1</u>           | <u>0</u>    |
| Csg. Depth <u>3397</u>  | Sks. Cement _____  | From _____ To _____ |  | <b>Previous Treatments</b> |             |
| Tbg. Size _____         | Depth _____        | From _____ To _____ |  | <u>250 SME 15%</u>         |             |
| Packer Type _____       | Annulus Vol. _____ | From _____ To _____ |  |                            |             |
| Csg. Vol. <u>83 bbl</u> | Tbg. Vol. _____    | From _____ To _____ |  |                            |             |

### Detailed Record of Treatment

#### Materials Used

| Quan.     | Type    | Quan. | Type |
|-----------|---------|-------|------|
| 1000 gal. | 15% R-3 |       |      |
|           |         |       |      |
|           |         |       |      |
|           |         |       |      |

#### Fluids Used:

|             |    |
|-------------|----|
| Acid        | 24 |
| Breakdown   |    |
| Frac        |    |
| Flush Water |    |

| Time  | Pressure Csg. Tbg. | Bbls. of Fluid Out of Tanks In Form. | Inj. Rate | Remarks                           |
|-------|--------------------|--------------------------------------|-----------|-----------------------------------|
|       |                    |                                      |           | Pump 24 bbls. acid & 64 bbl water |
| 6:43  | 150                | 88 5                                 |           | Hole loads Slow pump              |
| 6:53  | 1975               |                                      |           | Press leveling                    |
| 6:55  | 1900               | 92½ 9½ .375                          |           | Slight press break Speed pump     |
| 6:56  | 1825               | 93¾ 103¾                             |           | Slight press break Speed pump     |
| 7:03  | 1550               | 100¾ 173¾ 1                          |           | Press declining slowly Speed pump |
| 7:03½ | 1600               |                                      |           |                                   |
| 7:05  | 1575               |                                      |           | Speed pump                        |
| 7:05  | 1650               |                                      |           |                                   |
| 7:09  | 1550               | 114 31 2.20                          |           | Flush in Stop pump                |
| 7:09  | 1350               |                                      |           | ISIP                              |
| 7:10  | 1150               | 1 min press drop                     |           | 7:24 650 15 min press drop        |
| 7:12  | 975                | 3 min press drop                     |           | 7:28 600 19 min press drop        |
| 7:19  | 775                | 10 min press drop                    |           |                                   |
| 7:14  | 900                | 5 min press drop                     |           |                                   |

Arrival Date 4-9 Time 5 PM Left Location: Date 4-9 Time 7:30 PM Round Trip Miles 30  
 (See Reverse Side for Additional Treatment Remarks)

### Equipment Used

| Name | Unit No. | Name | Unit No. |
|------|----------|------|----------|
| Hal  | 141      |      |          |
| Don  | 398      |      |          |
|      |          |      |          |
|      |          |      |          |
|      |          |      |          |

### Treatment Resume

|                    |          |     |
|--------------------|----------|-----|
| Avg. Inj. Rate     | 1        | BPM |
| Avg. Trt. Press.   | 1700     | psi |
| Hydraulic HP Used  |          |     |
| Total Fluid Pumped | 114 bbl. |     |
| Maximum Pressure   | 1975     | psi |
| Minimum Pressure   | 1550     | psi |
| I. S. I. P.        | 1350     | psi |

Glen Rupe  
 Owner's Representative

J. D. Strunk  
 Station Manager

Don Aumiller  
 Service Engineer

(Treatment Schedule)

[illegible]



# ACID ENGINEERS, Inc.

## TREATMENT REPORT

Invoice No. 16780 Station Great Bend Date April 9, 1970

Owner Glen Rupe Lease Klein Well No. 1

Pool Bailey Ext. County Barton State Kansas

Loc. 25-18-12C N/2 NE SE Formation Arbucklex

### Pipe Data—

T.D. 3403 P.B. \_\_\_\_\_  
Csg. Size 5½ Wt. 14#  
Csg. Depth 3397 Sks. Cement \_\_\_\_\_  
Tbg. Size \_\_\_\_\_ Depth \_\_\_\_\_  
Packer Type \_\_\_\_\_ Annulus Vol. \_\_\_\_\_  
Csg. Vol. 83 bbl. Tbg. Vol. \_\_\_\_\_

### Perforating Data—

Shots/Ft. \_\_\_\_\_  
From \_\_\_\_\_ To \_\_\_\_\_  
From \_\_\_\_\_ To \_\_\_\_\_  
From \_\_\_\_\_ To \_\_\_\_\_  
From \_\_\_\_\_ To \_\_\_\_\_

### Production—

Oil \_\_\_\_\_ Water \_\_\_\_\_  
Present \_\_\_\_\_  
**Previous Treatments**  
**New Well**

### Detailed Record of Treatment

#### Materials Used

| Quan.   | Type | Quan. | Type |
|---------|------|-------|------|
| 250 SME | 15%  |       |      |
|         |      |       |      |
|         |      |       |      |

#### Fluids Used:

|             |     |
|-------------|-----|
| Acid        | 6   |
| Breakdown   |     |
| Frac        |     |
| Flush Water | 83½ |

| Time  | Csg. | Pressure Tbg. | Bbls. of Fluid Out of Tanks | In Form. | Inj. Rate | Remarks                         |
|-------|------|---------------|-----------------------------|----------|-----------|---------------------------------|
| 9:37  | 200  |               | 83                          |          |           | Pump 6 bbl acid & 77 bbls water |
| 9:43  | 500  |               |                             |          |           | Acid on form. Stop pump         |
| 9:49  | 750  |               |                             |          |           | Increase press.                 |
| 9:50  | 700  |               |                             |          |           | INcrease press.                 |
| 10:00 | 1200 |               | 84                          | 1        |           | Start pump                      |
| 10:03 | 1150 |               | 84½                         | 1½       |           | Formation feeding               |
| 10:10 | 1575 |               | 843/4                       | 13/4     | 1/10      | Slight press break Speed pump   |
| 10:30 | 1650 |               |                             |          |           | Press. leveling                 |
| 10:40 | 1800 |               |                             |          |           |                                 |
| 10:58 | 1825 |               | 89½                         | 6½       | 1/10      | Flush in Stop pump              |
| 10:59 | 1750 |               |                             |          |           | 1 min drop                      |
| 11:00 | 1700 |               | 2 min drop                  |          |           | 11:04 1125 16 min drop          |
| 11:03 | 1475 |               | 5 min drop                  |          |           | Bleed press                     |
| 11:08 | 1275 |               | 10 min drop                 |          |           |                                 |

Arrival Date 4-9 Time 8:45AM Left Location: Date 4-9 Time 11:30AM Round Trip Miles 30

(See Reverse Side for Additional Treatment Remarks)

### Equipment Used

| Name | Unit No. | Name | Unit No. |
|------|----------|------|----------|
| Hal  | 141      |      |          |
| Don  | 398      |      |          |
|      |          |      |          |
|      |          |      |          |
|      |          |      |          |

### Treatment Resume

|                    |                        |
|--------------------|------------------------|
| Avg. Inj. Rate     | 1/10 BPM               |
| Avg. Trt. Press.   | 1800 psi               |
| Hydraulic HP Used  |                        |
| Total Fluid Pumped | 89½                    |
| Maximum Pressure   | 1825 psi               |
| Minimum Pressure   | 200 <del>900</del> psi |
| I. S. I. P.        | 1825 psi               |

Glen Rupe

Owner's Representative

J. D. Strunk

Station Manager

Don Aumiller

Service Engineer

**(Treatment Schedule)**

[illegible]



1

10

20

30

40

50

2

10

20

30

40

50

3

10

PRESSURE P.S.I.

4750  
4500  
4250  
4000  
3750  
3500  
3250  
3000  
2750  
2500  
2250  
2000  
1750  
1500  
1250  
1000  
750  
500  
250

16780  
**Glen N. Rupe**  
COMPANY  
**Klein**  
LEASE  
**Gt. Bend**  
STATION  
TY-0-5000  
**1000 SR-3 16%.**  
TREATMENT  
**4-9-70**  
DATE  
P 0-5000

WELL NO. 1  
LOCATION 25-18-12

4HR-SPECIAL

6:20 PM  
start acid  
start flush  
slow pump - 5 bbl over hole volume

slow pump  
speed pump  
pressure break - speed pump  
pressure break - speed pump

speed pump  
speed pump


flush in - stop pump

close in well


PRESSURE P.S.I.

4750  
4500  
4250  
4000  
3750  
3500  
3250  
3000  
2750  
2500  
2250  
2000  
1750  
1500  
1250  
1000  
750  
500  
250









Glen N. Rupe  
COMPANY

Klein  
LEASE

Gt. Bend  
STATION

TY-0-5000

1000 SR-3 15%  
TREATMENT

4-9-70  
DATE

P 0-5000

16780


1

WELL NO.


25-18-12  
LOCATION

4HR-SPECIAL














16783  
GLEN N. RUPE  
COMPANY  
KLEIN  
LEASE  
GL. Bond  
STATION  
TY-0-5000  
250  
SMB  
TREATMENT  
4HR-SPECIAL  
15%  
9-10-70  
DATE  
P 0-5000

7:00 PM  
start acid  
start flush  
stop pump  
start pump  
speed pump to 9 BPM  
speed pump to 3 BPM  
bleed pressure



# AND ENGINEERS, Inc.

## TREATMENT REPORT

Invoice No. 16753 Station Great Bend Date April 22, 19 70

Owner Glen N. Rupe Lease KLEIN Well No. 1

Pool Bailey Ext. County Barton State Kansas

Loc. 25-18-12 C/N2 NE SE Formation Kansas City

| Pipe Data—               |                    | Perforating Data— |                | Production—                |             |
|--------------------------|--------------------|-------------------|----------------|----------------------------|-------------|
| T.D. <u>3403</u>         | P.B. <u>3330</u>   | Shots/Ft. _____   |                | Oil _____                  | Water _____ |
| Csg. Size <u>5 1/2"</u>  | Wt. <u>14#</u>     | From <u>3182</u>  | To <u>3185</u> | Present <u>0</u>           |             |
| Csg. Depth <u>3397</u>   | Sks. Cement _____  | From _____        | To _____       | <b>Previous Treatments</b> |             |
| Tbg. Size _____          | Depth _____        | From _____        | To _____       | <u>250 SME</u>             |             |
| Packer Type _____        | Annulus Vol. _____ | From _____        | To _____       | <u>1500 Retarded</u>       |             |
| Csg. Vol. <u>81 bbl.</u> | Tbg. Vol. _____    | From _____        | To _____       | <u>DOC squeezed</u>        |             |

### Detailed Record of Treatment

#### Materials Used

| Quan.    | Type               | Quan.    | Type |
|----------|--------------------|----------|------|
| 200 gal. | Diesel w/5 gal O-1 | Flo Ease |      |
|          |                    |          |      |
|          |                    |          |      |

#### Fluids Used:

|                    |
|--------------------|
| Acid _____         |
| Breakdown _____ 5  |
| Frac _____         |
| Flush _____ 80 & 3 |

| Time | Csg. Pressure Tbg. | Bbbs. of Fluid<br>Out of Tanks In Form. | Inj. Rate | Remarks                                            |
|------|--------------------|-----------------------------------------|-----------|----------------------------------------------------|
|      |                    |                                         |           | Rat hole filled w/water pump diese & 76 bbl. water |
| 3:40 | 100                | 81                                      |           | Hole loads Diese on form. Stop pump                |
| 3:43 | 300                |                                         |           | Increase press. Pump at intervals                  |
| 3:57 | 350                |                                         |           | Increase press. Pump at intervals                  |
| 4:07 | 500                |                                         |           | " " " " "                                          |
| 4:32 | 1000               |                                         |           | " " " " "                                          |
| 4:43 | 1500               |                                         |           | " " " " "                                          |
| 4:52 | 1800               |                                         |           | Increase press. Pump at intervals                  |
| 4:57 | 2100               |                                         |           | " " " " "                                          |
| 5:03 | 2250               |                                         |           | " " " " "                                          |
| 5:11 | 2600               | 88 7                                    |           | Flush 2 bbbs. overflush in Stop pump               |
| 5:14 | 1850               |                                         |           | 3 min press drop Bleed press.                      |

Arrival Date 4-22 Time 2:30 PM Left Location: Date 4-22 Time 7 PM Round Trip Miles 20

(See Reverse Side for Additional Treatment Remarks)

#### Equipment Used

| Name   | Unit No. | Name | Unit No. |
|--------|----------|------|----------|
| Bob A. | 143      |      |          |
| Bob H. | 418      |      |          |
|        |          |      |          |
|        |          |      |          |

#### Treatment Resume

|                          |          |
|--------------------------|----------|
| Avg. Inj. Rate _____     | BPM      |
| Avg. Trt. Press. _____   | psi      |
| Hydraulic HP Used _____  |          |
| Total Fluid Pumped _____ | 91 bbl.  |
| Maximum Pressure _____   | 2600 psi |
| Minimum Pressure _____   | 100 psi  |
| I. S. I. P. _____        | 2600 psi |

Glen Rupe  
Owner's Representative

J. D. Strunk  
Station Manager

Bob Harris  
Service Engineer



(Treatment Schedule)

[illegible]



# AND ENGINEERS, Inc.

## TREATMENT REPORT

Invoice No. 16753 Station Great Bend Date April 23, 1980  
 Owner Glen N. Rupe Lease Klein Well No. 1  
 Pool \_\_\_\_\_ County Barton State Kansas  
 Loc. 25-18-12w Formation Kansas City

|                              |                    |                          |                |                            |             |
|------------------------------|--------------------|--------------------------|----------------|----------------------------|-------------|
| <b>Pipe Data—</b>            |                    | <b>Perforating Data—</b> |                | <b>Production—</b>         |             |
| T.D. <u>30 3403</u>          | P.B. <u>3170</u>   | Shots/Ft. <u>4</u>       |                | Oil _____                  | Water _____ |
| Csg. Size <u>5 1/2" O.D.</u> | Wt. <u>14#</u>     | From <u>3152</u>         | To <u>3156</u> | Present _____              |             |
| Csg. Depth <u>3397</u>       | Sks. Cement _____  | From _____               | To _____       | <b>Previous Treatments</b> |             |
| Tbg. Size <u>x</u>           | Depth _____        | From _____               | To _____       | <b>New Perfs.</b>          |             |
| Packer Type <u>x</u>         | Annulus Vol. _____ | From _____               | To _____       |                            |             |
| Csg. Vol. <u>80 bbl.</u>     | Tbg. Vol. _____    | From _____               | To _____       |                            |             |

### Detailed Record of Treatment

#### Materials Used

| Quan.        | Type     | Quan. | Type |
|--------------|----------|-------|------|
| 500 gal. SMF | 15% Acid |       |      |
|              |          |       |      |
|              |          |       |      |

#### Fluids Used:

Acid 12 bbl.  
 Breakdown \_\_\_\_\_  
 Frac \_\_\_\_\_  
 Flush water 82 bbl.

| Time | Csg. Pressure Tbg. | Bbbs. of Fluid<br>Out of Tanks | In Form. | Inj. Rate | Remarks                                           |
|------|--------------------|--------------------------------|----------|-----------|---------------------------------------------------|
| 8:45 |                    |                                |          |           | Start acid down csg.                              |
| 8:48 |                    | 12                             |          |           | 500 gal acid in, Start water                      |
| 9:05 | 500                | 80                             |          |           | Hole loaded Stop pump                             |
| 9:08 | 500                |                                |          |           | Start pump                                        |
| 9:11 | 2000               |                                |          |           | Stop pump                                         |
| 9:18 | 1900               |                                |          |           | Start pump                                        |
| 9:19 | 2300               |                                |          |           | Stop pump                                         |
| 9:24 | 2200               |                                |          |           | Bleed off                                         |
| 9:29 | 0                  |                                |          |           | Start pump                                        |
| 9:31 | 2500               |                                |          |           | Stop pump                                         |
| 9:35 | 2100               |                                |          |           | Start pump                                        |
| 9:38 | 2000               | 81                             | 1        |           | Breaking Speed pump                               |
| 9:40 | 1400               | 86                             | 6        | 3         | Feeding                                           |
| 9:42 | 1400               | 94                             | 14       | 4         | All Acid & 2 bbl overflush in form. <b>Comple</b> |

Arrival Date 4-23 Time 8 AM Left Location: Date 4-23 Time 10:30AM Round Trip Miles 20  
 (See Reverse Side for Additional Treatment Remarks)

#### Equipment Used

| Name  | Unit No. | Make  | Press Drop  | Unit No. |
|-------|----------|-------|-------------|----------|
| Bob A | 143      | 1150# | 5 min drop  |          |
| Jim   | 399      | 1100# | 10 min drop |          |
|       |          | 1650# | 15 min drop |          |
|       |          |       | Bleed off   |          |

#### Treatment Resume

Avg. Inj. Rate 3 BPM  
 Avg. Trt. Press. 1400 psi  
 Hydraulic HP Used \_\_\_\_\_  
 Total Fluid Pumped 94 bbl.  
 Maximum Pressure 2500 psi  
 Minimum Pressure 1200 psi  
 I. S. I. P. 1300 psi

Glen Rupe  
 Owner's Representative

J. D. Strunk  
 Station Manager

J. D Strunk  
 Service Engineer







PRINTED IN U.S.A. 40

10.

20

2 bbl. over disk  
2 in. stop pump

Bleed pressure

W

Glen N. Rupe  
COMPANY

Klein  
LEASE

Ch. Bond  
STATION

TY-0-3000

200 diesel  
TREATMENT

4-22-70  
DATE

P 0-5000

WELL NO  
25-18-12  
LOCATION

4HR-SPECIAL  
50.1 Kt. Ensa

stop pump  
stop diesel  
stop flow

3:00 p.m.

3

10

20

30

40

50

A


10

20


30

50
















# ACID ENGINEERS, Inc.

## TREATMENT REPORT

Invoice No. 16790 Station Great Bend Date April 24, 1970

Owner Glen N. Rupe Lease Klein Well No. 1

Pool Bailey Ext. County Barton State Kansas

Loc. 25-18-12w Formation Kansas City

### Pipe Data—

T.D. 3403 P.B. 3175  
Csg. Size 5½" Wt. 14#  
Csg. Depth 3397 Sks. Cement \_\_\_\_\_  
Tbg. Size \_\_\_\_\_ Depth \_\_\_\_\_  
Packer Type \_\_\_\_\_ Annulus Vol. \_\_\_\_\_  
Csg. Vol. 77 bbl. Tbg. Vol. \_\_\_\_\_

### Perforating Data—

Shots/Ft. 4  
From 3152 To 3156  
From 3171 To 3173  
From \_\_\_\_\_ To \_\_\_\_\_  
From \_\_\_\_\_ To \_\_\_\_\_

### Production—

Oil \_\_\_\_\_ Water \_\_\_\_\_  
Present \_\_\_\_\_  
Previous Treatments \_\_\_\_\_

### Detailed Record of Treatment

#### Materials Used

| Quan.     | Type     | Quan. | Type |
|-----------|----------|-------|------|
| 1000 gal. | S-15% NE |       |      |
|           |          |       |      |
|           |          |       |      |

#### Fluids Used:

|             |     |
|-------------|-----|
| Acid        | 24  |
| Breakdown   |     |
| Frac        |     |
| Flush Water | 100 |

| Time | Csg. | Pressure Tbg. | Bbbs. of Fluid<br>Out of Tanks | In Form. | Inj. Rate | Remarks                             |
|------|------|---------------|--------------------------------|----------|-----------|-------------------------------------|
|      |      |               |                                |          |           | Pump 24 bbbs. acid & 70 bbbs. water |
| 6:08 | 200  |               | 94                             | 17       |           | Holeloads slow pump                 |
| 6:13 | 300  |               | 97                             | 20       | .6        | Speed pump                          |
| 6:14 | 1100 |               |                                |          |           |                                     |
| 6:17 | 1100 |               | 106                            | 29       | 2½        | Stop pump ISIP 1050                 |
| 6:21 | 725  |               |                                |          |           | Start pump                          |
| 6:23 | 1200 |               |                                |          |           |                                     |
| 6:25 | 1250 |               |                                |          |           |                                     |
| 6:27 | 1300 |               | 124                            | 47       | 3         | Flush in Stop pump                  |
| 6:27 | 1150 |               |                                |          |           | ISIP                                |
| 6:33 | 1025 |               |                                |          |           | 6 min press drop Bleed press.       |
|      |      |               |                                |          |           |                                     |
|      |      |               |                                |          |           |                                     |
|      |      |               |                                |          |           |                                     |

Arrival Date 4-24 Time 3:30PM Left Location: Date 4-24 Time 6:55PM Round Trip Miles 20  
(See Reverse Side for Additional Treatment Remarks)

### Equipment Used

| Name   | Unit No. | Name            | Unit No. |
|--------|----------|-----------------|----------|
| Bob A. | 143      | <del>340x</del> |          |
| Don A  | 398      |                 |          |
|        |          |                 |          |
|        |          |                 |          |

### Treatment Resume

|                    |          |     |
|--------------------|----------|-----|
| Avg. Inj. Rate     | 2½       | BPM |
| Avg. Trt. Press.   | 1200     | psi |
| Hydraulic HP Used  |          |     |
| Total Fluid Pumped | 124 bbl. |     |
| Maximum Pressure   | 1300     | psi |
| Minimum Pressure   | 200      | psi |
| I. S. I. P.        | 1150     | psi |

Glen Rupe

Owner's Representative

J. D. Strunk

Station Manager


Don Aumiller

Service Engineer




[illegible]









16790

Glen M. Rupe  
COMPANY

K kin  
LEASE

Gt. Bend  
STATION

TY-O-5000

1000 5-15% NE  
TREATMENT

4-24-70  
DATE

P O-5000

WELL NO.

25-18-12  
LOCATION

4HR-SPECIAL

start Acid  
start flush

slow pump - 17661 Acid in form.  
speed pump to 2 1/4 BPM

stop pump  
start pump @ 3 BPM  
stop pump

FSD  
Bled pressure



# JID ENGINEERS, Inc.

## TREATMENT REPORT

Invoice No. G-16792 Station Great Bend Date April 27, 1970  
 Owner Glen N. Rupe Lease Klein Well No. 1  
 Pool Bailey Ext. County Barton State Ks.  
 Loc. 25-18-12 Formation Kansas City

|                                |                              |                          |                |                            |             |
|--------------------------------|------------------------------|--------------------------|----------------|----------------------------|-------------|
| <b>Pipe Data—</b>              |                              | <b>Perforating Data—</b> |                | <b>Production—</b>         |             |
| T.D. _____                     | P.B. Rbp. <u>3175</u>        | Shots/Ft. _____          |                | Oil _____                  | Water _____ |
| Csg. Size <u>5½"</u>           | Wt. <u>14#</u>               | From <u>3171</u>         | To <u>3173</u> | Present _____              |             |
| Csg. Depth _____               | Sks. Cement _____            | From _____               | To _____       | <b>Previous Treatments</b> |             |
| Tbg. Size <u>2" EUE</u>        | Depth <u>3167</u>            | From _____               | To _____       |                            |             |
| Packer Type <u>SGBOT</u>       | Annulus Vol. <u>61 bbls.</u> | From _____               | To _____       |                            |             |
| Csg. Vol. <u>packer @ 3162</u> | Vol. <u>12 bbls.</u>         | From _____               | To _____       |                            |             |
|                                | <u>@ 3162</u>                |                          |                |                            |             |

### Detailed Record of Treatment

#### Materials Used

| Quan.         | Type | Quan. | Type |
|---------------|------|-------|------|
| 1000 S-28% NE |      |       |      |
| 5 gals. D-10  |      |       |      |

#### Fluids Used:

|             |    |
|-------------|----|
| Acid        | 24 |
| Breakdown   | 24 |
| Frac        |    |
| Flush water | 72 |

| Time         | Pressure Csg. | Pressure Tbg. | Out of Tanks | Bbls. of Fluid In Form. | Inj. Rate      | Remarks                                  |
|--------------|---------------|---------------|--------------|-------------------------|----------------|------------------------------------------|
| 8:52         |               | 300           | 13           | 1                       |                | Formation feeding - speed pump           |
| 8:54         |               | 1200          |              |                         |                |                                          |
| 8:55         |               | 900           |              |                         |                | Stop pump                                |
| 8:58         |               |               |              |                         |                | Start pump                               |
| 8:59         |               | 1150          |              |                         |                |                                          |
| 9:00         |               | 1200          | 24           | 12                      |                | Casing blowing- stop pump                |
| 9:01         |               |               |              |                         |                | Start treated water                      |
| 9:02         |               | 1150          |              |                         |                |                                          |
| 9:04         | BLOW          | 1350          | 54           |                         |                | Stop pump                                |
| 9:32         |               |               |              |                         |                | Start water down annules                 |
| 9:38         | 950           | 950           | 96           |                         | 7              | Stop pump - wait on water                |
| 9:43         |               |               |              |                         |                | Start pumping down annules               |
| 9:45         | 1250          | 1250          |              |                         |                |                                          |
| 9:51         | 1275          | 1275          | 120          | 47                      | 4½             | Flush in - stop pump                     |
| Arrival Date | 4-27-70       | Time          | 8:00         | alt                     | Location: Date | 4-27-70 Time 10:30am Round Trip Miles 20 |

(See Reverse Side for Additional Treatment Remarks)

#### Equipment Used

| Name | Unit No. | Name  | Pressure | Drop         | Unit No. |
|------|----------|-------|----------|--------------|----------|
| Gary | 151      | 9:51  | 1025     |              | ISIP     |
| Bill |          | 9:54  | 850      | 3 min. drop  |          |
| Don  | 398      | 9:56  | 800      | 5 min. drop  |          |
|      |          | 10:01 | 550      | 10 min. drop |          |
|      |          | 10:06 | 125      | 15 min. drop |          |
|      |          | 10:10 | Vac      | 19 min. drop |          |

#### Treatment Resume

|                    |          |     |
|--------------------|----------|-----|
| Avg. Inj. Rate     | 4        | BPM |
| Avg. Trt. Press.   | 1000     | psi |
| Hydraulic HP Used  |          |     |
| Total Fluid Pumped | 120 bbl. |     |
| Maximum Pressure   | 1350     | psi |
| Minimum Pressure   |          | psi |
| I. S. I. P.        | 1025     | psi |

Glen Rupe  
Owner's Representative

J. D. Strunk  
Station Manager

Don Aumiller  
Service Engineer



[illegible]



4750  
4500  
4250  
4000  
3750  
3500  
3250  
3000  
2750  
2500  
2250  
2000  
1750  
1500  
1250  
1000  
750  
500  
250

500  
250

**Glen N. Rupe**  
COMPANY

**Klein**  
LEASE  
**Gt. Bend**  
STATION

TY-0-5000  
1000  
5-28 NS  
TREATMENT  
DATE  
P 0-5000

WELL NO. 1  
25-18-12  
LOCATION  
4HR-SPECIAL

8:30 AM  
start Aid down tubing  
function feeding - speed pump

Pressure break  
stop pump  
start pump - CSY. blowing  
start flush down tubing  
stop pump

start flush down Annulus

stop pump  
start pump

Annulus flushed - stop pump

Pressure

551P