


22-18s-27w

RECEIVED
AUG 01 2005
KCC WICHITA

ORIGINAL



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Cadence Resources Corporation**

5646 Milton, Suite 221
Dallas, TX 75206

ATTN: Kevin Kessler

22-18-27 Lane

Robbins #1

Start Date: 2005.04.14 @ 20:45:18

End Date: 2005.04.15 @ 05:37:37

Job Ticket #: 21559 DST #: 1

15-101-21876-00-00

C W2 SW NE

1980 FNL 2310 FEL.

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Cadence Resources Corporation

Robbins #1

22-18-27 Lane

DST #1

Lansing "L"

2005.04.14



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Cadence Resources Corporation

Robbins #1

5646 Milton, Suite 221
Dallas, TX 75206

22-18-27 Lane

Job Ticket: 21559

DST#: 1

ATTN: Kevin Kessler

Test Start: 2005.04.14 @ 20:45:18

GENERAL INFORMATION:

Formation: **Lansing "L"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 00:29:23

Time Test Ended: 05:37:37

Test Type: Conventional Bottom Hole

Tester: Brandon Turley

Unit No: 18

Interval: 4264.00 ft (KB) To 4290.00 ft (KB) (TVD)

Total Depth: 4290.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Good

Reference Elevations: 2679.00 ft (KB)

2674.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 6772

Inside

Press@RunDepth: 28.00 psig @ 4291.00 ft (KB)

Start Date: 2005.04.14

End Date:

2005.04.15

Capacity: 7000.00 psig

Last Calib.: 1899.12.30

Start Time: 20:45:18

End Time:

05:37:37

Time On Btmr 2005.04.15 @ 00:25:53


Time Off Btmr 2005.04.15 @ 02:30:23

TEST COMMENT: IF: Surface blow died in 10 min.

IS: No return.

FF: No blow.

FS: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2146.49	115.01	Initial Hydro-static
4	12.28	114.29	Open To Flow (1)
35	19.75	116.45	Shut-In (1)
64	932.47	116.60	End Shut-In (1)
64	21.50	116.30	Open To Flow (2)
95	28.00	117.11	Shut-In (2)
124	919.66	118.07	End Shut-In (2)
125	2107.83	118.68	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	mud 100% m	0.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Cadence Resources Corporation

Robbins #1

5646 Milton, Suite 221
Dallas, TX 75206

22-18-27 Lane

Job Ticket: 21559

DST#: 1

ATTN: Kevin Kessler

Test Start: 2005.04.14 @ 20:45:18

Tool Information

Drill Pipe:	Length: 4175.00 ft	Diameter: 3.80 inches	Volume: 58.56 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 116.00 ft	Diameter: 2.25 inches	Volume: 0.57 bbl	Weight to Pull Loose: 78000.00 lb
		Total Volume: 59.13 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	21.00 ft			String Weight: Initial 58000.00 lb
Depth to Top Packer:	4290.00 ft			Final 58000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	31.00 ft			
Tool Length:	51.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Stubb	1.00			4271.00	
Shut In Tool	5.00			4276.00	
Hydraulic tool	5.00			4281.00	
Packer	5.00			4286.00	20.00 Bottom Of Top Packer
Packer	4.00		Fluid	4290.00	
Stubb	1.00			4291.00	
Recorder	0.00	6772	Inside	4291.00	
Perforations	25.00			4316.00	
Recorder	0.00	10248	Outside	4316.00	
Bullnose	5.00			4321.00	31.00 Bottom Packers & Anchor
Total Tool Length:	51.00				



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Cadence Resources Corporation

Robbins #1

5646 Milton, Suite 221
Dallas, TX 75206

22-18-27 Lane

Job Ticket: 21559

DST#: 1

ATTN: Kevin Kessler

Test Start: 2005.04.14 @ 20:45:18

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 53.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.19 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 1700.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
10.00	mud 100%m	0.049

Total Length: 10.00 ft

Total Volume: 0.049 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Cadence Resources Corporation**

5646 Milton, Suite 221
Dallas, TX 75206

ATTN: Kevin Kessler

22-18-27 Lane

Robbins #1

Start Date: 2005.04.15 @ 17:15:52

End Date: 2005.04.16 @ 00:09:46

Job Ticket #: 21588

DST #: 2

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Cadence Resources Corporation

Robbins #1

22-18-27 Lane

DST # 2

Base KC

2005.04.15



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Cadence Resources Corporation

Robbins #1

5646 Milton, Suite 221
Dallas, TX 75206

22-18-27 Lane

Job Ticket: 21588

DST#: 2

ATTN: Kevin Kessler

Test Start: 2005.04.15 @ 17:15:52

GENERAL INFORMATION:

Formation: **Base KC**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 19:36:47

Time Test Ended: 00:09:46

Test Type: **Conventional Bottom Hole**

Tester: **Shane McBride**

Unit No: **25**

Interval: **4295.00 ft (KB) To 4335.00 ft (KB) (TVD)**

Total Depth: **4335.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: **Fair**

Reference Elevations: **2679.00 ft (KB)**

2674.00 ft (CF)

KB to GR/CF: **5.00 ft**

Serial #: 6771 **Inside**

Press@RunDepth: **20.28 psig @ 4296.00 ft (KB)**

Start Date: **2005.04.15**

End Date:

2005.04.16

Capacity: **7000.00 psig**

Last Calib.: **2005.04.16**

Start Time: **17:15:52**

End Time:

00:09:46

Time On Btm: **2005.04.15 @ 19:36:02**


Time Off Btm: **2005.04.15 @ 21:39:17**

TEST COMMENT: Weak blow died in 10 min.

No return

No blow

No return



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2095.90	106.48	Initial Hydro-static
1	12.13	105.28	Open To Flow (1)
31	16.41	106.87	Shut-In(1)
62	292.82	108.93	End Shut-In(1)
63	17.32	108.78	Open To Flow (2)
92	20.28	110.37	Shut-In(2)
123	208.57	111.94	End Shut-In(2)
124	2023.27	112.81	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud 100% m	0.02

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Cadence Resources Corporation

Robbins #1

5646 Milton, Suite 221
Dallas, TX 75206

22-18-27 Lane

Job Ticket: 21588

DST#: 2

ATTN: Kevin Kessler

Test Start: 2005.04.15 @ 17:15:52

Tool Information

Drill Pipe:	Length: 4180.00 ft	Diameter: 3.80 inches	Volume: 58.63 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 118.00 ft	Diameter: 2.25 inches	Volume: 0.58 bbl	Weight to Pull Loose: 70000.00 lb
		Total Volume:	59.21 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	23.00 ft			String Weight: Initial 60000.00 lb
Depth to Top Packer:	4295.00 ft			Final 60000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	40.00 ft			
Tool Length:	60.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4276.00	
Shut In Tool	5.00			4281.00	
Hydraulic tool	5.00			4286.00	
Packer	5.00			4291.00	20.00 Bottom Of Top Packer
Packer	4.00			4295.00	
Stubb	1.00			4296.00	
Recorder	0.00	6771	Inside	4296.00	
Perforations	2.00			4298.00	
Change Over Sub	1.00			4299.00	
Drill Pipe	30.00			4329.00	
Change Over Sub	1.00			4330.00	
Recorder	0.00	11057	Outside	4330.00	
Bullnose	5.00			4335.00	40.00 Bottom Packers & Anchor

Total Tool Length: 60.00



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Cadence Resources Corporation

Robbins #1

5646 Milton, Suite 221
Dallas, TX 75206

22-18-27 Lane

Job Ticket: 21588

DST#: 2

ATTN: Kevin Kessler

Test Start: 2005.04.15 @ 17:15:52

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

2700 ppm

Viscosity: 46.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.19 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 2700.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud 100%rn	0.025

Total Length: 5.00 ft

Total Volume: 0.025 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Cadence Resources Corporation**

5646 Milton, Suite 221
Dallas, TX 75206

ATTN: Kevin Kessler

22-18-27 Lane

Robbins #1

Start Date: 2005.04.17 @ 16:15:29

End Date: 2005.04.17 @ 23:46:23

Job Ticket #: 21589

DST #: 3

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Cadence Resources Corporation

Robbins #1

22-18-27 Lane

DST # 3

Ft Scott, Cherokee

2005.04.17



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Cadence Resources Corporation

5646 Milton, Suite 221
Dallas, TX 75206

ATTN: Kevin Kessler

Robbins #1

22-18-27 Lane

Job Ticket: 21589

DST#: 3

Test Start: 2005.04.17 @ 16:15:29

GENERAL INFORMATION:

Formation: **Ft Scott, Cherokee**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 18:38:39

Time Test Ended: 23:46:23

Test Type: **Conventional Bottom Hole**

Tester: **Shane McBride**

Unit No: **25**

Interval: **4512.00 ft (KB) To 4622.00 ft (KB) (TVD)**

Total Depth: **4622.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: **Fair**

Reference Elevations: **2679.00 ft (KB)**

2674.00 ft (CF)

KB to GR/CF: **5.00 ft**

Serial #: 6771

Inside

Press@RunDepth: **28.00 psig @ 4513.00 ft (KB)**

Start Date: **2005.04.17**

End Date: **2005.04.17**

Start Time: **16:15:29**

End Time: **23:46:23**

Capacity: **7000.00 psig**

Last Calib.: **2005.04.17**

Time On Btm: **2005.04.17 @ 18:38:24**


Time Off Btm: **2005.04.17 @ 20:41:24**

TEST COMMENT: **Weak blow died in 8 min.**

No return

No blow

No return



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2224.61	109.93	Initial Hydro-static
1	20.41	108.59	Open To Flow (1)
31	24.68	110.72	Shut-In(1)
59	568.20	112.06	End Shut-In(1)
60	26.13	111.88	Open To Flow (2)
90	28.00	112.73	Shut-In(2)
122	450.22	113.90	End Shut-In(2)
123	2177.61	115.16	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud 100% m	0.02

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Cadence Resources Corporation

Robbins #1

5646 Milton, Suite 221
Dallas, TX 75206

22-18-27 Lane

Job Ticket: 21589

DST#: 3

ATTN: Kevin Kessler

Test Start: 2005.04.17 @ 16:15:29

Tool Information

Drill Pipe:	Length: 4394.00 ft	Diameter: 3.80 inches	Volume: 61.64 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 118.00 ft	Diameter: 2.25 inches	Volume: 0.58 bbl	Weight to Pull Loose: 70000.00 lb
		Total Volume:	62.22 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 62000.00 lb
Depth to Top Packer:	4512.00 ft			Final 62000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	110.00 ft			
Tool Length:	130.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4493.00	
Shut in Tool	5.00			4498.00	
Hydraulic tool	5.00			4503.00	
Packer	5.00			4508.00	20.00 Bottom Of Top Packer
Packer	4.00			4512.00	
Stubb	1.00			4513.00	
Recorder	0.00	6771	Inside	4513.00	
Perforations	9.00			4522.00	
Change Over Sub	1.00			4523.00	
Drill Pipe	93.00			4616.00	
Change Over Sub	1.00			4617.00	
Recorder	0.00	11057	Outside	4617.00	
Bullnose	5.00			4622.00	110.00 Bottom Packers & Anchor

Total Tool Length: 130.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Cadence Resources Corporation

Robbins #1

5646 Milton, Suite 221
Dallas, TX 75206

22-18-27 Lane

Job Ticket: 21589

DST#: 3

ATTN: Kevin Kessler

Test Start: 2005.04.17 @ 16:15:29

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

3700 ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbl

Water Loss: 8.79 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 3700.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud 100% m	0.025

Total Length: 5.00 ft

Total Volume: 0.025 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time

