


15-101-22162

8-18s-28w



DIAMOND TESTING

P.O. Box 157

HOISINGTON, KANSAS 67544

(620) 653-7550 • (800) 542-7313
STC 30036.D555

Company O'Brien Resources, LLC Lease & Well No. R. Yost No. 8-1
 Elevation 2757 KB Formation Lansing/Kansas City (120' & 160' Zones) Effective Pay -- Ft. Ticket No. J2352
 Date 3-23-09 Sec. 8 Twp. 18S Range 28W County Lane State Kansas
 Test Approved By Kim B. Shoemaker Diamond Representative John C. Riedl

Formation Test No. 1 Interval Tested from 4,124 ft. to 4,194 ft. Total Depth 4,194 ft.
 Packer Depth 4,119 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
 Packer Depth 4,124 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
 Depth of Selective Zone Set ft.

Top Recorder Depth (Inside) 4,127 ft. Recorder Number 30036 Cap. 5,000 psi
 Bottom Recorder Depth (Outside) 4,191 ft. Recorder Number 11017 Cap. 4,000 psi
 Below Straddle Recorder Depth ft. Recorder Number Cap. psi

Drilling Contractor WV Drilling, LLC - Rig 10 Drill Collar Length 120 ft. I.D. 2 1/4 in.
 Mud Type Chemical Viscosity 56 Weight Pipe Length -- ft. I.D. -- in.
 Weight 9.0 Water Loss 9.2 cc. Drill Pipe Length 3,978 ft. I.D. 3 1/2 in.
 Chlorides 1,500 P.P.M. Test Tool Length 26 ft. Tool Size 3 1/2 - IF in.
 Jars: Make Sterling Serial Number 2 Anchor Length 70 ft. Size 4 1/2 - FH in.
 Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Weak blow, slowly building to 2 ins. No blow back during shut-in.
 2nd Open: Weak, 1 in., blow. No blow back during shut-in.

Recovered 70 ft. of drilling mud = .344400 bbls. (Grind out: 2%-water; 98%-mud)
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of

Remarks

Time Set Packer(s) 3:55 ^{A.M.}/_{P.M.} Time Started Off Bottom 5:55 ^{A.M.}/_{P.M.} Maximum Temperature 115°
 Initial Hydrostatic Pressure (A) 1995 P.S.I.
 Initial Flow Period Minutes 30 (B) 20 P.S.I. to (C) 42 P.S.I.
 Initial Closed In Period Minutes 30 (D) 1055 P.S.I.
 Final Flow Period Minutes 30 (E) 46 P.S.I. to (F) 60 P.S.I.
 Final Closed In Period Minutes 30 (G) 1009 P.S.I.
 Final Hydrostatic Pressure (H) 1972 P.S.I.

GENERAL INFORMATION

Client Information:

Company: O'BRIEN RESOURCES LLC
Contact: ALAN BRITTAIN
Phone: Fax: e-mail:

Site Information:

Contact: KIM SHOEMAKER
Phone: Fax: e-mail:

Well Information:

Name: R YOST 8-1
Operator: O'BRIEN RESOURCES LLC
Location-Downhole: DST #1 4124 TO 4194
Location-Surface: S8/ 18S/ 28W LANE COUNTY

Test Information:

Company: DIAMOND TESTING
Representative: JOHN RIEDL
Supervisor: KIM SHOEMAKER
Test Type: CONVENTIONAL Job Number: D555
Test Unit: 2
Start Date: 2009/03/23 Start Time: 01:30:00
End Date: 2009/03/23 End Time: 08:15:00
Report Date: 2009/03/23 Prepared By: JOHN RIEDL
Qualified By: KIM SHOEMAKER


Remarks:


RECOVERY: 70' DRILLING MUD IN DRILL COLLARS

O'BRIEN RESOURCES LLC
DST #1 4124 TO 4194
Start Test Date: 2009/03/23
Final Test Date: 2009/03/23

R YOST 8-1
Formation: LKC 120/160
Job Number: D555


R YOST 8-1





This is an actual photograph of recorder chart.

POINT	PRESSURE Elec.		
	Field Reading	Office Reading	
(A) Initial Hydrostatic Mud	1995	1995	PSI
(B) First Initial Flow Pressure	20	20	PSI
(C) First Final Flow Pressure	42	42	PSI
(D) Initial Closed-in Pressure	1055	1055	PSI
(E) Second Initial Flow Pressure	46	46	PSI
(F) Second Final Flow Pressure	60	60	PSI
(G) Final Closed-in Pressure	1009	1009	PSI
(H) Final Hydrostatic Mud	1972	1972	PSI



DIAMOND TESTING

P.O. Box 157
HOISINGTON, KANSAS 67544
(620) 653-7550 • (800) 542-7313
STC 30036D.556

Company O'Brien Resources, LLC Lease & Well No. R. Yost No. 8-1
Elevation 2757 KB Formation Lansing/Kansas City (180' Zone) Effective Pay -- Ft. Ticket No. J2353
Date 3-23-09 Sec. 8 Twp. 18S Range 28W County Lane State Kansas
Test Approved By Kim B. Shoemaker Diamond Representative John C. Riedl

Formation Test No. 2 Interval Tested from 4,189 ft. to 4,220 ft. Total Depth 4,220 ft.
Packer Depth 4,184 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
Packer Depth 4,189 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
Depth of Selective Zone Set ft.

Top Recorder Depth (Inside) 4,192 ft. Recorder Number 30036 Cap. 5,000 psi
Bottom Recorder Depth (Outside) 4,217 ft. Recorder Number 11017 Cap. 4,000 psi
Below Straddle Recorder Depth ft. Recorder Number Cap. psi

Drilling Contractor WW Drilling, LLC - Rig 10 Drill Collar Length 120 ft. I.D. 2 1/4 in.
Mud Type Chemical Viscosity 57 Weight Pipe Length -- ft. I.D. -- in.
Weight 9.3 Water Loss 9.1 cc. Drill Pipe Length 4,043 ft. I.D. 3 1/2 in.
Chlorides 1,400 P.P.M. Test Tool Length 26 ft. Tool Size 3 1/2 - IF in.
Jars: Make Sterling Serial Number 2 Anchor Length 31 ft. Size 4 1/2 - FH in.
Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.
Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Weak blow, slowly building to 2 ins. No blow back during shut-in.
2nd Open: Weak, 1 1/2 in., blow. No blow back during shut-in.

Recovered 80 ft. of very slightly oil cut mud = .393600 bbls. (Grind out: 1%-oil; 2%-water; 97%-mud)
Recovered ft. of
Recovered ft. of
Recovered ft. of
Recovered ft. of

Remarks

Time Set Packer(s) 3:55 ~~XXX~~ P.M. Time Started Off Bottom 5:55 ~~XXX~~ P.M. Maximum Temperature 116°
Initial Hydrostatic Pressure (A) 2048 P.S.I.
Initial Flow Period Minutes 30 (B) 18 P.S.I. to (C) 44 P.S.I.
Initial Closed In Period Minutes 30 (D) 1020 P.S.I.
Final Flow Period Minutes 30 (E) 45 P.S.I. to (F) 61 P.S.I.
Final Closed In Period Minutes 30 (G) 1015 P.S.I.
Final Hydrostatic Pressure (H) 2008 P.S.I.

GENERAL INFORMATION

Client Information:

Company: O'BRIEN RESOURCES LLC

Contact: ALAN BRITTAIN

Phone: Fax: e-mail:

Site Information:

Contact: KIM SHOEMAKER

Phone: Fax: e-mail:

Well Information:

Name: R YOST 8-1

Operator: O'BRIEN RESOURCES LLC

Location-Downhole: DST #2 4189 TO 4220

Location-Surface: S8/ 18S/ 28W LANE COUNTY

Test Information:

Company: DIAMOND TESTING

Representative: JOHN RIEDL

Supervisor: KIM SHOEMAKER

Test Type: CONVENTIONAL Job Number: D556

Test Unit: 2

Start Date: 2009/03/23 Start Time: 14:30:00

End Date: 2009/03/23 End Time: 19:45:00

Report Date: 2009/03/23 Prepared By: JOHN RIEDL

Qualified By: KIM SHOEMAKER


Remarks:


RECOVERY: 80' VERY SLIGHTLY OIL CUT DRILLING MUD

R YOST 8-1
Formation: LKC 180'
Job Number: D556

O'BRIEN RESOURCES LLC
DST #2 4189 TO 4220
Start Test Date: 2009/03/23
Final Test Date: 2009/03/23


R YOST 8-1





This is an actual photograph of recorder chart.

POINT	PRESSURE Elec.		PSI
	Field Reading	Office Reading	
(A) Initial Hydrostatic Mud	2048	2048	PSI
(B) First Initial Flow Pressure.....	18	18	PSI
(C) First Final Flow Pressure	44	44	PSI
(D) Initial Closed-in Pressure	1020	1020	PSI
(E) Second Initial Flow Pressure.....	45	45	PSI
(F) Second Final Flow Pressure.....	61	61	PSI
(G) Final Closed-in Pressure.....	1015	1015	PSI
(H) Final Hydrostatic Mud.....	2008	2008	PSI



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(620) 653-7550 • (800) 542-7313
STC 30036.D557

Company O'Brien Resources, LLC Lease & Well No. R. Yost No. 8-1
Elevation 2757 KB Formation Lansing/Kansas City (200' Zone) Effective Pay -- Ft. Ticket No. J2354
Date 3-24-09 Sec. 8 Twp. 18S Range 28W County Lane State Kansas
Test Approved By Kim B. Shoemaker Diamond Representative John C. Riedl

Formation Test No. 3 Interval Tested from 4,226 ft. to 4,260 ft. Total Depth 4,260 ft.
Packer Depth 4,221 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
Packer Depth 4,226 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
Depth of Selective Zone Set ft.

Top Recorder Depth (Inside) 4,229 ft. Recorder Number 30036 Cap. 5,000 psi
Bottom Recorder Depth (Outside) 4,257 ft. Recorder Number 11017 Cap. 4,000 psi
Below Straddle Recorder Depth ft. Recorder Number Cap. psi

Drilling Contractor WW Drilling, LLC - Rig 10 Drill Collar Length 120 ft. I.D. 2 1/4 in.
Mud Type Chemical Viscosity 58 Weight Pipe Length -- ft. I.D. -- in.
Weight 9.2 Water Loss 9.0 cc. Drill Pipe Length 4,080 ft. I.D. 3 1/2 in.
Chlorides 1,500 P.P.M. Test Tool Length 26 ft. Tool Size 3 1/2 - IF in.
Jars: Make Sterling Serial Number 2 Anchor Length 34 ft. Size 4 1/2 - FH in.
Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.
Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Strong, 9 in., blow. No blow back during shut-in.
2nd Open: Strong blow. Off bottom of bucket in 40 mins. No blow back during shut-in.

Recovered 120 ft. of muddy water = 1.707600 bbls. (Grind out: 40%-mud; 60%-water)
Recovered 250 ft. of water = 2.440300 bbls. (Chlorides: 20,000 Ppm)
Recovered 370 ft. of TOTAL FLUID = 4.147900 bbls.
Recovered ft. of
Recovered ft. of

Remarks

Time Set Packer(s) 6:00 ~~P.M.~~ ^{A.M.} Time Started Off Bottom 9:00 ~~P.M.~~ ^{A.M.} Maximum Temperature 127°
Initial Hydrostatic Pressure (A) 2053 P.S.I.
Initial Flow Period Minutes 30 (B) 19 P.S.I. to (C) 96 P.S.I.
Initial Closed In Period Minutes 45 (D) 1012 P.S.I.
Final Flow Period Minutes 45 (E) 99 P.S.I. to (F) 162 P.S.I.
Final Closed In Period Minutes 60 (G) 993 P.S.I.
Final Hydrostatic Pressure (H) 2021 P.S.I.

GENERAL INFORMATION

Client Information:

Company: O'BRIEN RESOURCES LLC
Contact: ALAN BRITTAIN
Phone: Fax: e-mail:

Site Information:

Contact: KIM SHOEMAKER
Phone: Fax: e-mail:

Well Information:

Name: R YOST 8-1
Operator: O'BRIEN RESOURCES LLC
Location-Downhole: DST#3 4226 TO 4260
Location-Surface: S8/ 18S/ 28W LANE COUNTY

Test Information:

Company: DIAMOND TESTING
Representative: JOHN RIEDL
Supervisor: KIM SHOEMAKER
Test Type: CONVENTIONAL Job Number: D557
Test Unit: 2
Start Date: 2009/03/24 Start Time: 04:10:00
End Date: 2009/03/24 End Time: 11:15:00
Report Date: 2009/03/24 Prepared By: JOHN RIEDL
Qualified By: KIM SHOEMAKER


Remarks:


RECOVERY: 120' MUDDY WATER
250' WATER
TOTAL FLUID REC. 370'

O'BRIEN RESOURCES LLC
DST#3 4226 TO 4260
Start Test Date: 2009/03/24
Final Test Date: 2009/03/24

R YOST 8-1


R YOST 8-1
Formation: LKC 200'
Job Number: D557





This is an actual photograph of recorder chart.

POINT	PRESSURE Elec.		
	Field Reading	Office Reading	
(A) Initial Hydrostatic Mud	2053	2053	PSI
(B) First Initial Flow Pressure.....	19	19	PSI
(C) First Final Flow Pressure	96	96	PSI
(D) Initial Closed-in Pressure	1012	1012	PSI
(E) Second Initial Flow Pressure.....	99	99	PSI
(F) Second Final Flow Pressure.....	162	162	PSI
(G) Final Closed-in Pressure.....	993	993	PSI
(H) Final Hydrostatic Mud.....	2021	2021	PSI



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(620) 653-7550 • (800) 542-7313
STC 30036.D558

Company O'Brien Resources, LLC Lease & Well No. R. Yost No. 8-1
Elevation 2757 KB Formation Lansing/Kansas City (220' Zone) Effective Pay -- Ft. Ticket No. J2355
Date 3-24-09 Sec. 8 Twp. 18S Range 28W County Lane State Kansas
Test Approved By Kim B. Shoemaker Diamond Representative John C. Riedl

Formation Test No. 4 Interval Tested from 4,258 ft. to 4,295 ft. Total Depth 4,295 ft.
Packer Depth 4,253 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
Packer Depth 4,258 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
Depth of Selective Zone Set ft.

Top Recorder Depth (Inside) 4,261 ft. Recorder Number 30036 Cap. 5,000 psi
Bottom Recorder Depth (Outside) 4,292 ft. Recorder Number 11017 Cap. 4,000 psi
Below Straddle Recorder Depth ft. Recorder Number Cap. psi

Drilling Contractor WV Drilling, LLC - Rig 10 Drill Collar Length 120 ft. I.D. 2 1/4 in.
Mud Type Chemical Viscosity 48 Weight Pipe Length -- ft. I.D. -- in.
Weight 9.3 Water Loss 8.8 cc. Drill Pipe Length 4,112 ft. I.D. 3 1/2 in.
Chlorides 1,500 P.P.M. Test Tool Length 26 ft. Tool Size 3 1/2 - IF in.
Jars: Make Sterling Serial Number 2 Anchor Length 37 ft. Size 4 1/2 - FH in.
Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.
Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Strong blow. Off bottom of bucket in 5 mins. No blow back during shut-in.
2nd Open: Strong blow. Off bottom of bucket in 8 mins. No blow back during shut-in.

Recovered 1,100 ft. of water = 14.535800 bbls. (Chlorides: 30,000 Ppm)

Recovered ft. of
Recovered ft. of
Recovered ft. of
Recovered ft. of

Remarks

Time Set Packer(s) 8:20 AM. P.M. Time Started Off Bottom 11:20 AM. P.M. Maximum Temperature 130°

Initial Hydrostatic Pressure (A) 2078 P.S.I.
Initial Flow Period Minutes 30 (B) 44 P.S.I. to (C) 314 P.S.I.
Initial Closed In Period Minutes 45 (D) 902 P.S.I.
Final Flow Period Minutes 45 (E) 326 P.S.I. to (F) 548 P.S.I.
Final Closed In Period Minutes 60 (G) 852 P.S.I.
Final Hydrostatic Pressure (H) 2038 P.S.I.

GENERAL INFORMATION

Client Information:

Company: O'BRIEN RESOURCES LLC
Contact: ALAN BRITTAIN
Phone: Fax: e-mail:

Site Information:

Contact: KIM SHOEMAKER
Phone: Fax: e-mail:

Well Information:

Name: R YOST 8-1
Operator: O'BRIEN RESOURCES LLC
Location-Downhole: DST#4 4258 TO 4295
Location-Surface: S8/ 18S/ 28W LANE COUNTY

Test Information:

Company: DIAMOND TESTING
Representative: JOHN RIEDL
Supervisor: KIM SHOEMAKER
Test Type: CONVENTIONAL Job Number: D558
Test Unit: 2
Start Date: 2009/03/24 Start Time: 18:35:00
End Date: 2009/03/25 End Time: 01:45:00
Report Date: 2009/03/25 Prepared By: JOHN RIEDL
Qualified By: KIM SHOEMAKER


Remarks:


RECOVERY: 1100' WATER

O'BRIEN RESOURCES LLC
DST#4 4258 TO 4295
Start Test Date: 2009/03/24
Final Test Date: 2009/03/25

RYOST 8-1


RYOST 8-1
Formation: LKC 220'
Job Number: D558





This is an actual photograph of recorder chart.

POINT	PRESSURE		Elec. Office Reading	PSI
	Field Reading	Office Reading		
(A) Initial Hydrostatic Mud	2078	2078		PSI
(B) First Initial Flow Pressure	44	44		PSI
(C) First Final Flow Pressure	314	314		PSI
(D) Initial Closed-in Pressure	902	902		PSI
(E) Second Initial Flow Pressure	326	326		PSI
(F) Second Final Flow Pressure	548	548		PSI
(G) Final Closed-in Pressure	852	852		PSI
(H) Final Hydrostatic Mud	2038	2038		PSI



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(620) 653-7550 • (800) 542-7313
STC 30036.D559

Company O'Brien Resources, LLC Lease & Well No. R. Yost No. 8-1
Elevation 2757 KB Formation Marmaton/Altamont Effective Pay -- Ft. Ticket No. J2356
Date 3-25-09 Sec. 8 Twp. 18S Range 28W County Lane State Kansas
Test Approved By Kim B. Shoemaker Diamond Representative John C. Riedl

Formation Test No. 5 Interval Tested from 4,310 ft. to 4,420 ft. Total Depth 4,420 ft.
Packer Depth 4,305 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
Packer Depth 4,310 ft. Size 6 3/4 in. Packer Depth -- ft. Size -- in.
Depth of Selective Zone Set ft.

Top Recorder Depth (Inside) 4,313 ft. Recorder Number 30036 Cap. 5,000 psi
Bottom Recorder Depth (Outside) 4,417 ft. Recorder Number 11017 Cap. 4,000 psi
Below Straddle Recorder Depth ft. Recorder Number Cap. psi

Drilling Contractor WV Drilling, LLC - Rig 10 Drill Collar Length 120 ft. I.D. 2 1/4 in.
Mud Type Chemical Viscosity 60 Weight Pipe Length -- ft. I.D. -- in.
Weight 9.3 Water Loss 8.0 cc. Drill Pipe Length 4,164 ft. I.D. 3 1/2 in.
Chlorides 1,500 P.P.M. Test Tool Length 26 ft. Tool Size 3 1/2 - IF in.
Jars: Make Sterling Serial Number 2 Anchor Length 110 ft. Size 4 1/2 - FH in.
Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.
Main Hole Size 7/8 in. Tool Joint Size 4 1/2 - XH in.

Blow: 1st Open: Weak blow. Dead in 15 mins. No blow back during shut-in.
2nd Open: No blow. No blow back during shut-in.

Recovered 20 ft. of drilling mud = .098400 bbls.

Recovered ft. of

Recovered ft. of

Recovered ft. of

Recovered ft. of

Remarks

Time Set Packer(s) 6:00 ~~AM~~ P.M. Time Started Off Bottom 8:00 ~~AM~~ P.M. Maximum Temperature 113°
Initial Hydrostatic Pressure (A) 2113 P.S.I.
Initial Flow Period Minutes 30 (B) 22 P.S.I. to (C) 23 P.S.I.
Initial Closed In Period Minutes 30 (D) 73 P.S.I.
Final Flow Period Minutes 30 (E) 24 P.S.I. to (F) 25 P.S.I.
Final Closed In Period Minutes 30 (G) 47 P.S.I.
Final Hydrostatic Pressure (H) 2094 P.S.I.

GENERAL INFORMATION

Client Information:

Company: O'BRIEN RESOURCES LLC
Contact: ALAN BRITTAIN
Phone: Fax: e-mail:

Site Information:

Contact: KIM SHOEMAKER
Phone: Fax: e-mail:

Well Information:

Name: R YOST 8-1
Operator: O'BRIEN RESOURCES LLC
Location-Downhole: DST #5 4310 TO4420
Location-Surface: S8/ 18S/ 28W LANE COUNTY

Test Information:


Company: DIAMOND TESTING
Representative: JOHN RIEDL
Supervisor: KIM SHOEMAKER
Test Type: CONVENTIONAL Job Number: D559
Test Unit: 2
Start Date: 2009/03/25 Start Time: 16:05:00
End Date: 2009/03/25 End Time: 22:20:00
Report Date: 2009/03/25 Prepared By: JOHN RIEDL
Remarks: Qualified By: KIM SHOEMAKER


RECOVERY: 20' DRILLING MUD

O'BRIEN RESOURCES LLC
DST #5 4310 TO4420
Start Test Date: 2009/03/25
Final Test Date: 2009/03/25

R YOST 8-1
Formation: MARMATON/ALTAMONT
Job Number: D559

R YOST 8-1





This is an actual photograph of recorder chart.

POINT	PRESSURE Elec.		
	Field Reading	Office Reading	
(A) Initial Hydrostatic Mud	2113	2113	PSI
(B) First Initial Flow Pressure.....	22	22	PSI
(C) First Final Flow Pressure	23	23	PSI
(D) Initial Closed-in Pressure	73	73	PSI
(E) Second Initial Flow Pressure	24	24	PSI
(F) Second Final Flow Pressure.....	25	25	PSI
(G) Final Closed-in Pressure.....	47	47	PSI
(H) Final Hydrostatic Mud	2094	2094	PSI